XRT Timeline to be uploaded on 2017/02/18

Period: 2017/02/18 11:01:00 - 2017/02/23 10:10:00

* * * * * **Normal mode** * * * * *

XOB #1B67: AR-(filter ratio Al/poly thin-Be), 512x512 at 1064 1048, with G-band 3ms, PFB, 30s cad

Term	Pointing (x, y)	Comment
02/18 11:14:00 - 02/18 17:59:54	Track (-402.1, 264.3) @ 02/18 11:11:00	# OP start + 10min HOP 332 at AR 12636
02/18 18:13:00 - 02/18 18:42:00	Track (-342.4, 267.5) @ 02/18 18:10:00	# AR 12636

PROG= 10 Inf.-time(s)

Subr= 1 1-time(s) 2.0sec

Seqn= 78 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
Open/G-band	Open/G-band	open	Safe	Norm	3ms	Obs	1x1	512x512 (1064, 1048)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	3ms	Obs	1x1	512x512 (1064, 1048)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	16.0s	Obs	1x1	512x512 (1064, 1048)	Q=98	0	0	2.0sec

Subr= 2 1-time(s) 2.0sec

Seqn= 66 88-time(s) 30.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	1x1	512x512 (1064, 1048)	Q=95	3	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	1x1	512x512 (1064, 1048)	Q=95	3	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1064, 1048)	Q=95	3	1	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	1	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1064, 1048)	Q=95	3	2	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	2	2.0sec

XOB #1B64: Synoptic Q95 2x2 - Al/mesh(64/512/2048) + Dark cal(2x2 4x4 8x8 512 Q98) + Dark cal(1x1 512x2048 - 1x1 2048x512) + Al-poly(45/512/4096) + Th

Term	Pointing (x, y)	Comment
02/18 18:03:00 - 02/18 18:09:54	Fixed (0.0, 0.0)	synoptic

PROG= 06 1-time(s)

Subr= 1 1-time(s) 2.0sec

Seqn= 5 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048 (1024, 1024)	DPCM	0	0	2.0sec

Seqn= 27 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	63ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec

Seqn= 99 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
Al-poly/Open	Al-poly/Open	close	Safe	Norm	44ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec

Seqn= 85 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
thin-Be/Open	thin-Be/Open	close	Safe	Norm	354ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	16.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec

Seqn= 54 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
Open/G-band	Open/G-band	open	Safe	Norm	3ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	3ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec

XOB #1B69: CME watch - 4x4 - AEC 2/3 - 2-filter (Be-thin, Al-poly) - G-band (1x1,3ms) - Leak (1x1,3ms) - 360s cad (G-band/Leak first)

Term	Pointing (x, y)	Comment
02/18 19:09:30 - 02/18 19:36:24	Fixed (-22.0, -978.0)	# HOP 79 (1/30)
02/18 19:39:30 - 02/18 20:19:00	Fixed (-22.0, -878.0)	# HOP 79 (2/20)
02/18 20:46:30 - 02/18 21:13:24	Fixed (-22.0, -778.0)	# HOP 79 (3/20)
02/18 21:16:30 - 02/18 21:56:30	Fixed (-22.0, -678.0)	# HOP 79 (4/20)
02/18 22:23:00 - 02/18 22:49:54	Fixed (-22.0, -578.0)	# HOP 79 (5/20)
02/18 22:53:00 - 02/18 23:34:00	Fixed (-22.0, -478.0)	# HOP 79 (6/20)
02/18 23:51:30 - 02/19 00:18:24	Fixed (-22.0, -378.0)	# HOP 79 (7/20)
02/19 00:21:30 - 02/19 01:03:30	Fixed (-22.0, -278.0)	# HOP 79 (8/20)
02/19 01:21:00 - 02/19 01:47:54	Fixed (-22.0, -178.0)	# HOP 79 (9/20)
02/19 01:51:00 - 02/19 02:33:00	Fixed (-22.0, -78.0)	# HOP 79 (10/20)

PROG= 14 Inf.-time(s)

Subr= 1 1-time(s) 2.0sec

Seqn= 52 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
Open/G-band	Open/G-band	open	Safe	Norm	3ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	3ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec

Subr= 2 10-time(s) 360.0sec

Seqn= 8 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec

Seqn= 6 1-time(s) 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC	Buffer	Interval
Al-poly/Open	Al-poly/Open	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec

	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer		Interval

XOB #1B65: Synoptic 7 Filter w/ Al-mesh(64/512/2897), Al-poly(45/512/4096), Thin-Be(1024/11571/23142) - Thick-Be(65536), Al-poly+Ti-poly(512/8192), Med-

Term	Pointing (x, y)	Comment
02/19 02:57:00 - 02/19 03:10:00	Fixed (-22.0, 12.0)	# HOP 79 (11/20), Synoptic

	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer		Interval
PROG= 20 1-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 5 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512 (1024, 1024)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 1 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	24ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 99 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	44ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 83 1-time(s) 2.0sec													
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	1.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	11.3s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	22.6s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 54 1-time(s) 4.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	3ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec
	Open/G-band	Open/G-band	close	Safe	Norm	3ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec													
Seqn= 46 1-time(s) 2.0sec													
	Open/thick-Be	Open/thick-Be	close	Safe	Norm	64.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Seqn= 68 1-time(s) 2.0sec													
	med-Al/Open	med-Al/Open	close	Safe	Norm	5.66s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	med-Al/Open	med-Al/Open	close	Safe	Norm	64.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Seqn= 12 1-time(s) 2.0sec													
	Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	8.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec

	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer		Interval

* * * * * **Flare mode** * * * * *

XOB #1AE7: Flare - multifilter 26 sec cadence (Be/thin, Be/med, Al/thick), AEC 3(thin-Be AEC2), 384x384 + context (med-Al,thick-Be -384x384 + Al-poly 512

Term	Pointing (x, y)	Comment
02/18 11:14:00 - 02/18 17:59:54	Track (-402.1, 264.3) @ 02/18 11:11:00	# OP start + 10min HOP 332 at AR 12636
02/18 18:13:00 - 02/18 18:42:00	Track (-342.4, 267.5) @ 02/18 18:10:00	# AR 12636
02/18 19:09:30 - 02/18 19:36:24	Fixed (-22.0, -978.0)	# HOP 79 (1/30)
02/18 19:39:30 - 02/18 20:19:00	Fixed (-22.0, -878.0)	# HOP 79 (2/20)
02/18 20:46:30 - 02/18 21:13:24	Fixed (-22.0, -778.0)	# HOP 79 (3/20)
02/18 21:16:30 - 02/18 21:56:30	Fixed (-22.0, -678.0)	# HOP 79 (4/20)
02/18 22:23:00 - 02/18 22:49:54	Fixed (-22.0, -578.0)	# HOP 79 (5/20)
02/18 22:53:00 - 02/18 23:34:00	Fixed (-22.0, -478.0)	# HOP 79 (6/20)
02/18 23:51:30 - 02/19 00:18:24	Fixed (-22.0, -378.0)	# HOP 79 (7/20)
02/19 00:21:30 - 02/19 01:03:30	Fixed (-22.0, -278.0)	# HOP 79 (8/20)
02/19 01:21:00 - 02/19 01:47:54	Fixed (-22.0, -178.0)	# HOP 79 (9/20)
02/19 01:51:00 - 02/19 02:33:00	Fixed (-22.0, -78.0)	# HOP 79 (10/20)

	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer		Interval
PROG= 07 30-time(s)													
Subr= 1 20-time(s) 2.0sec													
Seqn= 11 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	Q=95	2	0	2.0sec
Seqn=100 1-time(s) 10.0sec													
	thin-Be/Open	med-Be/Open	close	Safe	Norm	125ms	Obs	1x1	384x384 (1024, 1024)	Q=95	2	0	2.0sec
	med-Be/Open	Open/thick-Al	close	Safe	Norm	250ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
	Open/thick-Al	Open/thick-Be	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Subr= 2 1-time(s) 2.0sec													
Seqn= 10 1-time(s) 2.0sec													
	med-Al/Open	med-Al/thick-Al	close	Safe	Norm	500ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Norm	2.00s	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Seqn= 11 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	Q=95	2	0	2.0sec
Seqn= 84 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	3ms	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
	Open/G-band	Open/G-band	close	Safe	Norm	3ms	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
	Open/thick-Al	Open/thick-Al	close	Safe	Dark	1.00s	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
	Open/thick-Al	Open/thick-Al	close	Safe	Dark	1.00s	Obs	2x2	512x512 (1024, 1024)	Q=98	0	0	2.0sec

	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer		Interval

* * * * * **Active Region Search** * * * * *

NOT USED

* * * * * **Flare Detection** * * * * *

FLD Patrol

Term	Pointing (x, y)	Comment
02/18 18:10:18 - 02/19 02:54:18	Track (-342.4, 267.5) @ 02/18 18:10:00	# AR 12636

Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8ms	Obs	8x8		Q=50		30sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval


CMDI #0545 2017/02/18
note
before Tbl up
after Tbl up
20 1B65 1B65 : Synoptic 7 Filter w/ Al-mesh(64/512/2897), Al-poly ...
19 1AF2 1AF2
18 1AAC 1AAC
17 1AEC 1AEC
16 1B3F 1B3F
15 1AF3 1AF3
14 1B44 1B69 : CME watch - 4x4 - AEC 2/3 - 2-filter (Be-thin, Al- ...
13 1AED 1AED
12 1B66 1B66
11 1AF1 1AF1
10 1B67 1B67 : AR-(filter ratio Al/poly thin-Be), 512x512 at 1064 ...
9 1AFD 1AFD
8 1B55 1B55
7 1AE7 1AE7 : Flare - multifilter 26 sec cadence (Be/thin, Be/me ...
6 1B64 1B64 : Synoptic Q95 2x2 - Al/mesh(64/512/2048) + Dark cal ...
5 1AF4 1AF4
4 1B02 1B02
3 1B49 1B49
2 1B46 1B46 : AR Standard-A(Filter-Ratio with Al/poly and thin-B ...
1 1B56 1B56
ctrl Table upload : 3rd pass (2017/02/18 10:08:10)
pass
pass
track2
QT
FL
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
00:00
02:00
04:00
06:00
08:00
10:00
12:00


CMDI #0545 2017/02/18
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
track0
track2
QT
FL
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
12:00
14:00
16:00
18:00
20:00
22:00
00:00


CMDI #0545 2017/02/19
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
track0
track2
QT
FL
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
00:00
02:00
04:00
06:00
08:00
10:00
12:00


CMDI #0545 2017/02/19
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
track4
track3
pass
track2
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
12:00
14:00
16:00
18:00
20:00
22:00
00:00


CMDI #0545 2017/02/20
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
pass
track2
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
00:00
02:00
04:00
06:00
08:00
10:00
12:00


CMDI #0545 2017/02/20
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
pass
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
12:00
14:00
16:00
18:00
20:00
22:00
00:00


CMDI #0545 2017/02/21
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
pass
pass
pass
track0
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
00:00
02:00
04:00
06:00
08:00
10:00
12:00


CMDI #0545 2017/02/21
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
12:00
14:00
16:00
18:00
20:00
22:00
00:00


CMDI #0545 2017/02/22
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
pass
pass
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
00:00
02:00
04:00
06:00
08:00
10:00
12:00


CMDI #0545 2017/02/22
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
pass
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
12:00
14:00
16:00
18:00
20:00
22:00
00:00


CMDI #0545 2017/02/23
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
pass
pass
pass
OP end
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
00:00
02:00
04:00
06:00
08:00
10:00
12:00


CMDI #0545 2017/02/23
note
1B65
1AF2
1AAC
1AEC
1B3F
1AF3
1B69
1AED
1B66
1AF1
1B67
1AFD
1B55
1AE7
1B64
1AF4
1B02
1B49
1B46
1B56
ctrl
Al-poly
C-poly
thin-Be
med-Be
med-Al
Al-mesh
Ti-poly
G-band
thick-Al
thick-Be
full
DARK
12:00
14:00
16:00
18:00
20:00
22:00
00:00

```
(a) Spacecraft Operation Procedure (real-commands)

main-427 2017-02-18 12:15:17 289 33 SOLAR-B MAIN //
0001     C.
0002   . C. *********** AOS ***********
0003     C.
0004   . C. ¡ãAOS¥Á¥§¥Ã¥¯¼Â»Ü¡ä
0005     C.
0006     C. ¥À¥ß¡¼¥³¥Þ¥ó¥ÉÁ÷¿®
0007   +. DC 00-00 NULL_DUMMY_CMD
0008     C.
0009   . C. ***** AOCS : Reload orbital element (send every contact) *****
0010     C.  Ãí¡Ë¤¿¤À¤•µ°Æ»Í×ÁÇ¤Î¥¢¥Ã¥×¥í¡¼¥É¡ËËè½µ•îÍË¡Ë¤Ë¼ºÇÔ¤•¤¿¾ì¹ç¤Ï¡¢À®¸ù¤¹¤ë¤Þ¤ÇÁ÷¿®¤•¤Ê¤¤¤³¤È¡£
0011   +. DC 02-8E AOCU_ORB_UPD
0012     C.
0013     C.
0014   . C. ****************************
0015     C. XÁ÷¿®µ¡ON
0016     C. ****************************
0017     C. ¢¨ ºÆÀ¸ Í×ÈÝ¤äLOS¤Þ¤ÇºÎ»Þ´Ö¤ò¹ÍÎ¸ ¤•¡¢ÉÔÍ×¤ÊXÂÓON¤Ï¹Ô¤Ê¤ï¤Ê¤¤¤³¤È¡£
0018     C.
0019   +. DC 03-B4 TCIA_XPA_ON/HI
0020     M. WAIT_SEC   1
0021   +  DC 03-84 TCIA_XMOD_ON
0022     M. WAIT_SEC   1
0023   +  DC 03-95 TCIA_XMOD_QPSK
0024     C.                      ¢¢[HK1_XPA_ON/OFF]              EQ     ON
0025     C.                      ¢¢[HK1_XPA_PWR_HI/LO]           EQ     HI
0026     C.                      ¢¢[HK1_XMOD_ON/OFF]             EQ     ON
0027     C.                      ¢¢[HK1_XMOD_QPSK/PM]            EQ     QPSK
0028     C.
0029   . C. X¥Ð¥ó¥É¥í¥Ã¥¯¾õÂÖ¤¬°ÂÄê¤•¤¿¤é¡¢°Ê²¼¤ÎºÆÀ¸ ¼ê½ç¤ò¼Â¹Ô¤¹¤ë¡£
0030     C.
0031   . C. ***************
0032     C. DR PT1 ÄÌ¾ïºÆÀ¸
0033     C. ***************
0034     C. ¢¨ RESTART¡ÊPT1¡Ë¤•¤¿¤¤¾ì¹ç¤Ï¡¢°Ê²¼¤Ï¼Â¹Ô¤»¤º¡¢¢DCBC-150¤Ø¿Ê¤à¡£
0035     C.
0036   . C. ¡ãPT1ºÆÀ¸ ³«»Ï¡ä
0037   +. DC 01-29 DHU_S/X_VC4_OFF
0038   +  DC 06-C8 DR_PT1_REP_SEL
0039     BC       (01 00)
0040   +  DC 06-B3 DR_REP_START
0041   +  DC 01-32 DHU_X_VC4_ON
0042     C.                      ¢¢[HK1_REP_PT_1/2]              EQ     PT1    (¼Â¹Ô¸¡¾Ú)
0043     C.                      ¢¢[HK1_REP_STA/STP]             EQ     START  (¼Â¹Ô¸¡¾Ú)
0044     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     ON     (¼Â¹Ô¸¡¾Ú)
0045     C.
0046   . C. ¡ã¥¢¥ó¥Æ¥ÊÀÚÂØ¡ÊÅ•Äº²óÈò¡Ë¸å¤ÎºÆÀ¸ ºÆ³«¡ä
0047   +. DC 06-B3 DR_REP_START
0048   +  DC 01-32 DHU_X_VC4_ON
0049     C.                      ¢¢[HK1_REP_PT_1/2]              EQ     PT1    (¼Â¹Ô¸¡¾Ú)
0050     C.                      ¢¢[HK1_REP_STA/STP]             EQ     START  (¼Â¹Ô¸¡¾Ú)
0051     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     ON     (¼Â¹Ô¸¡¾Ú)
0052     C.
0053     C.
0054   . C. PT1ºÆÀ¸ ¤¬¼«Æ°Ää»ß¤•¤¿¸å¡¢¢Ê²¼¤ò¼Â¹Ô¤¹¤ë¡£
0055     C. ¥¢¥ó¥Æ¥ÊÀÚÂØ¤äÅ•Äº²óÈò¤¬¶á¤¤¾ì¹ç¤Ï´°Î»¤¹¤ë¤Þ¤ÇÂÔ¤Ä¡£
0056     C.
0057   . C. ***************
0058     C. DR PT2 ÄÌ¾ïºÆÀ¸
0059     C. ***************
0060     C. ¢¨ RESTART¡ÊPT2¡Ë¤•¤¿¤¤¾ì¹ç¤Ï¡¢°Ê²¼¤Ï¼Â¹Ô¤»¤º¡¢¢DCBC-151¤Ø¿Ê¤à¡£
0061     C.
0062   . C. ¡ãPT2ºÆÀ¸ ³«»Ï¡ä
0063   +. DC 01-29 DHU_S/X_VC4_OFF
0064   +  DC 06-C8 DR_PT2_REP_SEL
0065     BC       (02 00)
0066   +  DC 06-B3 DR_REP_START
0067   +  DC 01-32 DHU_X_VC4_ON
0068     C.                      ¢¢[HK1_REP_PT_1/2]              EQ     PT2    (¼Â¹Ô¸¡¾Ú)
0069     C.                      ¢¢[HK1_REP_STA/STP]             EQ     START  (¼Â¹Ô¸¡¾Ú)
0070     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     ON     (¼Â¹Ô¸¡¾Ú)
0071     C.
0072   . C. ¡ã¥¢¥ó¥Æ¥ÊÀÚÂØ¡ÊÅ•Äº²óÈò¡Ë¸å¤ÎºÆÀ¸ ºÆ³«¡ä
0073   +. DC 06-B3 DR_REP_START
0074   +  DC 01-32 DHU_X_VC4_ON
0075     C.                      ¢¢[HK1_REP_PT_1/2]              EQ     PT2    (¼Â¹Ô¸¡¾Ú)
0076     C.                      ¢¢[HK1_REP_STA/STP]             EQ     START  (¼Â¹Ô¸¡¾Ú)
0077     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     ON     (¼Â¹Ô¸¡¾Ú)
0078     C.
0079   . C. ****************************
0080     C. DRºÆÀ¸ Ää»ß¡¢XÁ÷¿®µ¡OFF
0081     C. ****************************
0082     C.
0083   . C. ¡ãDRºÆÀ¸ Ää»ß¡ä
0084   +. DC 06-B4 DR_REP_STOP
0085   +  DC 01-29 DHU_S/X_VC4_OFF
0086     C.                      ¢¢[HK1_REP_STA/STP]             EQ     STOP
0087     C.                      ¢¢[HK1_S_VC4_ON/OFF]            EQ     OFF
0088     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     OFF
0089     C.
0090   . C. ¡ãXÁ÷¿®µ¡OFF¡ä
0091   +. DC 03-85 TCIA_XMOD_OFF
0092     M. WAIT_SEC   1
0093   +  DC 03-B5 TCIA_XPA_OFF
0094     C.                      ¢¢[HK1_XMOD_ON/OFF]             EQ     OFF
0095     C.                      ¢¢[HK1_XPA_ON/OFF]              EQ     OFF
```

```
0096     C.
0097     C.
0098   . C. ***************************
0099     C. OP/OG¥í¡¼¥É¡¦¥À¥ó¥×
0100     C. ***************************
0101     C.
0102   . C. ¡ãOP/OG¥í¡¼¥É¡ä
0103   . S. OP    op-427:OP
0104     ()
0105   . S. OG    og-427:OG
0106     ()
0107     C.
0108   . C. ¡ãNMOG&OPÎÎ°è¥À¥ó¥×¡ä
0109     C. NMOG(0x200000-0x207FFF¡§ 32 kbyte)
0110  +. DC 01-23 DHU_DMA_DMP_PRM_SET
0111     BC       (20 00 7f 01 02)
0112     C.                       ¢¢[HK1_DMP_TOP_ADRS_1]          EQ     40
0113     C.                       ¢¢[HK1_DMP_TOP_ADRS_0]          EQ     0
0114     C.                       ¢¢[HK1_DMP_BLOCK_NUM]           EQ     127
0115     C.                       ¢¢[HK1_DMP_REPEAT_NUM]          EQ     0
0116     C.                       ¢¢[HK1_DMA_DMP_PIM]             EQ     DHU
0117  +. DC 01-22 DHU_MODE_CHNG
0118     BC       (07 0b f8)
0119     C.                       ¢¢[HK1_PKT_FORM_NO]             EQ     7
0120     C.                       ¢¢[HK1_PKT_GEN_TIME]            EQ     0.25 s
0121     C.                       ¢¢[HK1_S_TLM_BIT_RATE]          EQ     32k
0122     C.                       ¢¢[HK1_X_TLM_BIT_RATE]          EQ     4M
0123     C.                       ¢¢[HK1_DMP_CHK_FLG]             EQ     EXEC
0124   . C. ¥À¥ó¥×½ªÎ»¤ò³ÎÇ§
0125     C.                       ¢¢[HK1_DMP_CHK_FLG]             EQ     NON
0126   . C. RAM ID=NMOG¤Î¾È¹ç•ë²ÌOK¤ò³ÎÇ§
0127     C.
0128     C. NMOG(0x208000-0x20FFFF¡§ 32 kbyte)
0129  +. DC 01-23 DHU_DMA_DMP_PRM_SET
0130     BC       (20 80 7f 01 02)
0131     C.                       ¢¢[HK1_DMP_TOP_ADRS_1]          EQ     41
0132     C.                       ¢¢[HK1_DMP_TOP_ADRS_0]          EQ     0
0133     C.                       ¢¢[HK1_DMP_BLOCK_NUM]           EQ     127
0134     C.                       ¢¢[HK1_DMP_REPEAT_NUM]          EQ     0
0135     C.                       ¢¢[HK1_DMA_DMP_PIM]             EQ     DHU
0136  +. DC 01-22 DHU_MODE_CHNG
0137     BC       (07 0b f8)
0138     C.                       ¢¢[HK1_PKT_FORM_NO]             EQ     7
0139     C.                       ¢¢[HK1_PKT_GEN_TIME]            EQ     0.25 s
0140     C.                       ¢¢[HK1_S_TLM_BIT_RATE]          EQ     32k
0141     C.                       ¢¢[HK1_X_TLM_BIT_RATE]          EQ     4M
0142     C.                       ¢¢[HK1_DMP_CHK_FLG]             EQ     EXEC
0143   . C. ¥À¥ó¥×½ªÎ»¤ò³ÎÇ§
0144     C.                       ¢¢[HK1_DMP_CHK_FLG]             EQ     NON
0145   . C. RAM ID=NMOG¤Î¾È¹ç•ë²ÌOK¤ò³ÎÇ§
0146     C.
0147     C. NMOG(0x210000-0x2100FF¡§ 256byte)+OP(0x210100-0x2141FF: 16.25kbyte)
0148  +. DC 01-23 DHU_DMA_DMP_PRM_SET
0149     BC       (21 00 41 01 02)
0150     C.                       ¢¢[HK1_DMP_TOP_ADRS_1]          EQ     42
0151     C.                       ¢¢[HK1_DMP_TOP_ADRS_0]          EQ     0
0152     C.                       ¢¢[HK1_DMP_BLOCK_NUM]           EQ     65
0153     C.                       ¢¢[HK1_DMP_REPEAT_NUM]          EQ     0
0154     C.                       ¢¢[HK1_DMA_DMP_PIM]             EQ     DHU
0155  +. DC 01-22 DHU_MODE_CHNG
0156     BC       (07 0b f8)
0157     C.                       ¢¢[HK1_PKT_FORM_NO]             EQ     7
0158     C.                       ¢¢[HK1_PKT_GEN_TIME]            EQ     0.25 s
0159     C.                       ¢¢[HK1_S_TLM_BIT_RATE]          EQ     32k
0160     C.                       ¢¢[HK1_X_TLM_BIT_RATE]          EQ     4M
0161     C.                       ¢¢[HK1_DMP_CHK_FLG]             EQ     EXEC
0162   . C. ¥À¥ó¥×½ªÎ»¤ò³ÎÇ§
0163     C.                       ¢¢[HK1_DMP_CHK_FLG]             EQ     NON
0164   . C. RAM ID=NMOG,RAM ID=OP¤Î¾È¹ç•ë²ÌOK¤ò³ÎÇ§
0165     C.
0166   . C. ***** °Ê²¼¤Ï¾Ã´¶Á°¤ËÉ¬¤ºÁ÷¿® (¾åµ-¥À¥ó¥×¼ê½ç¤òÅÓÃæ¤Ç½ª¤¨¤ë¾ì¹ç¤Ç¤â) *****
0167     C. DHU¥â¡¼¥É¡Ê¼ý¸¸¥ì¡¼¥È¡Ë¤òÌá¤¹
0168  +. DC 01-22 DHU_MODE_CHNG
0169     BC       (02 0a f8)
0170     C.                       ¢¢[HK1_PKT_FORM_NO]             EQ     2
0171     C.                       ¢¢[HK1_PKT_GEN_TIME]            EQ     0.5S
0172     C.                       ¢¢[HK1_S_TLM_BIT_RATE]          EQ     32K
0173     C.                       ¢¢[HK1_X_TLM_BIT_RATE]          EQ     4M
0174     C.
0175   . C. ********************************
0176     C. TI-CMD SET (OPOG STOP/COPY/START)
0177     C. ********************************
0178     C.
0179   . C. NOTICE ¡§ OPOG UPLOAD¤¬Á÷¿®NG¤Î¾ì¹ç¡¢°Ê²¼¤ÎTI-CMDÁ÷¿®¤Ï¼Â¹Ô¤•¤Ê¤¤¤³¤È¡£
0180     C.           ¤Þ¤¿¡¢SET¤ÈDUMP¤ÏÆ±°ì¥Ñ¥¿¹Ç¹Ô¤¦¤³¤È¡£
0181     C.
0182   . C. TI¥³¥Þ¥ó¥É¤òÅÐÏ¿(UT)
0183  +. TI 2017-02-18 10:56:00.0
0184     DC 01-B3 DHU_OP_STOP
0185     C.                       ¢¢[HK1_TI_CMD_NUM]              EQ     1COUNTUP
0186     C.
0187  +. TI 2017-02-18 10:56:01.0
0188     DC 01-B4 DHU_OP_COPY
0189     C.                       ¢¢[HK1_TI_CMD_NUM]              EQ     1COUNTUP
0190     C.
0191  +. TI 2017-02-18 10:56:01.0
0192     DC 01-B5 DHU_OPOG_COPY
0193     C.                       ¢¢[HK1_TI_CMD_NUM]              EQ     1COUNTUP
```

```
0194     C.
0195   +. TI 2017-02-18 11:00:59.5
0196     DC 01-B2 DHU_OP_START
0197     C.                      ¢¢[HK1_TI_CMD_NUM]              EQ     1COUNTUP
0198     C.
0199     C. °Ê²¼¤ÏÄê¾ïÍÑ¤Î¥Á¥§¥Ã¥¯¹àÌÜ
0200     C.                      ¢¢[HK1_TI_CMD_ENA/DIS]          EQ     ENA
0201     C.                      ¢¢[HK1_TI_CMD_NUM]              EQ     4
0202     C.                      ¢¢[HK1_NEXT_EXEC_PIM]           EQ     DHU
0203     C.                      ¢¢[HK1_NEXT_EXEC_DC]            EQ     0xB3
0204     C.
0205    . C. ****************************
0206     C. TIÎÎ°è¥À¥ó¥×
0207     C. ****************************
0208     C.
0209     C. TI_TBL(0x03AB00-0x03AEFF¡§ 1024byte)
0210   +. DC 01-23 DHU_DMA_DMP_PRM_SET
0211     BC       (03 ab 03 01 02)
0212     C.                      ¢¢[HK1_DMP_TOP_ADRS_1]          EQ     07
0213     C.                      ¢¢[HK1_DMP_TOP_ADRS_0]          EQ     2B
0214     C.                      ¢¢[HK1_DMP_BLOCK_NUM]           EQ     3
0215     C.                      ¢¢[HK1_DMP_REPEAT_NUM]          EQ     0
0216     C.                      ¢¢[HK1_DMA_DMP_PIM]             EQ     DHU
0217   +. DC 01-22 DHU_MODE_CHNG
0218     BC       (07 0b f8)
0219     C.                      ¢¢[HK1_PKT_FORM_NO]             EQ     7
0220     C.                      ¢¢[HK1_PKT_GEN_TIME]            EQ     0.25 s
0221     C.                      ¢¢[HK1_S_TLM_BIT_RATE]          EQ     32k
0222     C.                      ¢¢[HK1_X_TLM_BIT_RATE]          EQ     4M
0223     C.                      ¢¢[HK1_DMP_CHK_FLG]             EQ     EXEC
0224     C.
0225    . C. ¥À¥ó¥×½ªÎ»¤ò³ÎÇ§
0226     C.                      ¢¢[HK1_DMP_CHK_FLG]             EQ     NON
0227     C.
0228    . C. RAM ID=TI_TBL¤Î¾È¹ç•ë²ÌOK¤ò³ÎÇ§
0229     C.
0230    . C. DHU¥â¡¼¥É¡Ê¼ý½¸¥ì¡¼¥È¡Ë¤òÌá¤¹
0231   +. DC 01-22 DHU_MODE_CHNG
0232     BC       (02 0a f8)
0233     C.                      ¢¢[HK1_PKT_FORM_NO]             EQ     2
0234     C.                      ¢¢[HK1_PKT_GEN_TIME]            EQ     0.5S
0235     C.                      ¢¢[HK1_S_TLM_BIT_RATE]          EQ     32K
0236     C.                      ¢¢[HK1_X_TLM_BIT_RATE]          EQ     4M
0237     C.
0238     C. ********************************
0239     C.  SOT TI command set
0240     C. ********************************
0241     C. Execute, after the success of OP upload.
0242   +. TI 2017-02-18 11:00:16.0
0243     DC 07-F0 MDP_SOT_MODE_STBY
0244     BC       (41)
0245    . C. ------------------------------------
0246     C.   HK1_TI_CMD_NUM       = 1 CNTUP [ ]
0247     C. ------------------------------------
0248     C. ************ SOT END ***********
0249    . C. Stop EIS observation and temporarily disable EIS mode changes
0250     C.
0251     C.
0252     C. ********** Start EIS operation (TI set) **********
0253     C. Execute, after the success of OP upload.
0254     C. Set EIS TI-commands
0255   +. TI 2017-02-18 11:00:30.0
0256     DC 07-FC EIS_MODE_MANU
0257     BC       (21 02)
0258   +. TI 2017-02-18 11:00:40.0
0259     DC 07-FC EIS_MODE_CHG_DIS
0260     BC       (22)
0261    . C.                      [   ]  [HK1_TI_CMD_NUM]     EQ    2 COUNTUP
0262     C. ************ End EIS operation (TI set) ***********
0263     C.
0264     C.
0265     C.
0266     C. ************ XRT START ***********
0267     C. Execute, after the success of OP upload.
0268   +. TI 2017-02-18 11:00:00.0
0269     DC 07-F0 MDP_XRT_MODE_STBY
0270     BC       (c3)
0271    . C.                      [   ]  [HK1_TI_CMD_NUM]     EQ    1COUNTUP
0272     C.
0273     C. ************ XRT END ***********
0274     C.
0275    . C. ***** MDP ´ûÃÎ¤Î»ö¾Ý¤ËÂÐ¤¹¤ëDCBC•×²è *****
0276     C. (¾å°Ì¥Ó¥Ã¥È¥Þ¥Ë¥å¥¢¥ë¤Ë½¾¤¤¼Â»Ü¤¹¤ë)
0277    . S. DC-BC dcbc-402:DCBC
0278     (MDP_known_event)
0279     C.
0280     C.
0281    . C. ***** ¥Ð¥¹•Ï Daily±¿ÍÑ¤Ë´Ø¤¹¤ëDCBC•×²è *****
0282    . S. DC-BC dcbc-153:DCBC
0283     (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0284     C.
0285     C.
0286    . C. ¡ãLOS¥Á¥§¥Ã¥¯¼Â»Ü¡ä
0287     C.
0288    . C. ********** LOS **********
0289     C.
```

```
(a) Spacecraft Operation Procedure (real-commands)

main-428 2017-02-18 12:15:17 169 33 SOLAR-B MAIN //
0001     C.
0002    . C. *********** AOS ***********
0003     C.
0004    . C. ¡ãAOS¥Á¥§¥Ã¥¯¼Â»Ü¡ä
0005     C.
0006     C. ¥À¥ß¡¼¥³¥Þ¥ó¥ÉÁ÷¿®
0007    +. DC 00-00 NULL_DUMMY_CMD
0008     C.
0009    . C. ***** AOCS : Reload orbital element (send every contact) *****
0010     C.  Ãí¡Ë¤¿¤À¤•µ°Æ»Í×ÁÇ¤Î¥¢¥Ã¥×¥í¡¼¥É¡ËËè½µ•îÍË¡Ë¤Ë¼ºÇÔ¤•¤¿¾ì¹ç¤Ï¡¢À®¸ù¤¹¤ë¤Þ¤ÇÁ÷¿®¤•¤Ê¤¤¤³¤È¡£
0011    +. DC 02-8E AOCU_ORB_UPD
0012     C.
0013     C.
0014    . C. ****************************
0015     C. XÁ÷¿®µ¡ON
0016     C. ****************************
0017     C. ¢¨ ºÆÀ¸ Í×ÈÝ¤äLOS¤Þ¤ÇÎ»þ´Ö¤ò¹ÍÎ¸ ¤•¡¢ÉÔÍ×¤ÊXÂÓON¤Ï¹Ô¤Ê¤ï¤Ê¤¤¤³¤È¡£
0018     C.
0019    +. DC 03-B4 TCIA_XPA_ON/HI
0020     M. WAIT_SEC   1
0021    +  DC 03-84 TCIA_XMOD_ON
0022     M. WAIT_SEC   1
0023    +  DC 03-95 TCIA_XMOD_QPSK
0024     C.                      ¢¢[HK1_XPA_ON/OFF]              EQ     ON
0025     C.                      ¢¢[HK1_XPA_PWR_HI/LO]           EQ     HI
0026     C.                      ¢¢[HK1_XMOD_ON/OFF]             EQ     ON
0027     C.                      ¢¢[HK1_XMOD_QPSK/PM]            EQ     QPSK
0028     C.
0029    . C. X¥Ð¥ó¥É¥í¥Ã¥¯¾õÂÖ¤¬°ÂÄê¤•¤¿¤é¡¢°Ê²¼¤ÎºÆÀ¸ ¼ê½ç¤ò¼Â¹Ô¤¹¤ë¡£
0030     C.
0031    . C. ***************
0032     C. DR PT1 ÄÌ¾ïºÆÀ¸
0033     C. ***************
0034     C. ¢¨ RESTART¡ÊPT1¡Ë¤•¤¿¤¤¾ì¹ç¤Ï¡¢°Ê²¼¤Ï¼Â¹Ô¤»¤º¡¢DCBC-150¤Ø¿Ê¤à¡£
0035     C.
0036    . C. ¡ãPT1ºÆÀ¸ ³«»Ï¡ä
0037    +. DC 01-29 DHU_S/X_VC4_OFF
0038    +  DC 06-C8 DR_PT1_REP_SEL
0039     BC       (01 00)
0040    +  DC 06-B3 DR_REP_START
0041    +  DC 01-32 DHU_X_VC4_ON
0042     C.                      ¢¢[HK1_REP_PT_1/2]              EQ     PT1    (¼Â¹Ô¸¡¾Ú)
0043     C.                      ¢¢[HK1_REP_STA/STP]             EQ     START  (¼Â¹Ô¸¡¾Ú)
0044     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     ON     (¼Â¹Ô¸¡¾Ú)
0045     C.
0046    . C. ¡ã¥¢¥ó¥Æ¥ÈÀÚÂØ¡ÊÅ•Äº²óÈò¡Ë¸å¤ÎºÆÀ¸ ºÆ³«¡ä
0047    +. DC 06-B3 DR_REP_START
0048    +  DC 01-32 DHU_X_VC4_ON
0049     C.                      ¢¢[HK1_REP_PT_1/2]              EQ     PT1    (¼Â¹Ô¸¡¾Ú)
0050     C.                      ¢¢[HK1_REP_STA/STP]             EQ     START  (¼Â¹Ô¸¡¾Ú)
0051     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     ON     (¼Â¹Ô¸¡¾Ú)
0052     C.
0053     C.
0054    . C. PT1ºÆÀ¸ ¤¬¼«Æ°Ää»ß¤•¤¿¸å¡¢¢°Ê²¼¤ò¼Â¹Ô¤¹¤ë¡£
0055     C. ¥¢¥ó¥Æ¥ÈÀÚÂØ¤äÅ•Äº²óÈò¤¬¶á¤¤¾ì¹ç¤Ï´°Î»¤¹¤ë¤Þ¤ÇÂÔ¤Ä¡£
0056     C.
0057    . C. ***************
0058     C. DR PT2 ÄÌ¾ïºÆÀ¸
0059     C. ***************
0060     C. ¢¨ RESTART¡ÊPT2¡Ë¤•¤¿¤¤¾ì¹ç¤Ï¡¢°Ê²¼¤Ï¼Â¹Ô¤»¤º¡¢DCBC-151¤Ø¿Ê¤à¡£
0061     C.
0062    . C. ¡ãPT2ºÆÀ¸ ³«»Ï¡ä
0063    +. DC 01-29 DHU_S/X_VC4_OFF
0064    +  DC 06-C8 DR_PT2_REP_SEL
0065     BC       (02 00)
0066    +  DC 06-B3 DR_REP_START
0067    +  DC 01-32 DHU_X_VC4_ON
0068     C.                      ¢¢[HK1_REP_PT_1/2]              EQ     PT2    (¼Â¹Ô¸¡¾Ú)
0069     C.                      ¢¢[HK1_REP_STA/STP]             EQ     START  (¼Â¹Ô¸¡¾Ú)
0070     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     ON     (¼Â¹Ô¸¡¾Ú)
0071     C.
0072    . C. ¡ã¥¢¥ó¥Æ¥ÈÀÚÂØ¡ÊÅ•Äº²óÈò¡Ë¸å¤ÎºÆÀ¸ ºÆ³«¡ä
0073    +. DC 06-B3 DR_REP_START
0074    +  DC 01-32 DHU_X_VC4_ON
0075     C.                      ¢¢[HK1_REP_PT_1/2]              EQ     PT2    (¼Â¹Ô¸¡¾Ú)
0076     C.                      ¢¢[HK1_REP_STA/STP]             EQ     START  (¼Â¹Ô¸¡¾Ú)
0077     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     ON     (¼Â¹Ô¸¡¾Ú)
0078     C.
0079    . C. ****************************
0080     C. DRºÆÀ¸ Ää»ß¡¢XÁ÷¿®µ¡OFF
0081     C. ****************************
0082     C.
0083    . C. ¡ãDRºÆÀ¸ Ää»ß¡ä
0084    +. DC 06-B4 DR_REP_STOP
0085    +  DC 01-29 DHU_S/X_VC4_OFF
0086     C.                      ¢¢[HK1_REP_STA/STP]             EQ     STOP
0087     C.                      ¢¢[HK1_S_VC4_ON/OFF]            EQ     OFF
0088     C.                      ¢¢[HK1_X_VC4_ON/OFF]            EQ     OFF
0089     C.
0090    . C. ¡ãXÁ÷¿®µ¡OFF¡ä
0091    +. DC 03-85 TCIA_XMOD_OFF
0092     M. WAIT_SEC   1
0093    +  DC 03-B5 TCIA_XPA_OFF
0094     C.                      ¢¢[HK1_XMOD_ON/OFF]             EQ     OFF
0095     C.                      ¢¢[HK1_XPA_ON/OFF]              EQ     OFF
```

```
0096     C.
0097     C.
0098   . C. ***** AOCS Commands (Tracking Curve Upload) ******
0099     C. Upload the Orbit Element and the Target Attitude
0100     C. RAM-ID:TARGET_ATT
0101   . S. RAM   ram-150:TARGET_ATT
0102     ()
0103     C.
0104     C.
0105     C. Set the dump memory area of TARGET_ATT
0106   +. DC 02-48 AOCU_DUMP_SET
0107     BC       (07 00 00 00 18 00)
0108     C.
0109     C.    <A_STS1>[MEMORY OPERATE SATUS] ADRS = 070000 [ ]
0110     C.
0111     C.
0112     C. Change the TLMFormatNo for the AOCS Dump Format
0113   +. DC 01-22 DHU_MODE_CHNG
0114     BC       (04 0b f8)
0115     C.
0116     C. Wait for AOCSDUMP to end
0117     C.
0118   . C. Check the dump memory
0119     C.
0120     C.                                      Result = OK [ ]
0121     C.
0122   +. DC 01-22 DHU_MODE_CHNG
0123     BC       (02 0a f8)
0124     C.
0125     C.                         <A_***>[TLM STS] FMT = 2 [ ]
0126     C.
0127   +. DC 02-8E AOCU_ORB_UPD
0128   . C.
0129   . C. Load OBSTBL, dump OBSTBL, enable EIS mode changes
0130   +. DC 07-FC EIS_MODE_CHG_ENA
0131     BC       (20)
0132   . C. Verify EIS_MODE_CHG_FLG is ENA
0133   +. DC 07-FC EIS_MODE_MANU
0134     BC       (21 02)
0135   . C. Verify EIS in MANUAL mode
0136   . C. Estimated OBSTBL upload time is 13s
0137     C. ********************************
0138     C. EIS START OBSTBL LOAD
0139     C. ********************************
0140   . S. RAM   ram-820:EIS_OBSTBL
0141     ()
0142   +. DC 07-FC EIS_DUMP_OBSTBL
0143     BC       (07 07 07 00 00 70 00)
0144     C.
0145     C. Execute, after the success of OBSTBL upload.
0146     C. Set EIS TI-commands
0147   +. TI 2017-02-18 11:00:50.0
0148     DC 07-FC EIS_MODE_CHG_ENA
0149     BC       (20)
0150   . C.                        [   ]  [HK1_TI_CMD_NUM]     EQ    1 COUNTUP
0151     C. ********************************
0152     C. EIS END OBSTBL LOAD
0153     C. ********************************
0154     C.
0155   . C. ***** MDP ´ûÃÎ¤Î»ö¾Ý¤ËÂÐ¤¹¤ëDCBC•×²è *****
0156     C. (¾å°Ì¥Ó¥Ã¥È¥Þ¥Ë¥å¥¢¥ë¤Ë½¾¤¤¼Â»Ü¤¹¤ë)
0157   . S. DC-BC dcbc-402:DCBC
0158     (MDP_known_event)
0159     C.
0160     C.
0161   . C. ***** ¥Ð¥¹•Ï Daily±¿ÍÑ¤Ë´Ø¤¹¤ëDCBC•×²è *****
0162   . S. DC-BC dcbc-153:DCBC
0163     (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0164     C.
0165     C.
0166   . C. ¡ãLOS¥Á¥§¥Ã¥¯¼Â»Ü¡ä
0167     C.
0168   . C. ********** LOS **********
0169     C.
```

(a) Spacecraft Operation Procedure (real-commands)

```
main-429 2017-02-18 12:15:17 130 33 SOLAR-B MAIN //
0001     C.
0002   . C. *********** AOS ***********
0003     C.
0004   . C. ¡ãAOS¥Á¥§¥Ã¥¯¼Â»Ü¡ä
0005     C.
0006     C. ¥À¥ß¡¼¥³¥Þ¥ó¥ÉÁ÷¿®
0007   +. DC 00-00 NULL_DUMMY_CMD
0008     C.
0009   . C. ***** AOCS : Reload orbital element (send every contact) *****
0010     C.  Ãí¡Ë¤¿¤À¤•µ°Æ»Í×ÁÇ¤Î¥¢¥Ã¥×¥í¡¼¥É¡ÊËè½µ•îÍË¡Ë¤¼ºÇÔ¤•¤¿¾ì¹ç¤Ï¡¢À®¸ù¤¹¤ë¤Þ¤ÇÁ÷¿®¤•¤Ê¤¤¤³¤È¡£
0011   +. DC 02-8E AOCU_ORB_UPD
0012     C.
0013     C.
0014   . C. ********************************
0015     C.  SOT table upload
0016     C. ********************************
0017   . C. < Stop SP table >
0018   +. DC 07-F0 MDP_SP_CTRL_MANU
0019     BC       (61)
0020     C. ------------------------------------
0021     C.  MDP_SP_CTRL_MODE      = MANU    [ ]
0022     C. ------------------------------------
0023     C.
0024   . C. <Upload SP Observation Table>
0025   . S. RAM   ram-285:MDP_OBS_S
0026     ()
0027     C.
0028   . C. < Dump RAMID=MDP_OBS_S >
0029   +. DC 07-F0 MDP_DUMP_SPTBL
0030     BC       (83 07 00 00 00 38 b8)
0031     C. ------------------------------------
0032     C.  MDP_OBS_S verify = OK/NG        [ ]
0033     C. ------------------------------------
0034     C.
0035     C. ********************************
0036     C.  SOT TI command set
0037     C. ********************************
0038     C. Execute, after the success of TBL upload.
0039   +. TI 2017-02-18 11:00:18.0
0040     DC 07-F0 MDP_SOT_MODE_OBSV
0041     BC       (40)
0042   . C. ------------------------------------
0043     C.   HK1_TI_CMD_NUM       = 1 CNTUP [ ]
0044     C. ------------------------------------
0045     C.
0046     C.
0047     C. ************ XRT START ************
0048     C.
0049   +. DC 07-F0 MDP_XRT_CTRL_MANU
0050     BC       (c1)
0051   +  DC 07-F0 MDP_XRT_MODE_STBY
0052     BC       (c3)
0053   . C. ----------- Success Verify ?             OK / NG____
0054     C.
0055     C. XRT Obs. Table Upload
0056   . S. RAM   ram-291:MDP_OBS_X
0057     ()
0058     C.
0059   +. DC 07-F0 MDP_DUMP_XRTTBL
0060     BC       (84 07 00 00 00 3a d4)
0061   . C. ----------- Comparison Check ?                      OK / ERR ____
0062     C.
0063     C.
0064   +. DC 07-F0 MDP_XRT_ROI_SET
0065     BC       (cd 01 b1 b1 04 04)
0066   +  DC 07-F0 MDP_XRT_ROI_SET
0067     BC       (cd 02 b1 b1 08 08)
0068   +  DC 07-F0 MDP_XRT_ROI_SET
0069     BC       (cd 03 b1 b1 08 08)
0070   +  DC 07-F0 MDP_XRT_ROI_SET
0071     BC       (cd 04 b1 b1 06 06)
0072   +  DC 07-F0 MDP_XRT_ROI_SET
0073     BC       (cd 05 85 83 06 06)
0074   +  DC 07-F0 MDP_XRT_ROI_SET
0075     BC       (cd 06 85 83 06 06)
0076   +  DC 07-F0 MDP_XRT_ROI_SET
0077     BC       (cd 07 85 83 08 08)
0078   +  DC 07-F0 MDP_XRT_ROI_SET
0079     BC       (cd 08 80 80 20 20)
0080   +  DC 07-F0 MDP_XRT_ROI_SET
0081     BC       (cd 09 80 80 20 08)
0082   +  DC 07-F0 MDP_XRT_ROI_SET
0083     BC       (cd 0a 80 80 08 20)
0084   +  DC 07-F0 MDP_XRT_ROI_SET
0085     BC       (cd 0f 80 80 06 06)
0086   +  DC 07-F0 MDP_XRT_ROI_SET
0087     BC       (cd 10 80 80 08 08)
0088   +  DC 07-F0 MDP_XRT_FLD_ENA
0089     BC       (d8)
0090   +  DC 07-F0 MDP_XRT_FLRCTRL_ENA
0091     BC       (c8)
0092   +  DC 07-F0 MDP_XRT_ARS_DIS
0093     BC       (d5)
0094   +  DC 07-F0 MDP_XRT_AEC_RESET
0095     BC       (d0)
```

```
0096  +  DC 07-F0 MDP_XRT_FLD_RESET
0097     BC       (da)
0098  +  DC 07-F0 MDP_XRT_QT_PROG_SET
0099     BC       (c4 02)
0100  +  DC 07-F0 MDP_XRT_FL_PROG_SET
0101     BC       (c5 07)
0102   . C. ---------- Success Verify ?            OK / NG ____
0103     C.
0104     C.
0105   . C. All OK?   Yes--> Please Proceed. / No --> Stop here.
0106     C.
0107  +. DC 07-F0 MDP_XRT_MODE_OBSV
0108     BC       (c2)
0109  +. TI 2017-02-18 11:00:02.0
0110     DC 07-F0 MDP_XRT_MODE_OBSV
0111     BC       (c2)
0112   . C. ---------- Success Verify ?            OK / NG ____
0113     C.
0114     C. ************ XRT END ***********
0115     C.
0116   . C. ***** MDP ´ûÃÎ¤Î»ö¾Ý¤ËÂÐ¤¹¤ëDCBC•×²è *****
0117     C. (¾å°Ì¥Ó¥Ã¥È¥Þ¥Ë¥å¥¢¥ë¤Ë½¾¤¤¾Â»Ü¤¹¤ë)
0118   . S. DC-BC dcbc-402:DCBC
0119     (MDP_known_event)
0120     C.
0121     C.
0122   . C. ***** ¥Ð¥¹•Ï Daily±¿ÍÑ¤Ë´Ø¤¹¤ëDCBC•×²è *****
0123   . S. DC-BC dcbc-153:DCBC
0124     (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0125     C.
0126     C.
0127   . C. ¡ãLOS¥Á¥§¥Ã¥¯¼Â»Ü¡ä
0128     C.
0129   . C. *********** LOS ***********
0130     C.
```

```
*** OP Sequence for XRT ***

2017/02/18  11:10:54.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  11:10:56.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  11:10:58.0  XRT_FOCUS_POSITION_410_OG [0x19a]
                                XRT_FOCUS_POSITION   4 07-F8 22 fe 97 00
2017/02/18  11:11:00.0  AOCS_ORe-point_Start_1_OG [0x097]
                                AOCU_NM              5 02-76 02 00 00 00 00
2017/02/18  11:11:18.0  XRT_FLD_ENA_411_OG [0x19b]
                                MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/18  11:11:20.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  11:11:22.0  XRT_AEC_RESET_448_OG [0x1c0]
                                MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  11:11:24.0  XRT_ARS_DIS_423_OG [0x1a7]
                                MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  11:11:26.0  XRT_FLD_RESET_433_OG [0x1b1]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  11:13:56.0  XRT_QT_PROG_SET_427_OG [0x1ab]
                                MDP_XRT_QT_PROG_SET  2 07-F0 c4 0a
2017/02/18  11:13:58.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/18  11:14:00.0  XRT_CTRL_AUTO_408_OG [0x198]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  15:29:00.0  XRT_CTRL_MANU_400_OG [0x190]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  15:29:02.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  15:29:04.0  XRT_FLD_RESET_415_OG [0x19f]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  15:29:06.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/18  15:32:14.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/18  15:43:00.0  XRT_Custom_430_OG [0x1ae]
2017/02/18  15:44:00.0  XRT_CTRL_AUTO_424_OG [0x1a8]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  15:47:00.0  XRT_CTRL_MANU_400_OG [0x190]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  15:47:02.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  15:47:04.0  XRT_FLD_RESET_415_OG [0x19f]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  15:47:06.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/18  15:50:14.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/18  15:52:00.0  XRT_Custom_430_OG [0x1ae]
2017/02/18  15:53:00.0  XRT_CTRL_AUTO_424_OG [0x1a8]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  17:05:00.0  XRT_CTRL_MANU_400_OG [0x190]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  17:05:02.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  17:05:04.0  XRT_FLD_RESET_415_OG [0x19f]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  17:05:06.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/18  17:08:14.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/18  17:28:30.0  XRT_Custom_430_OG [0x1ae]
2017/02/18  17:29:30.0  XRT_CTRL_AUTO_424_OG [0x1a8]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  17:59:54.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  17:59:56.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  17:59:58.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/18  18:00:00.0  AOCS_ORe-point_Start_2_OG [0x098]
                                AOCU_NM              5 02-76 00 00 00 00 00
2017/02/18  18:00:18.0  XRT_FLD_DIS_406_OG [0x196]
                                MDP_XRT_FLD_DIS      1 07-F0 d9
2017/02/18  18:02:54.0  XRT_FLRCTRL_DIS_405_OG [0x195]
                                MDP_XRT_FLRCTRL_DIS  1 07-F0 c9
2017/02/18  18:02:56.0  XRT_ARS_DIS_423_OG [0x1a7]
                                MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  18:02:58.0  XRT_QT_PROG_SET_432_OG [0x1b0]
                                MDP_XRT_QT_PROG_SET  2 07-F0 c4 06
2017/02/18  18:03:00.0  XRT_CTRL_AUTO_408_OG [0x198]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  18:09:54.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  18:09:56.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  18:09:58.0  XRT_FOCUS_POSITION_410_OG [0x19a]
                                XRT_FOCUS_POSITION   4 07-F8 22 fe 97 00
2017/02/18  18:10:00.0  AOCS_ORe-point_Start_1_OG [0x097]
                                AOCU_NM              5 02-76 02 00 00 00 00
2017/02/18  18:10:18.0  XRT_FLD_ENA_411_OG [0x19b]
                                MDP_XRT_FLD_ENA      1 07-F0 d8
```

```
2017/02/18  18:10:20.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  18:10:22.0  XRT_AEC_RESET_448_OG [0x1c0]
                                MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  18:10:24.0  XRT_ARS_DIS_423_OG [0x1a7]
                                MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  18:10:26.0  XRT_FLD_RESET_433_OG [0x1b1]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  18:12:56.0  XRT_QT_PROG_SET_427_OG [0x1ab]
                                MDP_XRT_QT_PROG_SET  2 07-F0 c4 0a
2017/02/18  18:12:58.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/18  18:13:00.0  XRT_CTRL_AUTO_408_OG [0x198]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  18:42:00.0  XRT_CTRL_MANU_400_OG [0x190]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  18:42:02.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  18:42:04.0  XRT_FLD_RESET_415_OG [0x19f]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  18:42:06.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/18  18:45:14.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/18  19:06:24.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  19:06:26.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  19:06:28.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/18  19:06:30.0  AOCS_ORe-point_Start_3_OG [0x099]
                                AOCU_NM              5 02-76 00 56 f1 01 f3
2017/02/18  19:06:48.0  XRT_FLD_ENA_411_OG [0x19b]
                                MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/18  19:06:50.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  19:06:52.0  XRT_AEC_RESET_448_OG [0x1c0]
                                MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  19:06:54.0  XRT_ARS_DIS_423_OG [0x1a7]
                                MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  19:06:56.0  XRT_FLD_RESET_433_OG [0x1b1]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  19:09:26.0  XRT_QT_PROG_SET_417_OG [0x1a1]
                                MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/18  19:09:28.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/18  19:09:30.0  XRT_CTRL_AUTO_408_OG [0x198]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  19:36:24.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  19:36:26.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  19:36:28.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/18  19:36:30.0  AOCS_ORe-point_Start_4_OG [0x09a]
                                AOCU_NM              5 02-76 00 4e 0c 01 f3
2017/02/18  19:36:48.0  XRT_FLD_ENA_411_OG [0x19b]
                                MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/18  19:36:50.5  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  19:36:52.5  XRT_AEC_RESET_448_OG [0x1c0]
                                MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  19:36:54.5  XRT_ARS_DIS_423_OG [0x1a7]
                                MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  19:36:56.5  XRT_FLD_RESET_433_OG [0x1b1]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  19:39:26.5  XRT_QT_PROG_SET_417_OG [0x1a1]
                                MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/18  19:39:28.5  XRT_FL_PROG_SET_436_OG [0x1b4]
                                MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/18  19:39:30.5  XRT_CTRL_AUTO_408_OG [0x198]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  20:19:00.0  XRT_CTRL_MANU_400_OG [0x190]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  20:19:02.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  20:19:04.0  XRT_FLD_RESET_415_OG [0x19f]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  20:19:06.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/18  20:22:14.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/18  20:43:24.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  20:43:26.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  20:43:28.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/18  20:43:30.0  AOCS_ORe-point_Start_5_OG [0x09b]
                                AOCU_NM              5 02-76 00 45 26 01 f3
2017/02/18  20:43:48.0  XRT_FLD_ENA_411_OG [0x19b]
                                MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/18  20:43:50.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
```

```
                                    MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  20:43:52.0  XRT_AEC_RESET_448_OG [0x1c0]
                                    MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  20:43:54.0  XRT_ARS_DIS_423_OG [0x1a7]
                                    MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  20:43:56.0  XRT_FLD_RESET_433_OG [0x1b1]
                                    MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  20:46:26.0  XRT_QT_PROG_SET_417_OG [0x1a1]
                                    MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/18  20:46:28.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                    MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/18  20:46:30.0  XRT_CTRL_AUTO_408_OG [0x198]
                                    MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  21:13:24.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  21:13:26.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  21:13:28.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                    XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/18  21:13:30.0  AOCS_ORe-point_Start_6_OG [0x09c]
                                    AOCU_NM              5 02-76 00 3c 41 01 f3
2017/02/18  21:13:48.0  XRT_FLD_ENA_411_OG [0x19b]
                                    MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/18  21:13:50.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                    MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  21:13:52.0  XRT_AEC_RESET_448_OG [0x1c0]
                                    MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  21:13:54.0  XRT_ARS_DIS_423_OG [0x1a7]
                                    MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  21:13:56.0  XRT_FLD_RESET_433_OG [0x1b1]
                                    MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  21:16:26.0  XRT_QT_PROG_SET_417_OG [0x1a1]
                                    MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/18  21:16:28.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                    MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/18  21:16:30.0  XRT_CTRL_AUTO_408_OG [0x198]
                                    MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  21:56:30.0  XRT_CTRL_MANU_400_OG [0x190]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  21:56:32.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  21:56:34.0  XRT_FLD_RESET_415_OG [0x19f]
                                    MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  21:56:36.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                    MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/18  21:59:44.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                    MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/18  22:19:54.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  22:19:56.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  22:19:58.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                    XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/18  22:20:00.0  AOCS_ORe-point_Start_7_OG [0x09d]
                                    AOCU_NM              5 02-76 00 33 64 01 f3
2017/02/18  22:20:18.0  XRT_FLD_ENA_411_OG [0x19b]
                                    MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/18  22:20:20.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                    MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  22:20:22.0  XRT_AEC_RESET_448_OG [0x1c0]
                                    MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  22:20:24.0  XRT_ARS_DIS_423_OG [0x1a7]
                                    MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  22:20:26.0  XRT_FLD_RESET_433_OG [0x1b1]
                                    MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  22:22:56.0  XRT_QT_PROG_SET_417_OG [0x1a1]
                                    MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/18  22:22:58.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                    MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/18  22:23:00.0  XRT_CTRL_AUTO_408_OG [0x198]
                                    MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  22:49:54.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  22:49:56.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  22:49:58.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                    XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/18  22:50:00.0  AOCS_ORe-point_Start_8_OG [0x09e]
                                    AOCU_NM              5 02-76 00 2a 7e 01 f3
2017/02/18  22:50:18.0  XRT_FLD_ENA_411_OG [0x19b]
                                    MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/18  22:50:20.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                    MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  22:50:22.0  XRT_AEC_RESET_448_OG [0x1c0]
                                    MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  22:50:24.0  XRT_ARS_DIS_423_OG [0x1a7]
                                    MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  22:50:26.0  XRT_FLD_RESET_433_OG [0x1b1]
                                    MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  22:52:56.0  XRT_QT_PROG_SET_417_OG [0x1a1]
                                    MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/18  22:52:58.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                    MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
```

```
2017/02/18  22:53:00.0  XRT_CTRL_AUTO_408_OG [0x198]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/18  23:34:00.0  XRT_CTRL_MANU_400_OG [0x190]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  23:34:02.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  23:34:04.0  XRT_FLD_RESET_415_OG [0x19f]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  23:34:06.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/18  23:37:14.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/18  23:48:24.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  23:48:26.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/18  23:48:28.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/18  23:48:30.0  AOCS_ORe-point_Start_9_OG [0x09f]
                                AOCU_NM              5 02-76 00 21 99 01 f3
2017/02/18  23:48:48.0  XRT_FLD_ENA_411_OG [0x19b]
                                MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/18  23:48:50.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/18  23:48:52.0  XRT_AEC_RESET_448_OG [0x1c0]
                                MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/18  23:48:54.0  XRT_ARS_DIS_423_OG [0x1a7]
                                MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/18  23:48:56.0  XRT_FLD_RESET_433_OG [0x1b1]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/18  23:51:26.0  XRT_QT_PROG_SET_417_OG [0x1a1]
                                MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/18  23:51:28.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/18  23:51:30.0  XRT_CTRL_AUTO_408_OG [0x198]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/19  00:18:24.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  00:18:26.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  00:18:28.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/19  00:18:30.0  AOCS_ORe-point_Start_10_OG [0x0a0]
                                AOCU_NM              5 02-76 00 18 b4 01 f3
2017/02/19  00:18:48.0  XRT_FLD_ENA_411_OG [0x19b]
                                MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/19  00:18:50.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/19  00:18:52.0  XRT_AEC_RESET_448_OG [0x1c0]
                                MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/19  00:18:54.0  XRT_ARS_DIS_423_OG [0x1a7]
                                MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/19  00:18:56.0  XRT_FLD_RESET_433_OG [0x1b1]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/19  00:21:26.0  XRT_QT_PROG_SET_417_OG [0x1a1]
                                MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/19  00:21:28.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/19  00:21:30.0  XRT_CTRL_AUTO_408_OG [0x198]
                                MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/19  01:03:30.0  XRT_CTRL_MANU_400_OG [0x190]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  01:03:32.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  01:03:34.0  XRT_FLD_RESET_415_OG [0x19f]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/19  01:03:36.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/19  01:06:44.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/19  01:17:54.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  01:17:56.0  XRT_CTRL_MANU_402_OG [0x192]
                                MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  01:17:58.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/19  01:18:00.0  AOCS_ORe-point_Start_11_OG [0x0a1]
                                AOCU_NM              5 02-76 00 0f ce 01 f3
2017/02/19  01:18:18.0  XRT_FLD_ENA_411_OG [0x19b]
                                MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/19  01:18:20.0  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/19  01:18:22.0  XRT_AEC_RESET_448_OG [0x1c0]
                                MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/19  01:18:24.0  XRT_ARS_DIS_423_OG [0x1a7]
                                MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/19  01:18:26.0  XRT_FLD_RESET_433_OG [0x1b1]
                                MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/19  01:20:56.0  XRT_QT_PROG_SET_417_OG [0x1a1]
                                MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/19  01:20:58.0  XRT_FL_PROG_SET_436_OG [0x1b4]
                                MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/19  01:21:00.0  XRT_CTRL_AUTO_408_OG [0x198]
```

```
                                    MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/19  01:47:54.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  01:47:56.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  01:47:58.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                    XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/19  01:48:00.0  AOCS_ORe-point_Start_12_OG [0x0a2]
                                    AOCU_NM              5 02-76 00 06 f1 01 f3
2017/02/19  01:48:18.0  XRT_FLD_ENA_411_OG [0x19b]
                                    MDP_XRT_FLD_ENA      1 07-F0 d8
2017/02/19  01:48:20.5  XRT_FLRCTRL_ENA_412_OG [0x19c]
                                    MDP_XRT_FLRCTRL_ENA  1 07-F0 c8
2017/02/19  01:48:22.5  XRT_AEC_RESET_448_OG [0x1c0]
                                    MDP_XRT_AEC_RESET    1 07-F0 d0
2017/02/19  01:48:24.5  XRT_ARS_DIS_423_OG [0x1a7]
                                    MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/19  01:48:26.5  XRT_FLD_RESET_433_OG [0x1b1]
                                    MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/19  01:50:56.5  XRT_QT_PROG_SET_417_OG [0x1a1]
                                    MDP_XRT_QT_PROG_SET  2 07-F0 c4 0e
2017/02/19  01:50:58.5  XRT_FL_PROG_SET_436_OG [0x1b4]
                                    MDP_XRT_FL_PROG_SET  2 07-F0 c5 07
2017/02/19  01:51:00.5  XRT_CTRL_AUTO_408_OG [0x198]
                                    MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/19  02:33:00.0  XRT_CTRL_MANU_400_OG [0x190]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  02:33:02.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  02:33:04.0  XRT_FLD_RESET_415_OG [0x19f]
                                    MDP_XRT_FLD_RESET    1 07-F0 da
2017/02/19  02:33:06.0  XRT_PREFLR_STRT_414_OG [0x19e]
                                    MDP_XRT_PREFLR_STRT  1 07-F0 e8
2017/02/19  02:36:14.0  XRT_PREFLR_STOP_419_OG [0x1a3]
                                    MDP_XRT_PREFLR_STOP  1 07-F0 e9
2017/02/19  02:53:54.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  02:53:56.0  XRT_CTRL_MANU_402_OG [0x192]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  02:53:58.0  XRT_FOCUS_POSITION_403_OG [0x193]
                                    XRT_FOCUS_POSITION   4 07-F8 22 ff aa 00
2017/02/19  02:54:00.0  AOCS_ORe-point_Start_13_OG [0x0a3]
                                    AOCU_NM              5 02-76 00 fe f2 01 f3
2017/02/19  02:54:18.0  XRT_FLD_DIS_406_OG [0x196]
                                    MDP_XRT_FLD_DIS      1 07-F0 d9
2017/02/19  02:56:54.0  XRT_FLRCTRL_DIS_405_OG [0x195]
                                    MDP_XRT_FLRCTRL_DIS  1 07-F0 c9
2017/02/19  02:56:56.0  XRT_ARS_DIS_423_OG [0x1a7]
                                    MDP_XRT_ARS_DIS      1 07-F0 d5
2017/02/19  02:56:58.0  XRT_QT_PROG_SET_446_OG [0x1be]
                                    MDP_XRT_QT_PROG_SET  2 07-F0 c4 14
2017/02/19  02:57:00.0  XRT_CTRL_AUTO_408_OG [0x198]
                                    MDP_XRT_CTRL_AUTO    1 07-F0 c0
2017/02/19  03:10:00.0  XRT_CTRL_MANU_447_OG [0x1bf]
                                    MDP_XRT_CTRL_MANU    1 07-F0 c1
2017/02/19  03:10:30.0  XRT_TCIB_XRT_S_HTR_A_ENA_441_OG [0x1b9]
                                    TCIB_XRT_S_HTR_A_ENA 0 04-BC
2017/02/19  03:24:00.0  AOCS_ORe-point_Start_14_OG [0x0a4]
                                    AOCU_NM              5 02-76 00 f6 0d 01 f3
2017/02/19  04:31:30.0  AOCS_ORe-point_Start_15_OG [0x0a5]
                                    AOCU_NM              5 02-76 00 ed 27 01 f3
2017/02/19  05:01:30.0  AOCS_ORe-point_Start_16_OG [0x0a6]
                                    AOCU_NM              5 02-76 00 e4 42 01 f3
2017/02/19  06:09:00.0  AOCS_ORe-point_Start_17_OG [0x0a7]
                                    AOCU_NM              5 02-76 00 db 65 01 f3
2017/02/19  06:39:00.0  AOCS_ORe-point_Start_18_OG [0x0a8]
                                    AOCU_NM              5 02-76 00 d2 7f 01 f3
2017/02/19  07:46:00.0  AOCS_ORe-point_Start_19_OG [0x0a9]
                                    AOCU_NM              5 02-76 00 c9 9a 01 f3
2017/02/19  08:16:00.0  AOCS_ORe-point_Start_20_OG [0x0aa]
                                    AOCU_NM              5 02-76 00 c0 b5 01 f3
2017/02/19  09:22:00.0  AOCS_ORe-point_Start_21_OG [0x0ab]
                                    AOCU_NM              5 02-76 00 b7 cf 01 f3
2017/02/19  09:52:00.0  AOCS_ORe-point_Start_22_OG [0x0ac]
                                    AOCU_NM              5 02-76 00 ae f2 01 f3
2017/02/19  10:30:00.0  AOCS_ORe-point_Start_1_OG [0x097]
                                    AOCU_NM              5 02-76 02 00 00 00 00
2017/02/19  16:30:00.0  AOCS_ORe-point_Start_23_OG [0x0ad]
                                    AOCU_NM              5 02-76 04 00 00 00 00
2017/02/19  17:30:00.0  AOCS_ORe-point_Start_24_OG [0x0ae]
                                    AOCU_NM              5 02-76 03 00 00 00 00
2017/02/19  21:00:00.0  AOCS_ORe-point_Start_1_OG [0x097]
                                    AOCU_NM              5 02-76 02 00 00 00 00
2017/02/20  08:30:00.0  AOCS_ORe-point_Start_1_OG [0x097]
                                    AOCU_NM              5 02-76 02 00 00 00 00
2017/02/21  10:48:00.0  AOCS_ORe-point_Start_2_OG [0x098]
                                    AOCU_NM              5 02-76 00 00 00 00 00
```