

XRT Timeline to be uploaded on 2022/03/05

Period: 2022/03/05 10:57:00 - 2022/03/10 11:10:00

* * * * *

Normal mode

* * * * *

XOB #1C09: HOP81/206 2-filter - Al/poly 6s, Al/mesh 4s 60s cadence, G-band - 384x384 1ms													
Term	Pointing (x, y)	Comment											
03/05 11:11:32 - 03/05 19:59:54	Fixed (-23.0, -975.0)	# OP start + 10min HOP81											
03/07 08:03:00 - 03/07 15:59:54	Fixed (-23.0, -955.0)	HOP206 South Pole											
PROG= 14 Inf.-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 16 2-time(s) 2.0sec													
	Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 90 1-time(s) 30.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	Q=90	0	0	2.0sec
└─ Subr= 3 60-time(s) 60.0sec													
└─ Seqn= 57 1-time(s) 30.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	384x384 (1064, 1048)	Q=90	0	0	2.0sec
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	5.66s	Obs	1x1	384x384 (1064, 1048)	Q=90	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1CC9: Synoptic 7 Filter w/ Al-mesh(2/128/723), Al-poly(12/181/1443), Thin-Be(64/1024/5795) - Thick-Be(32768), Al-poly+Ti-poly(128/2048), Med-Al(289													
Term	Pointing (x, y)	Comment											
03/05 20:03:00 - 03/05 20:10:54	Fixed (0.0, 0.0)	synoptic, shifted manually											
PROG= 16 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 5 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512 (1024, 1024)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 76 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
└─ Seqn= 15 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
└─ Seqn= 27 1-time(s) 2.0sec													
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	63ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	1.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
└─ Seqn= 23 1-time(s) 4.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec
	Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 89 1-time(s) 2.0sec													
	Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
└─ Seqn= 45 1-time(s) 2.0sec													
	med-Al/Open	med-Al/Open	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	med-Al/Open	med-Al/Open	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
└─ Seqn= 7 1-time(s) 2.0sec													
	Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1CC8: HOP349 - 3-filter Synoptics (Al-mesh[2/128/723], Al-poly[12/181/1443], thin-Be[24/512/3897] with 512x512 G-band+Leak - 72min cad) + CME wa													
Term	Pointing (x, y)	Comment											
03/05 20:14:00 - 03/05 20:46:30	Fixed (0.0, 0.0)	synoptic, shifted manually											
03/07 06:13:00 - 03/07 07:59:54	Fixed (0.0, 0.0)	synoptic + HOP349											
PROG= 19 Inf.-time(s)													
└─ Subr= 1 1-time(s) 300.0sec													
└─ Seqn= 55 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
└─ Seqn= 15 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
└─ Seqn= 79 1-time(s) 2.0sec													
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec

Seqn= 30		1-time(s)		2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	512x512 (1024, 1024)	Q=90	0	0	2.0sec				
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	512x512 (1024, 1024)	Q=95	0	0	2.0sec				
Subr= 2		18-time(s)		240.0sec												
Seqn= 8		1-time(s)		2.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec				
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec				
Seqn= 74		1-time(s)		2.0sec												
med-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec				
med-Be/Open	med-Be/Open	close	Safe	Norm	2.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	2	0	2.0sec				
Seqn= 6		1-time(s)		2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec				
Al-poly/Open	Al-poly/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec				
Seqn= 29		1-time(s)		2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec				
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	250ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	2	0	2.0sec				
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval					

XOB #1BB9: AR - Standard Core - (Filter-Ratio with Al/poly and thin-Be long/short pairs) with PFB, 384x384 at 1064 1048, thin-Be, and Al/poly context, with

Term	Pointing (x, y)	Comment
03/05 21:11:00 - 03/06 05:41:24	Track (-645.0, -277.7) @ 03/05 21:00:00	AR Tracking
03/06 05:54:30 - 03/06 16:20:54	Track (-590.2, -271.2) @ 03/06 05:51:30	AR Tracking cont.

PROG= 12 Inf.-time(s)

Subr= 1		1-time(s)		2.0sec												
Seqn= 92		1-time(s)		2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec				
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec				
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	16.0s	Obs	1x1	384x384 (1064, 1048)	Q=98	0	0	2.0sec				
Subr= 2		5-time(s)		2.0sec												
Seqn= 47		1-time(s)		2.0sec												
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	2	0	2.0sec				
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	0	2.0sec				
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	2	0	2.0sec				
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	0	2.0sec				
Seqn= 96		4-time(s)		90.0sec												
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	0	2.0sec				
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	0	2.0sec				
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	1	2.0sec				
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	1	2.0sec				
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	2	2.0sec				
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	2	2.0sec				
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval					

XOB #1CCC: Synoptic 7 Filter w/ Al-mesh(5/128/723), Al-poly(12/181/1443), Thin-Be(64/1024/5795) - Thick-Be(32768), Al-poly+Ti-poly(128/2048), Med-Al(289

Term	Pointing (x, y)	Comment
03/06 05:44:30 - 03/06 05:51:24	Fixed (0.0, 0.0)	synoptic, shifted -18.5 min
03/06 16:24:00 - 03/06 16:44:54	Fixed (0.0, 0.0)	synoptic, shifted manually
03/07 06:03:00 - 03/07 06:09:54	Fixed (0.0, 0.0)	synoptic + HOP349
03/07 19:08:00 - 03/07 19:14:54	Fixed (0.0, 0.0)	synoptic shifted by 65min
03/08 06:20:30 - 03/08 06:54:54	Fixed (0.0, 0.0)	synoptic, shifted 17.5 min

PROG= 18 1-time(s)

Subr= 1		1-time(s)		2.0sec												
Seqn= 5		1-time(s)		2.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec				
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec				
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec				
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512 (1024, 1024)	DPCM	0	0	2.0sec				
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048 (1024, 1024)	DPCM	0	0	2.0sec				
Seqn= 80		1-time(s)		2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	5ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
Seqn= 15		1-time(s)		2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
Seqn= 27		1-time(s)		2.0sec												
thin-Be/Open	thin-Be/Open	close	Safe	Norm	63ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
thin-Be/Open	thin-Be/Open	close	Safe	Norm	1.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
thin-Be/Open	thin-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
Seqn= 23		1-time(s)		4.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec				
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec				
Subr= 2		1-time(s)		2.0sec												
Seqn= 89		1-time(s)		2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec				
Seqn= 45		1-time(s)		2.0sec												
med-Al/Open	med-Al/Open	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec				

med-Al/Open	med-Al/Open	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Seqn= 7 1-time(s) 2.0sec												
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1CCD: HOP429 CH 384x384 at 1064 1048, Al/poly + Ti/poly (5.6s) and thin-Be (16s) with G-band (1ms/1ms leak), 30s cad

Term	Pointing (x, y)	Comment
03/06 16:55:30 - 03/06 21:21:30	Fixed (-11.5, 890.0)	HOP429 CH
03/07 23:56:00 - 03/08 03:14:54	Fixed (-13.5, -19.0)	HOP429 QS
PROG= 03 Inf.-time(s)		
Subr= 1 1-time(s) 2.0sec		
Seqn= 92 1-time(s) 2.0sec		
Open/G-band	Open/G-band open	Safe Norm 1ms Obs 1x1 384x384 (1064, 1048) DPCM 0 0 2.0sec
Open/G-band	Open/G-band close	Safe Norm 1ms Obs 1x1 384x384 (1064, 1048) DPCM 0 0 2.0sec
Open/Ti-poly	Open/thick-Al close	Safe Dark 16.0s Obs 1x1 384x384 (1064, 1048) Q=98 0 0 2.0sec
Subr= 2 1-time(s) 2.0sec		
Seqn= 65 100-time(s) 34.0sec		
Al-poly/Ti-poly	Al-poly/thick-Al close	Safe Norm 5.66s Obs 1x1 384x384 (1064, 1048) Q=95 0 0 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 16.0s Obs 1x1 384x384 (1064, 1048) Q=95 0 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #1CCE: HOP429 AR 384x384 at 1064 1048, Al/poly and thin-Be (AEC3) with G-band (1ms/1ms leak), 30s cad

Term	Pointing (x, y)	Comment
03/06 21:48:00 - 03/07 03:09:54	Track (-481.7, -261.0) ^{03/06 21:45:00}	HOP429 AR Tracking
PROG= 05 Inf.-time(s)		
Subr= 1 1-time(s) 2.0sec		
Seqn= 92 1-time(s) 2.0sec		
Open/G-band	Open/G-band open	Safe Norm 1ms Obs 1x1 384x384 (1064, 1048) DPCM 0 0 2.0sec
Open/G-band	Open/G-band close	Safe Norm 1ms Obs 1x1 384x384 (1064, 1048) DPCM 0 0 2.0sec
Open/Ti-poly	Open/thick-Al close	Safe Dark 16.0s Obs 1x1 384x384 (1064, 1048) Q=98 0 0 2.0sec
Subr= 2 1-time(s) 2.0sec		
Seqn= 31 100-time(s) 30.0sec		
Al-poly/Open	Al-poly/thick-Al close	Safe Norm 1.00s Obs 1x1 384x384 (1064, 1048) Q=95 3 0 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 16.0s Obs 1x1 384x384 (1064, 1048) Q=95 3 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #1BFE: AR - Standard Core - (Filter-Ratio with Al/poly and thin-Be long/short pairs) with PFB, 384x384 at 1064 1048, thin-Be, and Al/poly context, with

Term	Pointing (x, y)	Comment
03/07 03:13:00 - 03/07 05:59:54	Track (-481.7, -261.0) ^{03/06 21:45:00}	HOP429 AR Tracking
03/07 19:18:00 - 03/07 23:34:30	Track (-317.9, -250.8) ^{03/07 19:15:00}	AR Tracking cont.
03/08 03:18:00 - 03/08 06:17:24	Track (-253.2, -248.1) ^{03/08 03:15:00}	AR Tracking cont.
PROG= 09 Inf.-time(s)		
Subr= 1 1-time(s) 2.0sec		
Seqn= 92 1-time(s) 2.0sec		
Open/G-band	Open/G-band open	Safe Norm 1ms Obs 1x1 384x384 (1064, 1048) DPCM 0 0 2.0sec
Open/G-band	Open/G-band close	Safe Norm 1ms Obs 1x1 384x384 (1064, 1048) DPCM 0 0 2.0sec
Open/Ti-poly	Open/thick-Al close	Safe Dark 16.0s Obs 1x1 384x384 (1064, 1048) Q=98 0 0 2.0sec
Subr= 2 4-time(s) 2.0sec		
Seqn= 47 1-time(s) 2.0sec		
Al-poly/Open	thin-Be/Open close	Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 2 0 2.0sec
Al-poly/Open	thin-Be/Open close	Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 3 0 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 2 0 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 3 0 2.0sec
Seqn= 77 4-time(s) 300.0sec		
Al-poly/Open	thin-Be/Open close	Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 1 0 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 1 0 95.0sec
Al-poly/Open	thin-Be/Open close	Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 1 1 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 1 1 95.0sec
Al-poly/Open	thin-Be/Open close	Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 1 2 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 1 2 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #1B94: CME watch - 4x4 - AEC 2/3 - 2-filter (Be-thin, Al-poly) - G-band (1x1,512x512,1ms) - Leak (1x1,512x512,1ms) - 180s cad (G-band/Leak first)

Term	Pointing (x, y)	Comment
03/07 16:03:00 - 03/07 18:43:00	Fixed (-23.0, -35.0)	HOP431 PHI-HRI at disk center
03/08 06:58:00 - 03/08 07:20:30	Track (-223.0, -247.1) ^{03/08 06:55:00}	HOP431 PHI-FDT AR Tracking
03/08 07:47:00 - 03/08 11:14:54	Fixed (8.0, 53.0)	HOP430 near disk center
PROG= 20 Inf.-time(s)		
Subr= 1 1-time(s) 2.0sec		
Seqn= 30 1-time(s) 2.0sec		
Open/G-band	Open/G-band open	Safe Norm 1ms Obs 1x1 512x512 (1024, 1024) Q=90 0 0 2.0sec
Open/G-band	Open/G-band close	Safe Norm 1ms Obs 1x1 512x512 (1024, 1024) Q=95 0 0 2.0sec
Subr= 2 20-time(s) 180.0sec		
Seqn= 8 1-time(s) 2.0sec		
thin-Be/Open	med-Be/Open close	Safe Norm 1.00s Obs 4x4 2048x2048 (1024, 1024) Q=98 3 0 2.0sec

thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 6 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

XOB #1C96: Flare - multifilter 26 sec cadence (Be/thin, Be/med, Be/thick), AEC 3, 384x384 + context (med-Al,thick-Be -384x384 + Al-poly 512x512 2x2) + G

Term	Pointing (x, y)	Comment
03/05 11:11:32 - 03/05 19:59:54	Fixed (-23.0, -975.0)	# OP start + 10min HOP81
03/05 20:14:00 - 03/05 20:46:30	Fixed (0.0, 0.0)	synoptic, shifted manually
03/05 21:11:00 - 03/06 05:41:24	Track (-645.0, -277.7) @ 03/05 21:00:00	AR Tracking
03/06 05:54:30 - 03/06 16:20:54	Track (-590.2, -271.2) @ 03/06 05:51:30	AR Tracking cont.
03/07 03:13:00 - 03/07 05:59:54	Track (-481.7, -261.0) @ 03/06 21:45:00	HOP429 AR Tracking
03/07 06:13:00 - 03/07 07:59:54	Fixed (0.0, 0.0)	synoptic + HOP349
03/07 08:03:00 - 03/07 15:59:54	Fixed (-23.0, -955.0)	HOP206 South Pole
03/07 16:03:00 - 03/07 18:43:00	Fixed (-23.0, -35.0)	HOP431 PHI-HRI at disk center
03/07 19:18:00 - 03/07 23:34:30	Track (-317.9, -250.8) @ 03/07 19:15:00	AR Tracking cont.
03/08 03:18:00 - 03/08 06:17:24	Track (-253.2, -248.1) @ 03/08 03:15:00	AR Tracking cont.
03/08 06:58:00 - 03/08 07:20:30	Track (-223.0, -247.1) @ 03/08 06:55:00	HOP431 PHI-FDT AR Tracking
03/08 07:47:00 - 03/08 11:14:54	Fixed (8.0, 53.0)	HOP430 near disk center

PROG= 04 30-time(s)

Subr= 1 20-time(s) 2.0sec												
Seqn= 11 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	Q=95	2	0	2.0sec
Seqn= 73 1-time(s) 10.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	125ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
med-Be/Open	Open/thick-Al	close	Safe	Norm	250ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	2.00s	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Subr= 2 1-time(s) 2.0sec												
Seqn= 10 1-time(s) 2.0sec												
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	500ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	2.00s	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Seqn= 11 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	Q=95	2	0	2.0sec
Seqn= 87 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/thick-Al	Open/thick-Al	close	Safe	Dark	1.00s	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/thick-Al	Open/thick-Al	close	Safe	Dark	1.00s	Obs	2x2	512x512 (1024, 1024)	Q=98	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Active Region Search

* * * * *

NOT USED

* * * * *


Flare Detection

* * * * *


FLD Patrol

Term	Pointing (x, y)	Comment									
03/05 10:37:05 - 03/05 20:00:16	cannot be identified										
03/05 20:11:18 - 03/06 05:41:46	Fixed (0.0, 0.0)	synoptic, shifted manually									
03/06 05:51:48 - 03/06 16:21:16	Track (-590.2, -271.2) @ 03/06 05:51:30	AR Tracking cont.									
03/07 03:10:18 - 03/07 06:00:16	Track (-481.7, -261.0) @ 03/06 21:45:00	HOP429 AR Tracking									
03/07 06:10:18 - 03/07 19:05:16	Fixed (0.0, 0.0)	synoptic + HOP349									
03/07 19:15:18 - 03/07 23:55:52	Track (-317.9, -250.8) @ 03/07 19:15:00	AR Tracking cont.									
03/08 03:15:18 - 03/08 06:17:46	Track (-253.2, -248.1) @ 03/08 03:15:00	AR Tracking cont.									
03/08 06:55:18 - 03/10 11:10:00	Track (-223.0, -247.1) @ 03/08 06:55:00	HOP431 PHI-FDT AR Tracking									
Al-poly/Open	Al-poly/Open	close	Safe	Norm	8ms	Obs	8x8		Q=50		30sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval


CMDI #0161 2022/03/05




CMDI #0161 2022/03/05




CMDI #0161 2022/03/06




CMDI #0161 2022/03/06




CMDI #0161 2022/03/07




CMDI #0161 2022/03/07




CMDI #0161 2022/03/08




CMDI #0161 2022/03/08




CMDI #0161 2022/03/09




CMDI #0161 2022/03/09



CMDI #0161 2022/03/10



CMDI #0161 2022/03/10




```

0096 C.
0097 C.
0098 C. *****
0099 C. OP/OGY1;4YE;|YAYOYx
0100 C. *****
0101 C.
0102 C. ;ãOP/OGY1;4YE;ã
0103 S. OP op-040:OP
0104 ( )
0105 S. OG og-040:OG
0106 ( )
0107 C.
0108 C. ;ãNMOG&OPîî°èYAYOYx;ã
0109 C. NMOG(0x200000-0x207FFF;§ 32 kbyte)
0110 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0111 BC (20 00 7f 01 02)
0112 C. çç[HK1_DMP_TOP_ADRS_1] EQ 40
0113 C. çç[HK1_DMP_TOP_ADRS_0] EQ 0
0114 C. çç[HK1_DMP_BLOCK_NUM] EQ 127
0115 C. çç[HK1_DMP_REPEAT_NUM] EQ 0
0116 C. çç[HK1_DMA_DMP_PIM] EQ DHU
0117 +. DC 01-22 DHU_MODE_CHNG
0118 BC (07 0b f8)
0119 C. çç[HK1_PKT_FORM_NO] EQ 7
0120 C. çç[HK1_PKT_GEN_TIME] EQ 0.25 s
0121 C. çç[HK1_S_TLM_BIT_RATE] EQ 32k
0122 C. çç[HK1_X_TLM_BIT_RATE] EQ 4M
0123 C. çç[HK1_DMP_CHK_FLG] EQ EXEC
0124 C. YAYOYx½ªî»ò³îÇ§
0125 C. çç[HK1_DMP_CHK_FLG] EQ NON
0126 C. RAM ID=NMOG²î¼È¹ç•è²îOKò³îÇ§
0127 C.
0128 C. NMOG(0x208000-0x20FFFF;§ 32 kbyte)
0129 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0130 BC (20 80 7f 01 02)
0131 C. çç[HK1_DMP_TOP_ADRS_1] EQ 41
0132 C. çç[HK1_DMP_TOP_ADRS_0] EQ 0
0133 C. çç[HK1_DMP_BLOCK_NUM] EQ 127
0134 C. çç[HK1_DMP_REPEAT_NUM] EQ 0
0135 C. çç[HK1_DMA_DMP_PIM] EQ DHU
0136 +. DC 01-22 DHU_MODE_CHNG
0137 BC (07 0b f8)
0138 C. çç[HK1_PKT_FORM_NO] EQ 7
0139 C. çç[HK1_PKT_GEN_TIME] EQ 0.25 s
0140 C. çç[HK1_S_TLM_BIT_RATE] EQ 32k
0141 C. çç[HK1_X_TLM_BIT_RATE] EQ 4M
0142 C. çç[HK1_DMP_CHK_FLG] EQ EXEC
0143 C. YAYOYx½ªî»ò³îÇ§
0144 C. çç[HK1_DMP_CHK_FLG] EQ NON
0145 C. RAM ID=NMOG²î¼È¹ç•è²îOKò³îÇ§
0146 C.
0147 C. NMOG(0x210000-0x2100FF;§ 256byte)+OP(0x210100-0x2141FF: 16.25kbyte)
0148 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0149 BC (21 00 41 01 02)
0150 C. çç[HK1_DMP_TOP_ADRS_1] EQ 42
0151 C. çç[HK1_DMP_TOP_ADRS_0] EQ 0
0152 C. çç[HK1_DMP_BLOCK_NUM] EQ 65
0153 C. çç[HK1_DMP_REPEAT_NUM] EQ 0
0154 C. çç[HK1_DMA_DMP_PIM] EQ DHU
0155 +. DC 01-22 DHU_MODE_CHNG
0156 BC (07 0b f8)
0157 C. çç[HK1_PKT_FORM_NO] EQ 7
0158 C. çç[HK1_PKT_GEN_TIME] EQ 0.25 s
0159 C. çç[HK1_S_TLM_BIT_RATE] EQ 32k
0160 C. çç[HK1_X_TLM_BIT_RATE] EQ 4M
0161 C. çç[HK1_DMP_CHK_FLG] EQ EXEC
0162 C. YAYOYx½ªî»ò³îÇ§
0163 C. çç[HK1_DMP_CHK_FLG] EQ NON
0164 C. RAM ID=NMOG,RAM ID=OP²î¼È¹ç•è²îOKò³îÇ§
0165 C.
0166 C. ***** °È²¼òî¼Ã´¶Á°òÈÈ¬ò°Á÷¿@ (¼âµ-YAYOYx½ªè¼çòðÁÔÃæòÇ¼ª°¬òè¼î¹çòçòâ) *****
0167 C. DHUYâ;4YE;È¼Y½;Yî;4YE;Èòðîã¹
0168 +. DC 01-22 DHU_MODE_CHNG
0169 BC (02 0a f8)
0170 C. çç[HK1_PKT_FORM_NO] EQ 2
0171 C. çç[HK1_PKT_GEN_TIME] EQ 0.5S
0172 C. çç[HK1_S_TLM_BIT_RATE] EQ 32K
0173 C. çç[HK1_X_TLM_BIT_RATE] EQ 4M
0174 C.
0175 C. *****
0176 C. TI-CMD SET (OPOG STOP/COPY/START)
0177 C. *****
0178 C.
0179 C. NOTICE |§ OPOG UPLOAD²-Á÷¿@NG²î¼î¹ç;ç°È²¼òî¼TI-CMDÁ÷¿@²î¼Á¹Ô²•²È²²²³²È;f
0180 C. ²²²²;çSET²ÈDUMP²î¼±²îY¹²ç¹Ô²|²³²È;f
0181 C.
0182 C. TIY³Y²YóYÈ²òðÁî¿(UT)
0183 +. TI 2022-03-05 10:52:00.0
0184 DC 01-B3 DHU_OP_STOP
0185 C. çç[HK1_TI_CMD_NUM] EQ 1COUNTUP
0186 C.
0187 +. TI 2022-03-05 10:52:01.0
0188 DC 01-B4 DHU_OP_COPY
0189 C. çç[HK1_TI_CMD_NUM] EQ 1COUNTUP
0190 C.
0191 +. TI 2022-03-05 10:52:01.0
0192 DC 01-B5 DHU_OPOG_COPY
0193 C. çç[HK1_TI_CMD_NUM] EQ 1COUNTUP

```

```

0194 C.
0195 +. TI 2022-03-05 10:56:59.5
0196 DC 01-B2 DHU_OP_START
0197 C.           ÷÷[HK1_TI_CMD_NUM]          EQ      1COUNTUP
0198 C.
0199 C. °ê²¼σîÄê%îñσîîŷÅŷ§ŷÅŷ⁻¹àîÛ
0200 C.           ÷÷[HK1_TI_CMD_ENA/DIS]       EQ      ENA
0201 C.           ÷÷[HK1_TI_CMD_NUM]          EQ      4
0202 C.           ÷÷[HK1_NEXT_EXEC_PIM]       EQ      DHU
0203 C.           ÷÷[HK1_NEXT_EXEC_DC]        EQ      0xB3
0204 C.
0205 C. *****
0206 C. TIîî°êŷÅŷÖŷ×
0207 C. *****
0208 C.
0209 C. TI_TBL(0x03AB00-0x03AEFF;§ 1024byte)
0210 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0211 BC      (03 ab 03 01 02)
0212 C.           ÷÷[HK1_DMP_TOP_ADRS_1]     EQ      07
0213 C.           ÷÷[HK1_DMP_TOP_ADRS_0]     EQ      2B
0214 C.           ÷÷[HK1_DMP_BLOCK_NUM]      EQ      3
0215 C.           ÷÷[HK1_DMP_REPEAT_NUM]    EQ      0
0216 C.           ÷÷[HK1_DMA_DMP_PIM]       EQ      DHU
0217 +. DC 01-22 DHU_MODE_CHNG
0218 BC      (07 0b f8)
0219 C.           ÷÷[HK1_PKT_FORM_NO]        EQ      7
0220 C.           ÷÷[HK1_PKT_GEN_TIME]       EQ      0.25 s
0221 C.           ÷÷[HK1_S_TLM_BIT_RATE]    EQ      32k
0222 C.           ÷÷[HK1_X_TLM_BIT_RATE]    EQ      4M
0223 C.           ÷÷[HK1_DMP_CHK_FLG]      EQ      EXEC
0224 C.
0225 C. ŷÅŷÖŷ×½¹î»σð³îÇ§
0226 C.           ÷÷[HK1_DMP_CHK_FLG]      EQ      NON
0227 C.
0228 C. RAM ID=TI_TBLσîî½¹ç•ê²îOKσð³îÇ§
0229 C.
0230 C. DHUŷâ;¼ŷÉ;ê¼ŷ¼. ŷî;¼ŷÉ;Êσðîäσ¹
0231 +. DC 01-22 DHU_MODE_CHNG
0232 BC      (02 0a f8)
0233 C.           ÷÷[HK1_PKT_FORM_NO]        EQ      2
0234 C.           ÷÷[HK1_PKT_GEN_TIME]       EQ      0.5S
0235 C.           ÷÷[HK1_S_TLM_BIT_RATE]    EQ      32K
0236 C.           ÷÷[HK1_X_TLM_BIT_RATE]    EQ      4M
0237 C.
0238 C. *****
0239 C. SOT TI command set
0240 C. *****
0241 C. Execute, after the success of OP upload.
0242 +. TI 2022-03-05 10:56:16.0
0243 DC 07-F0 MDP_SOT_MODE_STBY
0244 BC      (41)
0245 C. -----
0246 C.   HK1_TI_CMD_NUM          = 1 CNTUP [ ]
0247 C. -----
0248 C. ***** SOT END *****
0249 C. Stop EIS observation and temporarily disable EIS mode changes
0250 C.
0251 C.
0252 C. ***** Start EIS operation (TI set) *****
0253 C. Execute, after the success of OP upload.
0254 C. Set EIS TI-commands
0255 +. TI 2022-03-05 10:56:30.0
0256 DC 07-FC EIS_MODE_MANU
0257 BC      (21 02)
0258 +. TI 2022-03-05 10:56:40.0
0259 DC 07-FC EIS_MODE_CHG_DIS
0260 BC      (22)
0261 C.           [ ] [HK1_TI_CMD_NUM]      EQ      2 COUNTUP
0262 C. ***** End EIS operation (TI set) *****
0263 C.
0264 C.
0265 C.
0266 C. ***** XRT START *****
0267 C. Execute, after the success of OP upload.
0268 +. TI 2022-03-05 10:56:00.0
0269 DC 07-F0 MDP_XRT_MODE_STBY
0270 BC      (c3)
0271 C.           [ ] [HK1_TI_CMD_NUM]      EQ      1COUNTUP
0272 C.
0273 C. ***** XRT END *****
0274 C.
0275 C. ***** MDP ´ûÃîσî»ô¼ŷσîÊÄσ¹σêDCBC•x²è *****
0276 C. (¼â°îŷÖŷÅŷÊŷŷŷŷÅŷŷçŷèσÊ¼σσ¼Å»Ûσ¹σè)
0277 S. DC-BC dcbc-402:DCBC
0278 (MDP_known_event)
0279 C.
0280 C.
0281 C. ***** ŷÐŷ¹•î Daily±çîñσè´Øσ¹σêDCBC•x²è *****
0282 S. DC-BC dcbc-153:DCBC
0283 (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0284 C.
0285 C.
0286 C. ;ãLOSŷÅŷ§ŷÅŷ⁻¹¼Å»Û;ã
0287 C.
0288 C. ***** LOS *****
0289 C.

```


(a) Spacecraft Operation Procedure (real-commands)

```
main-042 2022-03-05 12:00:46 158 33 SOLAR-B MAIN //
0001 C.
0002 . C. ***** AOS *****
0003 C.
0004 . C. ;ãAOSYÁY$YÁY-¼Á»Û;ä
0005 C.
0006 C. YÁYB;¼Y³YF¥ÓYÉÁ+¿®
0007 +. DC 00-00 NULL_DUMMY_CMD
0008 C.
0009 . C. ***** AOCs : Reload orbital element (send every contact) *****
0010 C. Áí;È□¿□□□•µ°È»Í×ÁÇ□íYçYÁY×Yí;¼YÉ;ÈÈè%µ•ííÉ;È□È¼°ÇÔ□•□¿¼í¹ç□í;çÁ®, ù□¹□è□□□çÁ+¿®□•□È□□□³□È;f
0011 +. DC 02-8E AOCU_ORB_UPD
0012 C.
0013 C.
0014 C.
0015 C. ***** XRT START *****
0016 C.
0017 +. DC 07-F0 MDP_XRT_CTRL_MANU
0018 BC (c1)
0019 + DC 07-F0 MDP_XRT_MODE_STBY
0020 BC (c3)
0021 . C. ----- Success Verify ? OK / NG ____
0022 C.
0023 C. XRT Obs. Table Upload
0024 . S. RAM ram-291:MDP_OBS_X
0025 ( )
0026 C.
0027 +. DC 07-F0 MDP_DUMP_XRTTBL
0028 BC (84 07 00 00 00 3a d4)
0029 . C. ----- Comparison Check ? OK / ERR ____
0030 C.
0031 C.
0032 +. DC 07-F0 MDP_XRT_ROI_SET
0033 BC (cd 01 b1 b1 04 04)
0034 + DC 07-F0 MDP_XRT_ROI_SET
0035 BC (cd 02 b1 b1 08 08)
0036 + DC 07-F0 MDP_XRT_ROI_SET
0037 BC (cd 03 b1 b1 08 08)
0038 + DC 07-F0 MDP_XRT_ROI_SET
0039 BC (cd 04 b1 b1 06 06)
0040 + DC 07-F0 MDP_XRT_ROI_SET
0041 BC (cd 05 85 83 06 06)
0042 + DC 07-F0 MDP_XRT_ROI_SET
0043 BC (cd 06 80 80 20 20)
0044 + DC 07-F0 MDP_XRT_ROI_SET
0045 BC (cd 07 80 80 20 08)
0046 + DC 07-F0 MDP_XRT_ROI_SET
0047 BC (cd 08 80 80 08 20)
0048 + DC 07-F0 MDP_XRT_ROI_SET
0049 BC (cd 09 85 83 06 06)
0050 + DC 07-F0 MDP_XRT_ROI_SET
0051 BC (cd 0a 80 80 08 08)
0052 + DC 07-F0 MDP_XRT_ROI_SET
0053 BC (cd 0f 80 80 06 06)
0054 + DC 07-F0 MDP_XRT_ROI_SET
0055 BC (cd 10 80 80 08 08)
0056 + DC 07-F0 MDP_XRT_FLD_ENA
0057 BC (d8)
0058 + DC 07-F0 MDP_XRT_FLRCTRL_DIS
0059 BC (c9)
0060 + DC 07-F0 MDP_XRT_ARS_DIS
0061 BC (d5)
0062 +. DC 07-F0 MDP_XRT_QT_PROG_SET
0063 BC (c4 11)
0064 . C. ----- Success Verify ? OK / NG ____
0065 C.
0066 C.
0067 . C. All OK? Yes--> Please Proceed. / No --> Stop here.
0068 C.
0069 +. DC 07-F0 MDP_XRT_MODE_OBSV
0070 BC (c2)
0071 +. TI 2022-03-05 10:56:02.0
0072 DC 07-F0 MDP_XRT_MODE_OBSV
0073 BC (c2)
0074 . C. ----- Success Verify ? OK / NG ____
0075 C.
0076 C. ***** XRT END *****
0077 . C. *****
0078 C. SOT table upload
0079 C. *****
0080 . C. < Stop SP table >
0081 +. DC 07-F0 MDP_SP_CTRL_MANU
0082 BC (61)
0083 C. -----
0084 C. MDP_SP_CTRL_MODE = MANU [ ]
0085 C. -----
0086 C.
0087 . C. <Upload SP Observation Table>
0088 . S. RAM ram-281:MDP_OBS_S
0089 ( )
0090 C.
0091 . C. < Dump RAMID=MDP_OBS_S >
0092 +. DC 07-F0 MDP_DUMP_SPTBL
0093 BC (83 07 00 00 00 38 b8)
0094 C. -----
0095 C. MDP_OBS_S verify = OK/NG [ ]
```

```

0096 . C. -----
0097 . C.
0098 . C. *****
0099 . C. SOT TI command set
0100 . C. *****
0101 . C. Execute, after the success of TBL upload.
0102 +. TI 2022-03-05 10:56:18.0
0103 . DC 07-F0 MDP_SOT_MODE_OBSV
0104 . BC (40)
0105 . C. -----
0106 . C. HK1_TI_CMD_NUM = 1 CNTUP [ ]
0107 . C. -----
0108 . C.
0109 . C. ===== Begin of APCS CMD Sequence =====
0110 . C.
0111 . C. *****
0112 . C. ***** GASŸÇ;¼Ÿç¼èÈÀ¼À»Û *****
0113 . C. *****
0114 . C.
0115 . C. *****
0116 . C. MDRV OFF
0117 . C. *****
0118 . C.
0119 . C. ***** GASŸáŸËŸç¼î¼ç¼á MTQ¼îÈ°°i»þÄä»ß *****
0120 +. DC 02-33 AOCU_MDRV-X_OFF
0121 +. DC 02-34 AOCU_MDRV-Y_OFF
0122 +. DC 02-35 AOCU_MDRV-Z_OFF
0123 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> X = OFF ?
0124 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> Y = OFF ?
0125 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> Z = OFF ?
0126 . C.
0127 . C.
0128 . C. ¼ŸÇ;¼Ÿç¼èÈÀ¼î¼ç¼á;ç¼î¼minÄÛ¼;
0129 . C.
0130 . C. *****
0131 . C. MDRV ON
0132 . C. *****
0133 . C.
0134 . C. ***** MTQ¼îÈ°°E³« *****
0135 +. DC 02-32 AOCU_MDRV_ON
0136 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> X = ON ?
0137 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> Y = ON ?
0138 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> Z = ON ?
0139 . C.
0140 . C.
0141 . C. ===== End of APCS CMD Sequence =====
0142 . C.
0143 . C.
0144 . C. ***** MDP ´ûÄî¼î»ö¼Ÿ¼èÈÄ¼¼èDCBC•x²è *****
0145 . C. (%á°îŸÖŸÄŸÈŸþŸŸŸáŸçŸèÈ¼¼¼¼»Û¼¼è)
0146 . S. DC-BC dcbc-402:DCBC
0147 (MDP_known_event)
0148 . C.
0149 . C.
0150 . C. ***** ŸDŸ¹•İ Daily¼ç¼î¼è¼¼èDCBC•x²è *****
0151 . S. DC-BC dcbc-153:DCBC
0152 (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0153 . C.
0154 . C.
0155 . C. ¼ãLOSŸÄŸŸŸÄŸ¼Ä»Û¼;ä
0156 . C.
0157 . C. ***** LOS *****
0158 . C.

```

*** OP Sequence for XRT ***

2022/03/05	11:06:54.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	11:06:56.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	11:06:58.0	XRT_FOCUS_RECALIBRATE_438_OG [0x1b6]						
		XRT_FOCUS_RECAL	2	07-F8	78 00			
2022/03/05	11:07:00.0	AOCS_Ore-point_Start_1_OG [0x097]						
		AOCU_NM	5	02-76	00 56 a7 02 0c			
2022/03/05	11:10:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]						
		XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00			
2022/03/05	11:11:18.0	XRT_FLD_ENA_411_OG [0x19b]						
		MDP_XRT_FLD_ENA	1	07-F0	d8			
2022/03/05	11:11:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]						
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8			
2022/03/05	11:11:22.0	XRT_AEC_RESET_448_OG [0x1c0]						
		MDP_XRT_AEC_RESET	1	07-F0	d0			
2022/03/05	11:11:24.0	XRT_ARS_DIS_423_OG [0x1a7]						
		MDP_XRT_ARS_DIS	1	07-F0	d5			
2022/03/05	11:11:26.0	XRT_FLD_RESET_404_OG [0x194]						
		MDP_XRT_FLD_RESET	1	07-F0	da			
2022/03/05	11:11:28.0	XRT_QT_PROG_SET_432_OG [0x1b0]						
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 0e			
2022/03/05	11:11:30.0	XRT_FL_PROG_SET_418_OG [0x1a2]						
		MDP_XRT_FL_PROG_SET	2	07-F0	c5 04			
2022/03/05	11:11:32.0	XRT_CTRL_AUTO_408_OG [0x198]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2022/03/05	15:57:30.0	XRT_CTRL_MANU_400_OG [0x190]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	15:57:32.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	15:57:34.0	XRT_FLD_RESET_415_OG [0x19f]						
		MDP_XRT_FLD_RESET	1	07-F0	da			
2022/03/05	15:57:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]						
		MDP_XRT_PREFLR_STRT	1	07-F0	e8			
2022/03/05	16:00:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]						
		MDP_XRT_PREFLR_STOP	1	07-F0	e9			
2022/03/05	16:10:00.0	XRT_Custom_430_OG [0x1ae]						
2022/03/05	16:11:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2022/03/05	17:32:30.0	XRT_CTRL_MANU_400_OG [0x190]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	17:32:32.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	17:32:34.0	XRT_FLD_RESET_415_OG [0x19f]						
		MDP_XRT_FLD_RESET	1	07-F0	da			
2022/03/05	17:32:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]						
		MDP_XRT_PREFLR_STRT	1	07-F0	e8			
2022/03/05	17:35:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]						
		MDP_XRT_PREFLR_STOP	1	07-F0	e9			
2022/03/05	17:56:30.0	XRT_Custom_430_OG [0x1ae]						
2022/03/05	17:57:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2022/03/05	19:09:30.0	XRT_CTRL_MANU_400_OG [0x190]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	19:09:32.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	19:09:34.0	XRT_FLD_RESET_415_OG [0x19f]						
		MDP_XRT_FLD_RESET	1	07-F0	da			
2022/03/05	19:09:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]						
		MDP_XRT_PREFLR_STRT	1	07-F0	e8			
2022/03/05	19:12:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]						
		MDP_XRT_PREFLR_STOP	1	07-F0	e9			
2022/03/05	19:33:00.0	XRT_Custom_430_OG [0x1ae]						
2022/03/05	19:34:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2022/03/05	19:59:54.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	19:59:56.0	XRT_FOCUS_POSITION_406_OG [0x196]						
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00			
2022/03/05	20:00:00.0	AOCS_Ore-point_Start_2_OG [0x098]						
		AOCU_NM	5	02-76	00 00 00 00 00			
2022/03/05	20:00:16.0	XRT_FLD_DIS_409_OG [0x199]						
		MDP_XRT_FLD_DIS	1	07-F0	d9			
2022/03/05	20:00:18.0	XRT_FLRCTRL_DIS_413_OG [0x19d]						
		MDP_XRT_FLRCTRL_DIS	1	07-F0	c9			
2022/03/05	20:00:20.0	XRT_ARS_DIS_440_OG [0x1b8]						
		MDP_XRT_ARS_DIS	1	07-F0	d5			
2022/03/05	20:02:58.0	XRT_QT_PROG_SET_437_OG [0x1b5]						
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 10			
2022/03/05	20:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2022/03/05	20:10:54.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	20:10:56.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2022/03/05	20:10:58.0	XRT_FOCUS_POSITION_406_OG [0x196]						
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00			
2022/03/05	20:11:18.0	XRT_FLD_ENA_411_OG [0x19b]						
		MDP_XRT_FLD_ENA	1	07-F0	d8			
2022/03/05	20:11:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]						
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8			

2022/03/05	20:11:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0	d0	
2022/03/05	20:11:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0	d5	
2022/03/05	20:11:26.0	XRT_FLD_RESET_434_OG [0x1b2]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/05	20:13:56.0	XRT_QT_PROG_SET_405_OG [0x195]	MDP_XRT_QT_PROG_SET	2	07-F0	c4	13
2022/03/05	20:13:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_FL_PROG_SET	2	07-F0	c5	04
2022/03/05	20:14:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/05	20:46:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/05	20:46:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/05	20:46:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/05	20:46:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	
2022/03/05	20:49:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/05	20:59:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/05	20:59:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/05	20:59:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]	XRT_FOCUS_POSITION	4	07-F8	22	fe 97 00
2022/03/05	21:00:00.0	AOCS_Or-point_Start_3_OG [0x099]	AOCU_NM	5	02-76	01	00 00 00 00
2022/03/05	21:00:18.0	XRT_FLD_ENA_411_OG [0x19b]	MDP_XRT_FLD_ENA	1	07-F0	d8	
2022/03/05	21:00:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8	
2022/03/05	21:00:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0	d0	
2022/03/05	21:00:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0	d5	
2022/03/05	21:00:26.0	XRT_FLD_RESET_444_OG [0x1bc]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/05	21:10:56.0	XRT_QT_PROG_SET_401_OG [0x191]	MDP_XRT_QT_PROG_SET	2	07-F0	c4	0c
2022/03/05	21:10:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_FL_PROG_SET	2	07-F0	c5	04
2022/03/05	21:11:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/05	22:24:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/05	22:24:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/05	22:24:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/05	22:24:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	
2022/03/05	22:27:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/05	22:46:30.0	XRT_Custom_430_OG [0x1ae]					
2022/03/05	22:47:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	00:01:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	00:01:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	00:01:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/06	00:01:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	
2022/03/06	00:04:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/06	00:19:30.0	XRT_Custom_430_OG [0x1ae]					
2022/03/06	00:20:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	01:38:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	01:38:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	01:38:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/06	01:38:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	
2022/03/06	01:41:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/06	01:45:00.0	XRT_Custom_430_OG [0x1ae]					
2022/03/06	01:46:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	03:01:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	03:01:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	03:01:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/06	03:01:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	

2022/03/06	03:04:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/06	03:21:00.0	XRT_Custom_430_OG [0x1ae]							
2022/03/06	03:22:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/06	04:32:00.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	04:32:02.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	04:32:04.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/06	04:32:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/06	04:35:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/06	04:58:00.0	XRT_Custom_430_OG [0x1ae]							
2022/03/06	04:59:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/06	05:41:24.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	05:41:26.0	XRT_FOCUS_POSITION_406_OG [0x196]							
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00				
2022/03/06	05:41:30.0	AOCS_OrE-point_Start_2_OG [0x098]							
		AOCU_NM	5	02-76	00 00 00 00 00				
2022/03/06	05:41:46.0	XRT_FLD_DIS_409_OG [0x199]							
		MDP_XRT_FLD_DIS	1	07-F0	d9				
2022/03/06	05:41:48.0	XRT_FLRCTRL_DIS_413_OG [0x19d]							
		MDP_XRT_FLRCTRL_DIS	1	07-F0	c9				
2022/03/06	05:41:50.0	XRT_ARS_DIS_440_OG [0x1b8]							
		MDP_XRT_ARS_DIS	1	07-F0	d5				
2022/03/06	05:44:28.0	XRT_QT_PROG_SET_435_OG [0x1b3]							
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 12				
2022/03/06	05:44:30.0	XRT_CTRL_AUTO_408_OG [0x198]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/06	05:51:24.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	05:51:26.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	05:51:28.0	XRT_FOCUS_POSITION_410_OG [0x19a]							
		XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00				
2022/03/06	05:51:30.0	AOCS_OrE-point_Start_3_OG [0x099]							
		AOCU_NM	5	02-76	01 00 00 00 00				
2022/03/06	05:51:48.0	XRT_FLD_ENA_411_OG [0x19b]							
		MDP_XRT_FLD_ENA	1	07-F0	d8				
2022/03/06	05:51:50.0	XRT_FLRCTRL_ENA_412_OG [0x19c]							
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8				
2022/03/06	05:51:52.0	XRT_AEC_RESET_448_OG [0x1c0]							
		MDP_XRT_AEC_RESET	1	07-F0	d0				
2022/03/06	05:51:54.0	XRT_ARS_DIS_423_OG [0x1a7]							
		MDP_XRT_ARS_DIS	1	07-F0	d5				
2022/03/06	05:51:56.0	XRT_FLD_RESET_434_OG [0x1b2]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/06	05:54:26.0	XRT_QT_PROG_SET_401_OG [0x191]							
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 0c				
2022/03/06	05:54:28.0	XRT_FL_PROG_SET_418_OG [0x1a2]							
		MDP_XRT_FL_PROG_SET	2	07-F0	c5 04				
2022/03/06	05:54:30.0	XRT_CTRL_AUTO_408_OG [0x198]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/06	06:08:00.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	06:08:02.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	06:08:04.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/06	06:08:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/06	06:11:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/06	06:35:30.0	XRT_Custom_430_OG [0x1ae]							
2022/03/06	06:36:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/06	07:48:30.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	07:48:32.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	07:48:34.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/06	07:48:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/06	07:51:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/06	08:12:30.0	XRT_Custom_430_OG [0x1ae]							
2022/03/06	08:13:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/06	09:28:00.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	09:28:02.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/06	09:28:04.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/06	09:28:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/06	09:31:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							

2022/03/06	09:49:00.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/06	09:50:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
2022/03/06	11:09:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	11:09:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	11:09:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	11:09:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/06	11:12:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	
2022/03/06	11:20:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/06	11:21:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
2022/03/06	16:20:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	16:20:56.0	XRT_FOCUS_POSITION_406_OG [0x196]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	16:21:00.0	AOCS_Ore-point_Start_2_OG [0x098]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00	
2022/03/06	16:21:16.0	XRT_FLD_DIS_409_OG [0x199]	AOCU_NM	5	02-76	00 00 00 00 00	
2022/03/06	16:21:18.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLD_DIS	1	07-F0	d9	
2022/03/06	16:21:20.0	XRT_ARS_DIS_440_OG [0x1b8]	MDP_XRT_FLRCTRL_DIS	1	07-F0	c9	
2022/03/06	16:23:58.0	XRT_QT_PROG_SET_435_OG [0x1b3]	MDP_XRT_ARS_DIS	1	07-F0	d5	
2022/03/06	16:24:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 12	
2022/03/06	16:44:54.0	XRT_CTRL_MANU_403_OG [0x193]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	16:45:00.0	AOCS_Ore-point_Start_4_OG [0x09a]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	16:55:00.0	XRT_CTRL_MANU_402_OG [0x192]	AOCU_NM	5	02-76	00 b0 e6 01 06	
2022/03/06	16:55:02.0	XRT_FOCUS_POSITION_410_OG [0x19a]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	16:55:22.0	XRT_FLD_DIS_409_OG [0x199]	XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00	
2022/03/06	16:55:24.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLD_DIS	1	07-F0	d9	
2022/03/06	16:55:26.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_FLRCTRL_DIS	1	07-F0	c9	
2022/03/06	16:55:28.0	XRT_QT_PROG_SET_407_OG [0x197]	MDP_XRT_ARS_DIS	1	07-F0	d5	
2022/03/06	16:55:30.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 03	
2022/03/06	18:07:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	18:07:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	18:07:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	18:07:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/06	18:10:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	
2022/03/06	18:31:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/06	18:32:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
2022/03/06	19:44:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	19:44:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	19:44:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	19:44:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/06	19:47:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	
2022/03/06	20:08:00.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/06	20:09:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
2022/03/06	21:21:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0	
2022/03/06	21:21:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	21:21:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	21:21:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da	
2022/03/06	21:24:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8	
2022/03/06	21:44:54.0	XRT_CTRL_MANU_414_OG [0x19e]	MDP_XRT_PREFLR_STOP	1	07-F0	e9	
2022/03/06	21:45:00.0	AOCS_Ore-point_Start_3_OG [0x099]	MDP_XRT_CTRL_MANU	1	07-F0	c1	
2022/03/06	21:47:28.0	XRT_CTRL_MANU_402_OG [0x192]	AOCU_NM	5	02-76	01 00 00 00 00	
			MDP_XRT_CTRL_MANU	1	07-F0	c1	

2022/03/06	21:47:30.0	XRT_FOCUS_POSITION_410_OG [0x19a]			
		XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00
2022/03/06	21:47:50.0	XRT_FLD_DIS_409_OG [0x199]			
		MDP_XRT_FLD_DIS	1	07-F0	d9
2022/03/06	21:47:52.0	XRT_FLRCTRL_DIS_413_OG [0x19d]			
		MDP_XRT_FLRCTRL_DIS	1	07-F0	c9
2022/03/06	21:47:54.0	XRT_AEC_RESET_448_OG [0x1c0]			
		MDP_XRT_AEC_RESET	1	07-F0	d0
2022/03/06	21:47:56.0	XRT_ARS_DIS_423_OG [0x1a7]			
		MDP_XRT_ARS_DIS	1	07-F0	d5
2022/03/06	21:47:58.0	XRT_QT_PROG_SET_416_OG [0x1a0]			
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 05
2022/03/06	21:48:00.0	XRT_CTRL_AUTO_408_OG [0x198]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/06	22:59:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/06	22:59:02.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/06	22:59:04.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/06	22:59:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2022/03/06	23:02:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2022/03/06	23:21:00.0	XRT_Custom_430_OG [0x1ae]			
2022/03/06	23:22:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	00:36:30.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	00:36:32.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	00:36:34.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	00:36:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2022/03/07	00:39:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2022/03/07	00:47:30.0	XRT_Custom_430_OG [0x1ae]			
2022/03/07	00:48:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	02:03:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	02:03:02.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	02:03:04.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	02:03:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2022/03/07	02:06:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2022/03/07	02:19:30.0	XRT_Custom_430_OG [0x1ae]			
2022/03/07	02:20:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	03:09:54.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	03:09:56.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	03:09:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]			
		XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00
2022/03/07	03:10:18.0	XRT_FLD_ENA_411_OG [0x19b]			
		MDP_XRT_FLD_ENA	1	07-F0	d8
2022/03/07	03:10:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]			
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8
2022/03/07	03:10:22.0	XRT_AEC_RESET_448_OG [0x1c0]			
		MDP_XRT_AEC_RESET	1	07-F0	d0
2022/03/07	03:10:24.0	XRT_ARS_DIS_423_OG [0x1a7]			
		MDP_XRT_ARS_DIS	1	07-F0	d5
2022/03/07	03:10:26.0	XRT_FLD_RESET_434_OG [0x1b2]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	03:12:56.0	XRT_QT_PROG_SET_442_OG [0x1ba]			
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 09
2022/03/07	03:12:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]			
		MDP_XRT_FL_PROG_SET	2	07-F0	c5 04
2022/03/07	03:13:00.0	XRT_CTRL_AUTO_408_OG [0x198]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	03:35:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	03:35:02.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	03:35:04.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	03:35:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2022/03/07	03:38:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2022/03/07	03:56:00.0	XRT_Custom_430_OG [0x1ae]			
2022/03/07	03:57:00.5	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	05:04:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	05:04:02.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	05:04:04.0	XRT_FLD_RESET_415_OG [0x19f]			

2022/03/07	05:04:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	05:07:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2022/03/07	05:33:00.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2022/03/07	05:34:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	XRT_CUSTOM_430_OG [0x1ae]			
2022/03/07	05:59:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	05:59:56.0	XRT_FOCUS_POSITION_406_OG [0x196]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	06:00:00.0	AOCS_Ore-point_Start_2_OG [0x098]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00
2022/03/07	06:00:16.0	XRT_FLD_DIS_409_OG [0x199]	AOCU_NM	5	02-76	00 00 00 00 00
2022/03/07	06:00:18.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLD_DIS	1	07-F0	d9
2022/03/07	06:00:20.0	XRT_ARS_DIS_440_OG [0x1b8]	MDP_XRT_FLRCTRL_DIS	1	07-F0	c9
2022/03/07	06:02:58.0	XRT_QT_PROG_SET_435_OG [0x1b3]	MDP_XRT_ARS_DIS	1	07-F0	d5
2022/03/07	06:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 12
2022/03/07	06:09:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	06:09:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	06:09:58.0	XRT_FOCUS_POSITION_406_OG [0x196]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	06:10:18.0	XRT_FLD_ENA_411_OG [0x19b]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00
2022/03/07	06:10:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLD_ENA	1	07-F0	d8
2022/03/07	06:10:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8
2022/03/07	06:10:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_AEC_RESET	1	07-F0	d0
2022/03/07	06:10:26.0	XRT_FLD_RESET_434_OG [0x1b2]	MDP_XRT_ARS_DIS	1	07-F0	d5
2022/03/07	06:12:56.0	XRT_QT_PROG_SET_405_OG [0x195]	MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	06:12:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 13
2022/03/07	06:13:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_FL_PROG_SET	2	07-F0	c5 04
2022/03/07	06:44:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	06:44:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	06:44:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	06:44:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	06:47:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2022/03/07	07:10:30.5	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2022/03/07	07:11:30.5	XRT_CTRL_AUTO_424_OG [0x1a8]	XRT_CUSTOM_430_OG [0x1ae]			
2022/03/07	07:59:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	07:59:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	07:59:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	08:00:00.0	AOCS_Ore-point_Start_5_OG [0x09b]	XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00
2022/03/07	08:00:18.0	XRT_FLD_ENA_411_OG [0x19b]	AOCU_NM	5	02-76	00 54 e5 02 0c
2022/03/07	08:00:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLD_ENA	1	07-F0	d8
2022/03/07	08:00:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8
2022/03/07	08:00:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_AEC_RESET	1	07-F0	d0
2022/03/07	08:00:26.0	XRT_FLD_RESET_434_OG [0x1b2]	MDP_XRT_ARS_DIS	1	07-F0	d5
2022/03/07	08:02:56.0	XRT_QT_PROG_SET_432_OG [0x1b0]	MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	08:02:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 0e
2022/03/07	08:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_FL_PROG_SET	2	07-F0	c5 04
2022/03/07	08:24:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/07	08:24:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	08:24:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/07	08:24:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/07	08:27:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
			MDP_XRT_PREFLR_STOP	1	07-F0	e9

2022/03/07	08:47:30.0	XRT_Custom_430_OG [0x1ae]					
2022/03/07	08:48:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2022/03/07	10:04:00.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	10:04:02.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	10:04:04.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2022/03/07	10:04:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2022/03/07	10:07:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2022/03/07	10:23:30.0	XRT_Custom_430_OG [0x1ae]					
2022/03/07	10:24:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2022/03/07	11:47:00.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	11:47:02.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	11:47:04.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2022/03/07	11:47:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2022/03/07	11:48:30.0	XRT_Custom_430_OG [0x1ae]					
2022/03/07	11:49:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2022/03/07	11:50:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2022/03/07	15:31:30.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	15:31:32.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	15:31:34.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2022/03/07	15:31:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2022/03/07	15:34:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2022/03/07	15:42:00.0	XRT_Custom_430_OG [0x1ae]					
2022/03/07	15:43:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2022/03/07	15:59:54.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	15:59:56.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	15:59:58.0	XRT_FOCUS_POSITION_406_OG [0x196]					
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00		
2022/03/07	16:00:00.0	AOCS_ORe-point_Start_6_OG [0x09c]					
		AOCU_NM	5	02-76	00 03 1a 02 0c		
2022/03/07	16:00:18.0	XRT_FLD_ENA_411_OG [0x19b]					
		MDP_XRT_FLD_ENA	1	07-F0	d8		
2022/03/07	16:00:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]					
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8		
2022/03/07	16:00:22.0	XRT_AEC_RESET_448_OG [0x1c0]					
		MDP_XRT_AEC_RESET	1	07-F0	d0		
2022/03/07	16:00:24.0	XRT_ARS_DIS_423_OG [0x1a7]					
		MDP_XRT_ARS_DIS	1	07-F0	d5		
2022/03/07	16:00:26.0	XRT_FLD_RESET_434_OG [0x1b2]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2022/03/07	16:02:56.0	XRT_QT_PROG_SET_417_OG [0x1a1]					
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 14		
2022/03/07	16:02:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]					
		MDP_XRT_FL_PROG_SET	2	07-F0	c5 04		
2022/03/07	16:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2022/03/07	17:06:00.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	17:06:02.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	17:06:04.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2022/03/07	17:06:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2022/03/07	17:09:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2022/03/07	17:29:30.0	XRT_Custom_430_OG [0x1ae]					
2022/03/07	17:30:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2022/03/07	18:43:00.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	18:43:02.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	18:43:04.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2022/03/07	18:43:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2022/03/07	18:46:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2022/03/07	19:04:54.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2022/03/07	19:04:56.0	XRT_FOCUS_POSITION_406_OG [0x196]					
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00		

2022/03/07	19:05:00.0	AOCS_ORe-point_Start_2_OG [0x098] AOCU_NM	5	02-76	00	00	00	00	00
2022/03/07	19:05:16.0	XRT_FLD_DIS_409_OG [0x199] MDP_XRT_FLD_DIS	1	07-F0	d9				
2022/03/07	19:05:18.0	XRT_FLRCTRL_DIS_413_OG [0x19d] MDP_XRT_FLRCTRL_DIS	1	07-F0	c9				
2022/03/07	19:05:20.0	XRT_ARS_DIS_440_OG [0x1b8] MDP_XRT_ARS_DIS	1	07-F0	d5				
2022/03/07	19:07:58.0	XRT_QT_PROG_SET_435_OG [0x1b3] MDP_XRT_QT_PROG_SET	2	07-F0	c4	12			
2022/03/07	19:08:00.0	XRT_CTRL_AUTO_408_OG [0x198] MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/07	19:14:54.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	19:14:56.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	19:14:58.0	XRT_FOCUS_POSITION_410_OG [0x19a] XRT_FOCUS_POSITION	4	07-F8	22	fe	97	00	
2022/03/07	19:15:00.0	AOCS_ORe-point_Start_3_OG [0x099] AOCU_NM	5	02-76	01	00	00	00	00
2022/03/07	19:15:18.0	XRT_FLD_ENA_411_OG [0x19b] MDP_XRT_FLD_ENA	1	07-F0	d8				
2022/03/07	19:15:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c] MDP_XRT_FLRCTRL_ENA	1	07-F0	c8				
2022/03/07	19:15:22.0	XRT_AEC_RESET_448_OG [0x1c0] MDP_XRT_AEC_RESET	1	07-F0	d0				
2022/03/07	19:15:24.0	XRT_ARS_DIS_423_OG [0x1a7] MDP_XRT_ARS_DIS	1	07-F0	d5				
2022/03/07	19:15:26.0	XRT_FLD_RESET_434_OG [0x1b2] MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/07	19:17:56.0	XRT_QT_PROG_SET_442_OG [0x1ba] MDP_XRT_QT_PROG_SET	2	07-F0	c4	09			
2022/03/07	19:17:58.0	XRT_FL_PROG_SET_418_OG [0x1a2] MDP_XRT_FL_PROG_SET	2	07-F0	c5	04			
2022/03/07	19:18:00.0	XRT_CTRL_AUTO_408_OG [0x198] MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/07	20:19:30.0	XRT_CTRL_MANU_400_OG [0x190] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	20:19:32.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	20:19:34.0	XRT_FLD_RESET_415_OG [0x19f] MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/07	20:19:36.0	XRT_PREFLR_STRT_436_OG [0x1b4] MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/07	20:22:44.0	XRT_PREFLR_STOP_419_OG [0x1a3] MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/07	20:43:00.0	XRT_Custom_430_OG [0x1ae] MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/07	20:44:00.0	XRT_CTRL_AUTO_424_OG [0x1a8] MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/07	21:57:00.0	XRT_CTRL_MANU_400_OG [0x190] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	21:57:02.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	21:57:04.0	XRT_FLD_RESET_415_OG [0x19f] MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/07	21:57:06.0	XRT_PREFLR_STRT_436_OG [0x1b4] MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/07	22:00:14.0	XRT_PREFLR_STOP_419_OG [0x1a3] MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/07	22:20:00.0	XRT_Custom_430_OG [0x1ae] MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/07	22:21:00.0	XRT_CTRL_AUTO_424_OG [0x1a8] MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/07	23:34:30.0	XRT_CTRL_MANU_400_OG [0x190] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	23:34:32.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	23:34:34.0	XRT_FLD_RESET_415_OG [0x19f] MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/07	23:34:36.0	XRT_PREFLR_STRT_436_OG [0x1b4] MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/07	23:37:44.0	XRT_PREFLR_STOP_419_OG [0x1a3] MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/07	23:44:54.0	XRT_CTRL_MANU_421_OG [0x1a5] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	23:45:00.0	AOCS_ORe-point_Start_7_OG [0x09d] AOCU_NM	5	02-76	00	01	b2	01	2f
2022/03/07	23:55:30.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/07	23:55:32.0	XRT_FOCUS_POSITION_410_OG [0x19a] XRT_FOCUS_POSITION	4	07-F8	22	fe	97	00	
2022/03/07	23:55:52.0	XRT_FLD_DIS_409_OG [0x199] MDP_XRT_FLD_DIS	1	07-F0	d9				
2022/03/07	23:55:54.0	XRT_FLRCTRL_DIS_413_OG [0x19d] MDP_XRT_FLRCTRL_DIS	1	07-F0	c9				
2022/03/07	23:55:56.0	XRT_ARS_DIS_423_OG [0x1a7] MDP_XRT_ARS_DIS	1	07-F0	d5				
2022/03/07	23:55:58.0	XRT_QT_PROG_SET_407_OG [0x197] MDP_XRT_QT_PROG_SET	2	07-F0	c4	03			
2022/03/07	23:56:00.5	XRT_CTRL_AUTO_408_OG [0x198] MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/08	01:11:30.0	XRT_CTRL_MANU_400_OG [0x190] MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	01:11:32.0	XRT_CTRL_MANU_402_OG [0x192]							

2022/03/08	01:11:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
			MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/08	01:11:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/08	01:14:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/08	01:19:30.0	XRT_Custom_430_OG [0x1ae]								
2022/03/08	01:20:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/08	02:35:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	02:35:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	02:35:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/08	02:35:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/08	02:38:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/08	02:54:00.0	XRT_Custom_430_OG [0x1ae]								
2022/03/08	02:55:00.5	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/08	03:14:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	03:14:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	03:14:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]	XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00				
2022/03/08	03:15:00.0	AOCS_Ore-point_Start_3_OG [0x099]	AOCU_NM	5	02-76	01 00 00 00 00				
2022/03/08	03:15:18.0	XRT_FLD_ENA_411_OG [0x19b]	MDP_XRT_FLD_ENA	1	07-F0	d8				
2022/03/08	03:15:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8				
2022/03/08	03:15:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0	d0				
2022/03/08	03:15:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0	d5				
2022/03/08	03:15:26.0	XRT_FLD_RESET_434_OG [0x1b2]	MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/08	03:17:56.0	XRT_QT_PROG_SET_442_OG [0x1ba]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 09				
2022/03/08	03:17:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_FL_PROG_SET	2	07-F0	c5 04				
2022/03/08	03:18:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/08	04:10:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	04:10:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	04:10:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/08	04:10:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/08	04:13:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/08	04:31:00.0	XRT_Custom_430_OG [0x1ae]								
2022/03/08	04:32:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/08	05:40:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	05:40:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	05:40:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da				
2022/03/08	05:40:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2022/03/08	05:43:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2022/03/08	06:08:30.0	XRT_Custom_430_OG [0x1ae]								
2022/03/08	06:09:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/08	06:17:24.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	06:17:26.0	XRT_FOCUS_POSITION_406_OG [0x196]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00				
2022/03/08	06:17:30.0	AOCS_Ore-point_Start_2_OG [0x098]	AOCU_NM	5	02-76	00 00 00 00 00				
2022/03/08	06:17:46.0	XRT_FLD_DIS_409_OG [0x199]	MDP_XRT_FLD_DIS	1	07-F0	d9				
2022/03/08	06:17:48.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLRCTRL_DIS	1	07-F0	c9				
2022/03/08	06:17:50.0	XRT_ARS_DIS_440_OG [0x1b8]	MDP_XRT_ARS_DIS	1	07-F0	d5				
2022/03/08	06:20:28.0	XRT_QT_PROG_SET_435_OG [0x1b3]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 12				
2022/03/08	06:20:30.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2022/03/08	06:54:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1				
2022/03/08	06:54:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1				

Mar 05, 22 12:00

XRT_OGLIST_0161.chk

Page 10/10

2022/03/08	06:54:58.0	XRT_FOCUS_POSITION_406_OG [0x196] XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00
2022/03/08	06:55:00.0	AOCS_ORe-point_Start_3_OG [0x099] AOCU_NM	5	02-76	01 00 00 00 00
2022/03/08	06:55:18.0	XRT_FLD_ENA_411_OG [0x19b] MDP_XRT_FLD_ENA	1	07-F0	d8
2022/03/08	06:55:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c] MDP_XRT_FLRCTRL_ENA	1	07-F0	c8
2022/03/08	06:55:22.0	XRT_AEC_RESET_448_OG [0x1c0] MDP_XRT_AEC_RESET	1	07-F0	d0
2022/03/08	06:55:24.0	XRT_ARS_DIS_423_OG [0x1a7] MDP_XRT_ARS_DIS	1	07-F0	d5
2022/03/08	06:55:26.0	XRT_FLD_RESET_434_OG [0x1b2] MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/08	06:57:56.0	XRT_QT_PROG_SET_417_OG [0x1a1] MDP_XRT_QT_PROG_SET	2	07-F0	c4 14
2022/03/08	06:57:58.0	XRT_FL_PROG_SET_418_OG [0x1a2] MDP_XRT_FL_PROG_SET	2	07-F0	c5 04
2022/03/08	06:58:00.0	XRT_CTRL_AUTO_408_OG [0x198] MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/08	07:20:30.0	XRT_CTRL_MANU_400_OG [0x190] MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/08	07:20:32.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/08	07:20:34.0	XRT_FLD_RESET_415_OG [0x19f] MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/08	07:20:36.0	XRT_PREFLR_STRT_436_OG [0x1b4] MDP_XRT_PREFLR_STRT	1	07-F0	e8
2022/03/08	07:23:44.0	XRT_PREFLR_STOP_419_OG [0x1a3] MDP_XRT_PREFLR_STOP	1	07-F0	e9
2022/03/08	07:39:54.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/08	07:39:56.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/08	07:39:58.0	XRT_FOCUS_POSITION_406_OG [0x196] XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00
2022/03/08	07:40:00.0	AOCS_ORe-point_Start_8_OG [0x09e] AOCU_NM	5	02-76	00 fb 4c ff 4c
2022/03/08	07:40:18.0	XRT_FLD_ENA_411_OG [0x19b] MDP_XRT_FLD_ENA	1	07-F0	d8
2022/03/08	07:40:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c] MDP_XRT_FLRCTRL_ENA	1	07-F0	c8
2022/03/08	07:40:22.0	XRT_AEC_RESET_448_OG [0x1c0] MDP_XRT_AEC_RESET	1	07-F0	d0
2022/03/08	07:40:24.0	XRT_ARS_DIS_423_OG [0x1a7] MDP_XRT_ARS_DIS	1	07-F0	d5
2022/03/08	07:40:26.0	XRT_FLD_RESET_422_OG [0x1a6] MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/08	07:46:56.0	XRT_QT_PROG_SET_417_OG [0x1a1] MDP_XRT_QT_PROG_SET	2	07-F0	c4 14
2022/03/08	07:46:58.0	XRT_FL_PROG_SET_418_OG [0x1a2] MDP_XRT_FL_PROG_SET	2	07-F0	c5 04
2022/03/08	07:47:00.0	XRT_CTRL_AUTO_408_OG [0x198] MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/08	09:00:30.0	XRT_CTRL_MANU_400_OG [0x190] MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/08	09:00:32.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/08	09:00:34.0	XRT_FLD_RESET_415_OG [0x19f] MDP_XRT_FLD_RESET	1	07-F0	da
2022/03/08	09:00:36.0	XRT_PREFLR_STRT_436_OG [0x1b4] MDP_XRT_PREFLR_STRT	1	07-F0	e8
2022/03/08	09:03:44.0	XRT_PREFLR_STOP_419_OG [0x1a3] MDP_XRT_PREFLR_STOP	1	07-F0	e9
2022/03/08	09:22:30.0	XRT_Custom_430_OG [0x1ae]			
2022/03/08	09:23:30.0	XRT_CTRL_AUTO_424_OG [0x1a8] MDP_XRT_CTRL_AUTO	1	07-F0	c0
2022/03/08	11:14:54.0	XRT_CTRL_MANU_402_OG [0x192] MDP_XRT_CTRL_MANU	1	07-F0	c1
2022/03/08	11:15:00.0	AOCS_ORe-point_Start_2_OG [0x098] AOCU_NM	5	02-76	00 00 00 00 00