

# XRT Timeline to be uploaded on 2023/01/14

Period: 2023/01/14 11:35:00 - 2023/01/24 11:26:00

\* \* \* \* \*

Normal mode

\* \* \* \* \*

**XOB #1BBA: AR - Standard Core - (Filter-Ratio with Al/poly and thin-Be long/short pairs) with PFB, 384x384 at 1064 1048, thin-Be, and Al/poly context, with**

Term	Pointing (x, y)	Comment
01/14 11:48:00 - 01/14 17:46:24	Track ( -307.8, 422.6) @ 01/14 11:45:00	# OP start + 10min + AR13186
01/14 17:59:28 - 01/15 03:59:54	Track ( -258.0, 424.2) @ 01/14 17:56:30	AR 13186

**PROG= 16 Inf.-time(s)**

Subr= 1	1-time(s)	2.0sec											
Seqn= 92	1-time(s)	2.0sec											
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384	(1064, 1048)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384	(1064, 1048)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	16.0s	Obs	1x1	384x384	(1064, 1048)	Q=98	0	0	2.0sec
Subr= 2	5-time(s)	2.0sec											
Seqn= 47	1-time(s)	2.0sec											
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384	(1064, 1048)	Q=95	2	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384	(1064, 1048)	Q=95	3	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384	(1064, 1048)	Q=95	2	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384	(1064, 1048)	Q=95	3	0	2.0sec
Seqn= 96	4-time(s)	120.0sec											
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384	(1064, 1048)	Q=95	1	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384	(1064, 1048)	Q=95	1	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384	(1064, 1048)	Q=95	1	1	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384	(1064, 1048)	Q=95	1	1	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384	(1064, 1048)	Q=95	1	2	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384	(1064, 1048)	Q=95	1	2	2.0sec

Default Filter    Thicker Filter    VLS    mode    image    Exp.    CCD    Bin    ROI: size (center)    Comp.    AEC Buffer    Interval

**XOB #1CED: Synoptic for HOP448 w/ Al-mesh(5/128/723), Al-poly(12/181/1443), Thin-Be(33/512/4096), Thick-Be(32768), Med-Al(256/8192/32768), Med-Be(12/181/1443)**

Term	Pointing (x, y)	Comment
01/14 17:49:30 - 01/14 17:56:24	Fixed ( 0.0, 0.0)	synoptic, shifted -13.5 min
01/15 06:03:00 - 01/15 06:09:54	Fixed ( 0.0, 0.0)	HOP 349 + synoptic
01/15 18:05:30 - 01/15 18:12:24	Fixed ( 0.0, 0.0)	synoptic, shifted 2.5 min
01/16 06:23:00 - 01/16 06:29:54	Fixed ( 0.0, 0.0)	HOP 349 + synoptic
01/17 05:55:00 - 01/17 06:01:54	Fixed ( 0.0, 0.0)	HOP 349 + synoptic

**PROG= 03 1-time(s)**

Subr= 1	1-time(s)	2.0sec											
Seqn= 5	1-time(s)	2.0sec											
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048	(1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048	(1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048	(1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512	(1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048	(1024, 1024)	DPCM	0	0	2.0sec
Seqn= 26	1-time(s)	2.0sec											
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	5ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Seqn= 15	1-time(s)	2.0sec											
Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Seqn= 83	1-time(s)	2.0sec											
thin-Be/Open	thin-Be/Open	close	Safe	Norm	32ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Seqn= 23	1-time(s)	4.0sec											
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	2048x2048	(1024, 1024)	Q=90	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Subr= 2	1-time(s)	2.0sec											
Seqn= 41	1-time(s)	2.0sec											
Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	2x2	2048x2048	(1024, 1024)	Q=98	0	0	2.0sec
Seqn= 17	1-time(s)	2.0sec											
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	250ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	8.00s	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
med-Al/Open	med-Al/Open	close	Safe	Norm	32.0s	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
Seqn= 33	1-time(s)	2.0sec											
med-Be/Open	Open/thick-Al	close	Safe	Norm	125ms	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	2x2	2048x2048	(1024, 1024)	Q=95	0	0	2.0sec

Default Filter    Thicker Filter    VLS    mode    image    Exp.    CCD    Bin    ROI: size (center)    Comp.    AEC Buffer    Interval

**XOB #1CD0: HOP349 - 3-filter Synoptics (Al-mesh[2/128/723], Al-poly[12/181/1443], thin-Be[24/512/3897] with 512x512 G-band+Leak - 300min cad) + CME w**

Term	Pointing (x, y)	Comment
01/15 04:03:00 - 01/15 05:59:54	Fixed ( 0.0, 0.0)	HOP 349 + synoptic
01/16 04:03:00 - 01/16 06:19:54	Fixed ( 0.0, 0.0)	HOP 349 + synoptic

PROG= 18 Inf.-time(s)													
Subr= 1 1-time(s) 300.0sec													
Seqn= 55 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 15 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 79 1-time(s) 2.0sec													
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 30 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	512x512 (1024, 1024)	Q=90	0	0	2.0sec
	Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	512x512 (1024, 1024)	Q=95	0	0	2.0sec
Subr= 2 20-time(s) 900.0sec													
Seqn= 8 1-time(s) 2.0sec													
	thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 74 1-time(s) 2.0sec													
	med-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
	med-Be/Open	med-Be/Open	close	Safe	Norm	2.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	2	0	2.0sec
Seqn= 6 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 29 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	250ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	2	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

**XOB #1BFE: AR - Standard Core - (Filter-Ratio with Al/poly and thin-Be long/short pairs) with PFB, 384x384 at 1064 1048, thin-Be, and Al/poly context, with**

Term	Pointing (x, y)	Comment
01/15 06:13:00 - 01/15 18:02:24	Track ( -157.3, 426.7) <sup>Ⓢ 01/15 06:10:00</sup>	AR 13186
01/15 18:15:30 - 01/16 03:59:54	Track ( -56.5, 428.2) <sup>Ⓢ 01/15 18:12:30</sup>	AR 13186
01/16 06:37:00 - 01/16 17:43:00	Track ( 47.0, 428.8) <sup>Ⓢ 01/16 06:30:00</sup>	AR 13186
01/16 18:19:30 - 01/17 03:59:54	Track ( 145.2, 428.4) <sup>Ⓢ 01/16 18:16:30</sup>	AR 13186
01/17 06:05:00 - 01/17 09:38:30	Track ( 241.3, 427.1) <sup>Ⓢ 01/17 06:02:00</sup>	AR 13186

PROG= 14 Inf.-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 92 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec
	Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	16.0s	Obs	1x1	384x384 (1064, 1048)	Q=98	0	0	2.0sec
Subr= 2 4-time(s) 2.0sec													
Seqn= 47 1-time(s) 2.0sec													
	Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	2	0	2.0sec
	Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	2	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	0	2.0sec
Seqn= 77 4-time(s) 300.0sec													
	Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	0	95.0sec
	Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	1	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	1	95.0sec
	Al-poly/Open	thin-Be/Open	close	Safe	Norm	250ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	2	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	1	2	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

**XOB #1CEE: Synoptic 8 Filter w/ Al-mesh(5/128/723), Al-poly(12/181/1443), Thin-Be(33/512/4096), Thick-Be(32768), Med-Al(512/8192/32768), Med-Be(128/576)**

Term	Pointing (x, y)	Comment
01/16 18:09:30 - 01/16 18:16:24	Fixed ( 0.0, 0.0) synoptic, shifted 6.5 min	

PROG= 20 1-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 5 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512 (1024, 1024)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 26 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	5ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 15 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec

Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
<b>Seqn= 83</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
thin-Be/Open	thin-Be/Open	close	Safe	Norm	32ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
<b>Seqn= 23</b>		<b>1-time(s)</b>	<b>4.0sec</b>									
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
<b>Subr= 2</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
<b>Seqn= 41</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
<b>Seqn= 17</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	8.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Al/Open	med-Al/Open	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
<b>Seqn= 33</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
med-Be/Open	Open/thick-Al	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
<b>Seqn= 56</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	63ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

\* \* \* \* \*

### Flare mode

\* \* \* \* \*

### XOB #1C96: Flare - multifilter 26 sec cadence (Be/thin, Be/med, Be/thick), AEC 3, 384x384 + context (med-Al,thick-Be -384x384 + Al-poly 512x512 2x2) + G

Term	Pointing (x, y)	Comment
01/14 11:48:00 - 01/14 17:46:24	Track ( -307.8, 422.6) @ 01/14 11:45:00	# OP start + 10min + AR13186
01/14 17:59:28 - 01/15 03:59:54	Track ( -258.0, 424.2) @ 01/14 17:56:30	AR 13186
01/15 04:03:00 - 01/15 05:59:54	Fixed ( 0.0, 0.0)	HOP 349 + synoptic
01/15 06:13:00 - 01/15 18:02:24	Track ( -157.3, 426.7) @ 01/15 06:10:00	AR 13186
01/15 18:15:30 - 01/16 03:59:54	Track ( -56.5, 428.2) @ 01/15 18:12:30	AR 13186
01/16 04:03:00 - 01/16 06:19:54	Fixed ( 0.0, 0.0)	HOP 349 + synoptic
01/16 06:37:00 - 01/16 17:43:00	Track ( 47.0, 428.8) @ 01/16 06:30:00	AR 13186
01/16 18:19:30 - 01/17 03:59:54	Track ( 145.2, 428.4) @ 01/16 18:16:30	AR 13186
01/17 04:03:00 - 01/17 05:51:54	Fixed ( 0.0, 0.0)	HOP 349 + synoptic
01/17 06:05:00 - 01/17 09:38:30	Track ( 241.3, 427.1) @ 01/17 06:02:00	AR 13186

### PROG= 04 30-time(s)

<b>Subr= 1</b>		<b>20-time(s)</b>	<b>2.0sec</b>									
<b>Seqn= 11</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	Q=95	2	0	2.0sec
<b>Seqn= 73</b>		<b>1-time(s)</b>	<b>10.0sec</b>									
thin-Be/Open	med-Be/Open	close	Safe	Norm	125ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
med-Be/Open	Open/thick-Al	close	Safe	Norm	250ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	2.00s	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
<b>Subr= 2</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
<b>Seqn= 10</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	500ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	2.00s	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
<b>Seqn= 11</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	Q=95	2	0	2.0sec
<b>Seqn= 87</b>		<b>1-time(s)</b>	<b>2.0sec</b>									
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/thick-Al	Open/thick-Al	close	Safe	Dark	1.00s	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/thick-Al	Open/thick-Al	close	Safe	Dark	1.00s	Obs	2x2	512x512 (1024, 1024)	Q=98	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

\* \* \* \* \*

### Active Region Search

\* \* \* \* \*

NOT USED

\* \* \* \* \*


### Flare Detection

\* \* \* \* \*


### FLD Patrol

Term	Pointing (x, y)	Comment									
01/14 10:24:30 - 01/14 17:46:48	cannot be identified										
01/14 17:56:48 - 01/15 06:00:18	Track ( -258.0, 424.2) @ 01/14 17:56:30	AR 13186									
01/15 06:10:18 - 01/15 18:02:48	Track ( -157.3, 426.7) @ 01/15 06:10:00	AR 13186									
01/15 18:12:48 - 01/16 06:20:18	Track ( -56.5, 428.2) @ 01/15 18:12:30	AR 13186									
01/16 06:34:18 - 01/16 18:06:48	Track ( 47.0, 428.8) @ 01/16 06:30:00	AR 13186									
01/16 18:16:48 - 01/17 05:52:18	Track ( 145.2, 428.4) @ 01/16 18:16:30	AR 13186									
01/17 06:02:18 - 01/24 11:26:00	Track ( 241.3, 427.1) @ 01/17 06:02:00	AR 13186									
Al-poly/Open	Al-poly/Open	close	Safe	Norm	4ms	Obs	8x8		Q=50		30sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval


### CMDI #0827 2023/01/14




### CMDI #0827 2023/01/14




### CMDI #0827 2023/01/15




CMDI #0827 2023/01/15




CMDI #0827 2023/01/16




CMDI #0827 2023/01/16




CMDI #0827 2023/01/17




CMDI #0827 2023/01/17




CMDI #0827 2023/01/18




CMDI #0827 2023/01/18




CMDI #0827 2023/01/19




CMDI #0827 2023/01/19




CMDI #0827 2023/01/20



CMDI #0827 2023/01/20




CMDI #0827 2023/01/21







CMDI #0827 2023/01/21




CMDI #0827 2023/01/22




CMDI #0827 2023/01/22




CMDI #0827 2023/01/23




CMDI #0827 2023/01/23



CMDI #0827 2023/01/24



CMDI #0827 2023/01/24



(a) Spacecraft Operation Procedure (real-commands)

```
main-622 2023-01-14 12:44:21 194 33 SOLAR-B MAIN //
0001 C.
0002 . C. ***** AOS *****
0003 C.
0004 . C. ;ãAOSYÁY$YÁY`¼Á»Û;ä
0005 C.
0006 C. YÀYB;¼Y³YFÿÖYÉÁ÷¿®
0007 +. DC 00-00 NULL_DUMMY_CMD
0008 C.
0009 . C. ***** AOCs : Reload orbital element (send every contact) *****
0010 C. Áí;Èø¿òÁð·μ°Æ»Í×ÁÇøÍYçYÁY×Yí;¼YÉ;ÈÈè%μ·ííÈ;ÈèÈ¼°ÇÒα·α¿¼í¹ÇαÍ;çÁ®, ùα¹αèαβαÇÁ÷¿®α·αÈααα³αÈ; Æ
0011 +. DC 02-8E AOCU_ORB_UPD
0012 C.
0013 C.
0014 . C. *****
0015 C. OP/OGYí;¼YÉ; | YÁYÖY×
0016 C. *****
0017 C.
0018 . C. ;ãOP/OGYí;¼YÉ;ä
0019 . S. OP op-622:OP
0020 ( )
0021 . S. OG og-622:OG
0022 ( )
0023 C.
0024 . C. ;ãNMOG&OPî°èYÁYÖY×;ä
0025 C. NMOG(0x200000-0x207FFF;§ 32 kbyte)
0026 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0027 BC (20 00 7f 01 02)
0028 C. çç[HK1_DMP_TOP_ADRS_1] EQ 40
0029 C. çç[HK1_DMP_TOP_ADRS_0] EQ 0
0030 C. çç[HK1_DMP_BLOCK_NUM] EQ 127
0031 C. çç[HK1_DMP_REPEAT_NUM] EQ 0
0032 C. çç[HK1_DMA_DMP_PIM] EQ DHU
0033 +. DC 01-22 DHU_MODE_CHNG
0034 BC (07 0b f8)
0035 C. çç[HK1_PKT_FORM_NO] EQ 7
0036 C. çç[HK1_PKT_GEN_TIME] EQ 0.25 s
0037 C. çç[HK1_S_TLM_BIT_RATE] EQ 32k
0038 C. çç[HK1_X_TLM_BIT_RATE] EQ 4M
0039 C. çç[HK1_DMP_CHK_FLG] EQ EXEC
0040 . C. YÁYÖY×¼ªªî»ðð³îÇ§
0041 C. çç[HK1_DMP_CHK_FLG] EQ NON
0042 . C. RAM ID=NMOGαî¼È¹ç·è²îOKαð³îÇ§
0043 C.
0044 C. NMOG(0x208000-0x20FFFF;§ 32 kbyte)
0045 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0046 BC (20 80 7f 01 02)
0047 C. çç[HK1_DMP_TOP_ADRS_1] EQ 41
0048 C. çç[HK1_DMP_TOP_ADRS_0] EQ 0
0049 C. çç[HK1_DMP_BLOCK_NUM] EQ 127
0050 C. çç[HK1_DMP_REPEAT_NUM] EQ 0
0051 C. çç[HK1_DMA_DMP_PIM] EQ DHU
0052 +. DC 01-22 DHU_MODE_CHNG
0053 BC (07 0b f8)
0054 C. çç[HK1_PKT_FORM_NO] EQ 7
0055 C. çç[HK1_PKT_GEN_TIME] EQ 0.25 s
0056 C. çç[HK1_S_TLM_BIT_RATE] EQ 32k
0057 C. çç[HK1_X_TLM_BIT_RATE] EQ 4M
0058 C. çç[HK1_DMP_CHK_FLG] EQ EXEC
0059 . C. YÁYÖY×¼ªªî»ðð³îÇ§
0060 C. çç[HK1_DMP_CHK_FLG] EQ NON
0061 . C. RAM ID=NMOGαî¼È¹ç·è²îOKαð³îÇ§
0062 C.
0063 C. NMOG(0x210000-0x210FFF;§ 256byte)+OP(0x210100-0x2141FF: 16.25kbyte)
0064 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0065 BC (21 00 41 01 02)
0066 C. çç[HK1_DMP_TOP_ADRS_1] EQ 42
0067 C. çç[HK1_DMP_TOP_ADRS_0] EQ 0
0068 C. çç[HK1_DMP_BLOCK_NUM] EQ 65
0069 C. çç[HK1_DMP_REPEAT_NUM] EQ 0
0070 C. çç[HK1_DMA_DMP_PIM] EQ DHU
0071 +. DC 01-22 DHU_MODE_CHNG
0072 BC (07 0b f8)
0073 C. çç[HK1_PKT_FORM_NO] EQ 7
0074 C. çç[HK1_PKT_GEN_TIME] EQ 0.25 s
0075 C. çç[HK1_S_TLM_BIT_RATE] EQ 32k
0076 C. çç[HK1_X_TLM_BIT_RATE] EQ 4M
0077 C. çç[HK1_DMP_CHK_FLG] EQ EXEC
0078 . C. YÁYÖY×¼ªªî»ðð³îÇ§
0079 C. çç[HK1_DMP_CHK_FLG] EQ NON
0080 . C. RAM ID=NMOG, RAM ID=OPαî¼È¹ç·è²îOKαð³îÇ§
0081 C.
0082 . C. ***** øÈ²¼αî¼Á`¼î°αÈÈ-α·Á÷¿® (¼áμ-YÁYÖY×¼È¼çαðÁÓÁæαÇª·α·αÈ¼í¹çαçα) *****
0083 C. DHUYá;¼YÉ;È¼Y¼; Yí;¼YÉ;Èαðíáα¹
0084 +. DC 01-22 DHU_MODE_CHNG
0085 BC (02 0a f8)
0086 C. çç[HK1_PKT_FORM_NO] EQ 2
0087 C. çç[HK1_PKT_GEN_TIME] EQ 0.5S
0088 C. çç[HK1_S_TLM_BIT_RATE] EQ 32K
0089 C. çç[HK1_X_TLM_BIT_RATE] EQ 4M
0090 C.
0091 . C. *****
0092 C. TI-CMD SET (OPOG STOP/COPY/START)
0093 C. *****
0094 C.
0095 . C. NOTICE ;§ OPOG UPLOADα-Á÷¿®NGαî¼í¹ç; ç°È²¼αî¼TI-CMDÁ÷¿®αî¼Á¹Ôα·αÈααα³αÈ; Æ
```

```

0096 C.                SET EDUMP I±°iYÑY¹aÇ¹Ôa|a³aE;f
0097 C.
0098 C. TIY³YFYYÖYÉaðdÄDİ¿(UT)
0099 +. TI 2023-01-14 11:30:00.0
0100 DC 01-B3 DHU_OP_STOP
0101 C.                çç[HK1_TI_CMD_NUM]           EQ      1COUNTUP
0102 C.
0103 +. TI 2023-01-14 11:30:01.0
0104 DC 01-B4 DHU_OP_COPY
0105 C.                çç[HK1_TI_CMD_NUM]           EQ      1COUNTUP
0106 C.
0107 +. TI 2023-01-14 11:30:01.0
0108 DC 01-B5 DHU_OPOG_COPY
0109 C.                çç[HK1_TI_CMD_NUM]           EQ      1COUNTUP
0110 C.
0111 +. TI 2023-01-14 11:34:59.5
0112 DC 01-B2 DHU_OP_START
0113 C.                çç[HK1_TI_CMD_NUM]           EQ      1COUNTUP
0114 C.
0115 C. °E²¼aİÄè%îÍÑaİYÁY§YÄY-¹àÛ
0116 C.                çç[HK1_TI_CMD_ENA/DIS]       EQ      ENA
0117 C.                çç[HK1_TI_CMD_NUM]         EQ      4
0118 C.                çç[HK1_NEXT_EXEC_PIM]      EQ      DHU
0119 C.                çç[HK1_NEXT_EXEC_DC]      EQ      0xB3
0120 C.
0121 C. *****
0122 C. TIİİ°èYÄYÖY×
0123 C. *****
0124 C.
0125 C. TI_TBL(0x03AB00-0x03AEFF;§ 1024byte)
0126 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0127 BC (03 ab 03 01 02)
0128 C.                çç[HK1_DMP_TOP_ADRS_1]       EQ      07
0129 C.                çç[HK1_DMP_TOP_ADRS_0]       EQ      2B
0130 C.                çç[HK1_DMP_BLOCK_NUM]       EQ      3
0131 C.                çç[HK1_DMP_REPEAT_NUM]      EQ      0
0132 C.                çç[HK1_DMA_DMP_PIM]        EQ      DHU
0133 +. DC 01-22 DHU_MODE_CHNG
0134 BC (07 0b f8)
0135 C.                çç[HK1_PKT_FORM_NO]         EQ      7
0136 C.                çç[HK1_PKT_GEN_TIME]        EQ      0.25 s
0137 C.                çç[HK1_S_TLM_BIT_RATE]      EQ      32k
0138 C.                çç[HK1_X_TLM_BIT_RATE]     EQ      4M
0139 C.                çç[HK1_DMP_CHK_FLG]        EQ      EXEC
0140 C.
0141 C. YÄYÖY×½ªİ»að³İÇ§
0142 C.                çç[HK1_DMP_CHK_FLG]        EQ      NON
0143 C.
0144 C. RAM ID=TI_TBLaİ%È¹Ç•è²İOKað³İÇ§
0145 C.
0146 C. DHUYâ;¼YÉ;È¼Y½, Yİ;¼YÈ;Èaðİã¹
0147 +. DC 01-22 DHU_MODE_CHNG
0148 BC (02 0a f8)
0149 C.                çç[HK1_PKT_FORM_NO]         EQ      2
0150 C.                çç[HK1_PKT_GEN_TIME]        EQ      0.5S
0151 C.                çç[HK1_S_TLM_BIT_RATE]      EQ      32K
0152 C.                çç[HK1_X_TLM_BIT_RATE]     EQ      4M
0153 C.
0154 C. Stop EIS observation and temporarily disable EIS mode changes
0155 C.
0156 C.
0157 C. ***** Start EIS operation (TI set) *****
0158 C. Execute, after the success of OP upload.
0159 C. Set EIS TI-commands
0160 +. TI 2023-01-14 11:34:30.0
0161 DC 07-FC EIS_MODE_MANU
0162 BC (21 02)
0163 +. TI 2023-01-14 11:34:40.0
0164 DC 07-FC EIS_MODE_CHG_DIS
0165 BC (22)
0166 C.                [ ] [HK1_TI_CMD_NUM]         EQ      2 COUNTUP
0167 C. ***** End EIS operation (TI set) *****
0168 C.
0169 C.
0170 C.
0171 C. ***** XRT START *****
0172 C. Execute, after the success of OP upload.
0173 +. TI 2023-01-14 11:34:00.0
0174 DC 07-F0 MDP_XRT_MODE_STBY
0175 BC (c3)
0176 C.                [ ] [HK1_TI_CMD_NUM]         EQ      1COUNTUP
0177 C.
0178 C. ***** XRT END *****
0179 C.
0180 C. ***** MDP ´úÄîaİ»ö¼YªEÄa¹aèDCBC•x²è *****
0181 C. (%ã°İYÖYÄYÉYFYYÉYÄYÇYèaE¼aª¼Ä»Ü¹aè)
0182 C. S. DC-BC dcbc-402:DCBC
0183 C. (MDP_known_event)
0184 C.
0185 C.
0186 C. ***** YDÿ¹.İ Daily±¿İÑaÈ'Øa¹aèDCBC•x²è *****
0187 C. S. DC-BC dcbc-153:DCBC
0188 C. (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0189 C.
0190 C.
0191 C. ;ãLOS¥ÄY§YÄY-¼Ä»Ü;ä
0192 C.
0193 C. ***** LOS *****

```



(a) Spacecraft Operation Procedure (real-commands)

```
main-623 2023-01-14 12:44:21 85 33 SOLAR-B MAIN //
0001 C.
0002 . C. ***** AOS *****
0003 C.
0004 . C. ;ãAOSYÁY$YÁY-¼Á»Û;ã
0005 C.
0006 C. YÁYB;¼Y³YFYÓYÉÁ+¿©
0007 +. DC 00-00 NULL_DUMMY_CMD
0008 C.
0009 . C. ***** AOCS : Reload orbital element (send every contact) *****
0010 C. Áí;Ë¿²Áâ•µ°Ë»Í×ÁÇ¿ÍYçYÁY×Yí;¼YÉ;ËÈ¿µ•ííÈ;È¿E¼°ÇÔâ•â¿¼l¹ç¿Í;çÁ®. ùâ¹âè¿¿¿ÇÁ+¿©â•âÈ¿¿¿¿¿¿¿;f
0011 +. DC 02-8E AOCU_ORB_UPD
0012 C.
0013 C.
0014 . C. ***** AOCS Commands (Tracking Curve Upload) *****
0015 C. Upload the Orbit Element and the Target Attitude
0016 C. RAM-ID:TARGET_ATT
0017 . S. RAM ram-150:TARGET_ATT
0018 ( )
0019 C.
0020 C.
0021 C. Set the dump memory area of TARGET_ATT
0022 +. DC 02-48 AOCU_DUMP_SET
0023 BC (07 00 00 00 18 00)
0024 C.
0025 C. <A_STS1>[MEMORY OPERATE STATUS] ADRS = 070000 [ ]
0026 C.
0027 C.
0028 C. Change the TLMFormatNo for the AOCS Dump Format
0029 +. DC 01-22 DHU_MODE_CHNG
0030 BC (04 0b f8)
0031 C.
0032 C. Wait for AOCSDUMP to end
0033 C.
0034 . C. Check the dump memory
0035 C.
0036 C. Result = OK [ ]
0037 C.
0038 +. DC 01-22 DHU_MODE_CHNG
0039 BC (02 0a f8)
0040 C.
0041 C. <A_***>[TLM STS] FMT = 2 [ ]
0042 C.
0043 +. DC 02-8E AOCU_ORB_UPD
0044 . C.
0045 . C. Load OBSTBL, dump OBSTBL, enable EIS mode changes
0046 +. DC 07-FC EIS_MODE_CHG_ENA
0047 BC (20)
0048 . C. Verify EIS_MODE_CHG_FLG is ENA
0049 +. DC 07-FC EIS_MODE_MANU
0050 BC (21 02)
0051 . C. Verify EIS in MANUAL mode
0052 . C. Estimated OBSTBL upload time is 14s
0053 C. *****
0054 C. EIS START OBSTBL LOAD
0055 C. *****
0056 . S. RAM ram-820:EIS_OBSTBL
0057 ( )
0058 +. DC 07-FC EIS_DUMP_OBSTBL
0059 BC (07 07 07 00 00 70 00)
0060 C.
0061 C. Execute, after the success of OBSTBL upload.
0062 C. Set EIS TI-commands
0063 +. TI 2023-01-14 11:34:50.0
0064 DC 07-FC EIS_MODE_CHG_ENA
0065 BC (20)
0066 . C. [ ] [HK1_TI_CMD_NUM] EQ 1 COUNTUP
0067 C. *****
0068 C. EIS END OBSTBL LOAD
0069 C. *****
0070 C.
0071 . C. ***** MDP `ûÃîõî»ô¼YõÈÃ¿¹¿èDCBC•x²è *****
0072 C. (¼á°îYÓYÁYÈYpYÈYáYçYè¿E¼¿¿¼¿»Û¹¿è)
0073 . S. DC-BC dcbc-402:DCBC
0074 (MDP_known_event)
0075 C.
0076 C.
0077 . C. ***** YDÿ!•î Daily±¿îÑ¿Ë`Ø¹¿èDCBC•x²è *****
0078 . S. DC-BC dcbc-153:DCBC
0079 (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0080 C.
0081 C.
0082 . C. ;ãLOS¥ÁY$YÁY-¼Á»Û;ã
0083 C.
0084 . C. ***** LOS *****
0085 C.
```

(a) Spacecraft Operation Procedure (real-commands)

```
main-624 2023-01-14 12:44:21 216 33 SOLAR-B MAIN //
0001 C.
0002 . C. ***** AOS *****
0003 C.
0004 . C. ;ãAOSYÁYŞYÄY^-¼Ä»Û;ä
0005 C.
0006 C. YÀYß;¼Y³YßYÖYÉÄ+¿®
0007 +. DC 00-00 NULL_DUMMY_CMD
0008 C.
0009 . C. ***** AOCs : Reload orbital element (send every contact) *****
0010 C. Áí;Ëð¿ãÁð•µ°Æ»í×ÁÇòíYçYÄY×Yí;¼YÉ;ËËÈ¼µ•ííÉ;ËòÈ¼°ÇÒã•ð¿¼í¹çãí;çÀ®, ùã¹ãÈãðãÇÄ+¿®ã•ðÈããã³ãÈ;f
0011 +. DC 02-8E AOCU_ORB_UPD
0012 C.
0013 C.
0014 . C. *****
0015 C. XÁ+¿@µ;ON
0016 C. *****
0017 C. °ÆÀ, í×ËÝðãA LOSãðãçãí»p´ Õãð¹íí, ðã; çÉÖí×ãÈXÁÓONãí¹ÏãÈãíãÈããã³ãÈ;f
0018 C.
0019 +. DC 03-B4 TCIA_XPA_ON/HI
0020 M. WAIT_SEC 1
0021 + DC 03-84 TCIA_XMOD_ON
0022 M. WAIT_SEC 1
0023 + DC 03-95 TCIA_XMOD_QPSK
0024 C.                çç[HK1_XPA_ON/OFF]                EQ      ON
0025 C.                çç[HK1_XPA_PWR_HI/LO]             EQ      HI
0026 C.                çç[HK1_XMOD_ON/OFF]               EQ      ON
0027 C.                çç[HK1_XMOD_QPSK/PM]              EQ      QPSK
0028 C.
0029 . C. XYDÝÖYÉYíYÄY-¾ÔÄÖã-°ÄÄêã•ç¿;ç°É²¼ãí°ÆÀ, ¼ê½çãð¼Ä¹Ïã¹ç;f
0030 C.
0031 . C. *****
0032 C. DR PT1 Áí¼i°ÆÀ,
0033 C. *****
0034 C. ° RESTART;ÊPT1;Ëã•ç¿ã¾¼í¹çãí;ç°É²¼ãí°ÆÀ¹Ïã»ã°; çDCBC-150ãØ¿Èãã;f
0035 C.
0036 . C. ;ãPT1°ÆÀ, ³«»í;ä
0037 +. DC 01-29 DHU_S/X_VC4_OFF
0038 + DC 06-C8 DR_PT1_REP_SEL
0039 BC (01 00)
0040 + DC 06-B3 DR_REP_START
0041 + DC 01-32 DHU_X_VC4_ON
0042 C.                çç[HK1_REP_PT_1/2]                EQ      PT1 (¼Ä¹Ï, ;¼Ú)
0043 C.                çç[HK1_REP_STA/STP]               EQ      START (¼Ä¹Ï, ;¼Ú)
0044 C.                çç[HK1_X_VC4_ON/OFF]              EQ      ON (¼Ä¹Ï, ;¼Ú)
0045 C.
0046 . C. ;ãYçYÖYÆYÉÄÙÄÖ;ÈÄ•Ä°²óÈð;Ë, áãí°ÆÀ, °Æ³«;ä
0047 +. DC 06-B3 DR_REP_START
0048 + DC 01-32 DHU_X_VC4_ON
0049 C.                çç[HK1_REP_PT_1/2]                EQ      PT1 (¼Ä¹Ï, ;¼Ú)
0050 C.                çç[HK1_REP_STA/STP]               EQ      START (¼Ä¹Ï, ;¼Ú)
0051 C.                çç[HK1_X_VC4_ON/OFF]              EQ      ON (¼Ä¹Ï, ;¼Ú)
0052 C.
0053 C.
0054 . C. PT1°ÆÀ, ð-¼«Æ°Ää»ßã•ç¿, á;ç°É²¼ãð¼Ä¹Ïã¹ç;f
0055 C. YçYÖYÆYÉÄÙÄÖãÄÄ•Ä°²óÈðã-¼áã¾¼í¹çãí°ïí»ã¹ãÈãðãÇÄÖãÄ;f
0056 C.
0057 . C. *****
0058 C. DR PT2 Áí¼i°ÆÀ,
0059 C. *****
0060 C. ° RESTART;ÊPT2;Ëã•ç¿ã¾¼í¹çãí;ç°É²¼ãí°ÆÀ¹Ïã»ã°; çDCBC-151ãØ¿Èãã;f
0061 C.
0062 . C. ;ãPT2°ÆÀ, ³«»í;ä
0063 +. DC 01-29 DHU_S/X_VC4_OFF
0064 + DC 06-C8 DR_PT2_REP_SEL
0065 BC (02 00)
0066 + DC 06-B3 DR_REP_START
0067 + DC 01-32 DHU_X_VC4_ON
0068 C.                çç[HK1_REP_PT_1/2]                EQ      PT2 (¼Ä¹Ï, ;¼Ú)
0069 C.                çç[HK1_REP_STA/STP]               EQ      START (¼Ä¹Ï, ;¼Ú)
0070 C.                çç[HK1_X_VC4_ON/OFF]              EQ      ON (¼Ä¹Ï, ;¼Ú)
0071 C.
0072 . C. ;ãYçYÖYÆYÉÄÙÄÖ;ÈÄ•Ä°²óÈð;Ë, áãí°ÆÀ, °Æ³«;ä
0073 +. DC 06-B3 DR_REP_START
0074 + DC 01-32 DHU_X_VC4_ON
0075 C.                çç[HK1_REP_PT_1/2]                EQ      PT2 (¼Ä¹Ï, ;¼Ú)
0076 C.                çç[HK1_REP_STA/STP]               EQ      START (¼Ä¹Ï, ;¼Ú)
0077 C.                çç[HK1_X_VC4_ON/OFF]              EQ      ON (¼Ä¹Ï, ;¼Ú)
0078 C.
0079 . C. *****
0080 C. DR°ÆÄ, Äã»ß;çXÁ+¿@µ;OFF
0081 C. *****
0082 C.
0083 . C. ;ãDR°ÆÄ, Äã»ß;ä
0084 +. DC 06-B4 DR_REP_STOP
0085 + DC 01-29 DHU_S/X_VC4_OFF
0086 C.                çç[HK1_REP_STA/STP]               EQ      STOP
0087 C.                çç[HK1_S_VC4_ON/OFF]              EQ      OFF
0088 C.                çç[HK1_X_VC4_ON/OFF]              EQ      OFF
0089 C.
0090 . C. ;ãXÁ+¿@µ;OFF;ä
0091 +. DC 03-85 TCIA_XMOD_OFF
0092 M. WAIT_SEC 1
0093 + DC 03-B5 TCIA_XPA_OFF
0094 C.                çç[HK1_XMOD_ON/OFF]               EQ      OFF
0095 C.                çç[HK1_XPA_ON/OFF]                EQ      OFF
```



```

0096 C.
0097 C.
0098 C.
0099 C. ***** XRT START *****
0100 C.
0101 +. DC 07-F0 MDP_XRT_CTRL_MANU
0102 BC (c1)
0103 +. DC 07-F0 MDP_XRT_MODE_STBY
0104 BC (c3)
0105 . C. ----- Success Verify ? OK / NG____
0106 C.
0107 C. XRT Obs. Table Upload
0108 . S. RAM ram-291:MDP_OBS_X
0109 ( )
0110 C.
0111 +. DC 07-F0 MDP_DUMP_XRTTBL
0112 BC (84 07 00 00 00 3a d4)
0113 . C. ----- Comparison Check ? OK / ERR _____
0114 C.
0115 C.
0116 +. DC 07-F0 MDP_XRT_ROI_SET
0117 BC (cd 01 b1 b1 04 04)
0118 +. DC 07-F0 MDP_XRT_ROI_SET
0119 BC (cd 02 b1 b1 08 08)
0120 +. DC 07-F0 MDP_XRT_ROI_SET
0121 BC (cd 03 b1 b1 08 08)
0122 +. DC 07-F0 MDP_XRT_ROI_SET
0123 BC (cd 04 b1 b1 06 06)
0124 +. DC 07-F0 MDP_XRT_ROI_SET
0125 BC (cd 05 85 83 06 06)
0126 +. DC 07-F0 MDP_XRT_ROI_SET
0127 BC (cd 06 85 83 06 06)
0128 +. DC 07-F0 MDP_XRT_ROI_SET
0129 BC (cd 07 80 80 20 20)
0130 +. DC 07-F0 MDP_XRT_ROI_SET
0131 BC (cd 08 80 80 20 08)
0132 +. DC 07-F0 MDP_XRT_ROI_SET
0133 BC (cd 09 80 80 08 20)
0134 +. DC 07-F0 MDP_XRT_ROI_SET
0135 BC (cd 0a 80 80 08 08)
0136 +. DC 07-F0 MDP_XRT_ROI_SET
0137 BC (cd 0f 80 80 06 06)
0138 +. DC 07-F0 MDP_XRT_ROI_SET
0139 BC (cd 10 80 80 08 08)
0140 +. DC 07-F0 MDP_XRT_FLD_ENA
0141 BC (d8)
0142 +. DC 07-F0 MDP_XRT_FLRCTRL_ENA
0143 BC (c8)
0144 +. DC 07-F0 MDP_XRT_ARS_DIS
0145 BC (d5)
0146 +. DC 07-F0 MDP_XRT_AEC_RESET
0147 BC (d0)
0148 +. DC 07-F0 MDP_XRT_FLD_RESET
0149 BC (da)
0150 +. DC 07-F0 MDP_XRT_QT_PROG_SET
0151 BC (c4 10)
0152 +. DC 07-F0 MDP_XRT_FL_PROG_SET
0153 BC (c5 04)
0154 . C. ----- Success Verify ? OK / NG _____
0155 C.
0156 C.
0157 . C. All OK? Yes--> Please Proceed. / No --> Stop here.
0158 C.
0159 +. DC 07-F0 MDP_XRT_MODE_OBSV
0160 BC (c2)
0161 +. TI 2023-01-14 11:34:02.0
0162 DC 07-F0 MDP_XRT_MODE_OBSV
0163 BC (c2)
0164 . C. ----- Success Verify ? OK / NG _____
0165 C.
0166 C. ***** XRT END *****
0167 . C. ===== Begin of AOCs CMD Sequence =====
0168 . C.
0169 . C. *****
0170 . C. ***** GASÿÇ;¼ÿç¼èÈÀ¼À»Ü *****
0171 . C. *****
0172 . C.
0173 . C. *****
0174 . C. MDRV OFF
0175 . C. *****
0176 . C.
0177 . C. ***** GASÿâÿÿÿ;ðîαçβá MTQ¶îÆ°°i»pÄã»ß *****
0178 +. DC 02-33 AOCU_MDRV-X_OFF
0179 +. DC 02-34 AOCU_MDRV-Y_OFF
0180 +. DC 02-35 AOCU_MDRV-Z_OFF
0181 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> X = OFF ?
0182 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> Y = OFF ?
0183 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> Z = OFF ?
0184 . C.
0185 . C.
0186 . C. jüÿÇ;¼ÿç¼èÈÀ¼À»Ü;çîó1minÂÔµ;
0187 . C.
0188 . C. *****
0189 . C. MDRV ON
0190 . C. *****
0191 . C.
0192 . C. ***** MTQ¶îÆ°°E³« *****
0193 +. DC 02-32 AOCU_MDRV_ON

```

```

0194 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> X = ON ?
0195 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> Y = ON ?
0196 . C. [ ] <A_AOS> [COMPONENT STS] <MDRV> Z = ON ?
0197 . C.
0198 . C.
0199 . C. ===== End of AOCs CMD Sequence =====
0200 . C.
0201 . C.
0202 . C. ***** MDP 'úÃîñî»ô¼ÝðÊÃðñ¹ñèDCBC•x²è *****
0203 . C. (¼ã°îÝÓÝÃÝÈÝÞÝÈÝÁÝçÝèñÈ¼ññ¼Ã»Ûñ¹ñè)
0204 . S. DC-BC dcbc-402:DCBC
0205 (MDP_known_event)
0206 . C.
0207 . C.
0208 . C. ***** ÝÐÝ¹•İ Daily±¿İÑñÈ´Øñ¹ñèDCBC•x²è *****
0209 . S. DC-BC dcbc-153:DCBC
0210 (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0211 . C.
0212 . C.
0213 . C. ;ãLOSÝÁÝ§ÝÃÝ¬¼Ã»Û;ã
0214 . C.
0215 . C. ***** LOS *****
0216 . C.

```

\*\*\* OP Sequence for XRT \*\*\*

2023/01/14	11:44:54.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	11:44:56.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	11:44:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]						
		XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00			
2023/01/14	11:45:00.0	AOCS_Orе-point_Start_1_OG [0x097]						
		AOCU_NM	5	02-76	04 03 74 01 db			
2023/01/14	11:45:18.0	XRT_FLD_ENA_411_OG [0x19b]						
		MDP_XRT_FLD_ENA	1	07-F0	d8			
2023/01/14	11:45:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]						
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8			
2023/01/14	11:45:22.0	XRT_AEC_RESET_448_OG [0x1c0]						
		MDP_XRT_AEC_RESET	1	07-F0	d0			
2023/01/14	11:45:24.0	XRT_ARS_DIS_423_OG [0x1a7]						
		MDP_XRT_ARS_DIS	1	07-F0	d5			
2023/01/14	11:45:26.0	XRT_FLD_RESET_434_OG [0x1b2]						
		MDP_XRT_FLD_RESET	1	07-F0	da			
2023/01/14	11:47:56.0	XRT_QT_PROG_SET_437_OG [0x1b5]						
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 10			
2023/01/14	11:47:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]						
		MDP_XRT_FL_PROG_SET	2	07-F0	c5 04			
2023/01/14	11:48:00.0	XRT_CTRL_AUTO_408_OG [0x198]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2023/01/14	15:04:00.0	XRT_CTRL_MANU_400_OG [0x190]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	15:04:02.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	15:04:04.0	XRT_FLD_RESET_415_OG [0x19f]						
		MDP_XRT_FLD_RESET	1	07-F0	da			
2023/01/14	15:04:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]						
		MDP_XRT_PREFLR_STRT	1	07-F0	e8			
2023/01/14	15:05:00.0	XRT_Custom_430_OG [0x1ae]						
2023/01/14	15:06:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2023/01/14	15:07:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]						
		MDP_XRT_PREFLR_STOP	1	07-F0	e9			
2023/01/14	16:34:00.0	XRT_CTRL_MANU_400_OG [0x190]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	16:34:02.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	16:34:04.0	XRT_FLD_RESET_415_OG [0x19f]						
		MDP_XRT_FLD_RESET	1	07-F0	da			
2023/01/14	16:34:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]						
		MDP_XRT_PREFLR_STRT	1	07-F0	e8			
2023/01/14	16:37:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]						
		MDP_XRT_PREFLR_STOP	1	07-F0	e9			
2023/01/14	16:57:30.0	XRT_Custom_430_OG [0x1ae]						
2023/01/14	16:58:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2023/01/14	17:46:24.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	17:46:26.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	17:46:28.0	XRT_FOCUS_POSITION_406_OG [0x196]						
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00			
2023/01/14	17:46:30.0	AOCS_Orе-point_Start_2_OG [0x098]						
		AOCU_NM	5	02-76	00 00 00 00 00			
2023/01/14	17:46:48.0	XRT_FLD_DIS_409_OG [0x199]						
		MDP_XRT_FLD_DIS	1	07-F0	d9			
2023/01/14	17:46:50.0	XRT_FLRCTRL_DIS_413_OG [0x19d]						
		MDP_XRT_FLRCTRL_DIS	1	07-F0	c9			
2023/01/14	17:46:52.0	XRT_ARS_DIS_421_OG [0x1a5]						
		MDP_XRT_ARS_DIS	1	07-F0	d5			
2023/01/14	17:49:28.0	XRT_QT_PROG_SET_420_OG [0x1a4]						
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 03			
2023/01/14	17:49:30.0	XRT_CTRL_AUTO_408_OG [0x198]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2023/01/14	17:56:24.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	17:56:26.0	XRT_CTRL_MANU_402_OG [0x192]						
		MDP_XRT_CTRL_MANU	1	07-F0	c1			
2023/01/14	17:56:28.0	XRT_FOCUS_POSITION_410_OG [0x19a]						
		XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00			
2023/01/14	17:56:30.0	AOCS_Orе-point_Start_1_OG [0x097]						
		AOCU_NM	5	02-76	04 03 74 01 db			
2023/01/14	17:56:48.0	XRT_FLD_ENA_411_OG [0x19b]						
		MDP_XRT_FLD_ENA	1	07-F0	d8			
2023/01/14	17:56:50.0	XRT_FLRCTRL_ENA_412_OG [0x19c]						
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8			
2023/01/14	17:56:52.0	XRT_ARS_DIS_423_OG [0x1a7]						
		MDP_XRT_ARS_DIS	1	07-F0	d5			
2023/01/14	17:56:54.0	XRT_FLD_RESET_434_OG [0x1b2]						
		MDP_XRT_FLD_RESET	1	07-F0	da			
2023/01/14	17:59:24.0	XRT_QT_PROG_SET_437_OG [0x1b5]						
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 10			
2023/01/14	17:59:26.0	XRT_FL_PROG_SET_418_OG [0x1a2]						
		MDP_XRT_FL_PROG_SET	2	07-F0	c5 04			
2023/01/14	17:59:28.0	XRT_CTRL_AUTO_408_OG [0x198]						
		MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2023/01/14	18:10:30.0	XRT_CTRL_MANU_400_OG [0x190]						

2023/01/14	18:10:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/14	18:10:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/14	18:10:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/14	18:13:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/14	18:34:00.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/14	18:35:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	XRT_Custom_430_OG [0x1ae]			
2023/01/14	19:47:30.0	XRT_CTRL_MANU_400_OG [0x190]	XRT_CTRL_AUTO_424_OG [0x1a8]			
2023/01/14	19:47:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/14	19:47:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/14	19:47:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/14	19:50:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/14	20:10:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/14	20:11:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/14	21:24:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/14	21:24:32.0	XRT_CTRL_MANU_402_OG [0x192]	XRT_Custom_430_OG [0x1ae]			
2023/01/14	21:24:34.0	XRT_FLD_RESET_415_OG [0x19f]	XRT_CTRL_AUTO_424_OG [0x1a8]			
2023/01/14	21:24:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/14	21:27:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/14	21:48:01.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/14	21:49:01.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/14	23:02:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/14	23:02:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/14	23:02:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/14	23:02:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/14	23:05:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/14	23:24:00.0	XRT_Custom_430_OG [0x1ae]	XRT_Custom_430_OG [0x1ae]			
2023/01/14	23:25:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	XRT_CTRL_AUTO_424_OG [0x1a8]			
2023/01/15	00:39:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/15	00:39:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	00:39:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	00:39:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/15	00:42:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/15	00:50:00.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/15	00:51:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/15	02:06:00.0	XRT_CTRL_MANU_400_OG [0x190]	XRT_Custom_430_OG [0x1ae]			
2023/01/15	02:06:02.0	XRT_CTRL_MANU_402_OG [0x192]	XRT_CTRL_AUTO_424_OG [0x1a8]			
2023/01/15	02:06:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/15	02:06:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	02:09:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	02:22:01.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/15	02:23:01.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/15	03:38:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/15	03:38:02.0	XRT_CTRL_MANU_402_OG [0x192]	XRT_Custom_430_OG [0x1ae]			
2023/01/15	03:38:04.0	XRT_FLD_RESET_415_OG [0x19f]	XRT_CTRL_AUTO_424_OG [0x1a8]			
2023/01/15	03:38:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/15	03:41:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	03:58:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	03:59:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/15	03:59:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/15	03:59:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_PREFLR_STOP	1	07-F0	e9

2023/01/15	03:59:58.0	XRT_FOCUS_POSITION_406_OG [0x196]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	04:00:00.0	AOCs_OrE-point_Start_2_OG [0x098]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00
2023/01/15	04:00:18.0	XRT_FLD_ENA_411_OG [0x19b]	AOCU_NM	5	02-76	00 00 00 00
2023/01/15	04:00:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLD_ENA	1	07-F0	d8
2023/01/15	04:00:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8
2023/01/15	04:00:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_AEC_RESET	1	07-F0	d0
2023/01/15	04:00:26.0	XRT_FLD_RESET_434_OG [0x1b2]	MDP_XRT_ARS_DIS	1	07-F0	d5
2023/01/15	04:02:56.0	XRT_QT_PROG_SET_442_OG [0x1ba]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/15	04:02:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 12
2023/01/15	04:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_FL_PROG_SET	2	07-F0	c5 04
2023/01/15	05:06:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/15	05:06:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	05:06:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	05:06:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/15	05:09:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/15	05:36:00.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/15	05:37:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	XRT_Custom_430_OG [0x1ae]			
2023/01/15	05:59:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/15	05:59:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	05:59:58.0	XRT_FOCUS_POSITION_406_OG [0x196]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	06:00:18.0	XRT_FLD_DIS_409_OG [0x199]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00
2023/01/15	06:00:20.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLD_DIS	1	07-F0	d9
2023/01/15	06:00:22.0	XRT_ARS_DIS_421_OG [0x1a5]	MDP_XRT_FLRCTRL_DIS	1	07-F0	c9
2023/01/15	06:02:58.0	XRT_QT_PROG_SET_420_OG [0x1a4]	MDP_XRT_ARS_DIS	1	07-F0	d5
2023/01/15	06:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 03
2023/01/15	06:09:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/15	06:09:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	06:09:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	06:10:00.0	AOCs_OrE-point_Start_1_OG [0x097]	XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00
2023/01/15	06:10:18.0	XRT_FLD_ENA_411_OG [0x19b]	AOCU_NM	5	02-76	04 03 74 01 db
2023/01/15	06:10:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLD_ENA	1	07-F0	d8
2023/01/15	06:10:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8
2023/01/15	06:10:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_AEC_RESET	1	07-F0	d0
2023/01/15	06:10:26.0	XRT_FLD_RESET_434_OG [0x1b2]	MDP_XRT_ARS_DIS	1	07-F0	d5
2023/01/15	06:12:56.0	XRT_QT_PROG_SET_422_OG [0x1a6]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/15	06:12:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 0e
2023/01/15	06:13:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_FL_PROG_SET	2	07-F0	c5 04
2023/01/15	06:47:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/15	06:47:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	06:47:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	06:47:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/15	06:50:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/15	07:13:01.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/15	07:14:01.0	XRT_CTRL_AUTO_424_OG [0x1a8]	XRT_Custom_430_OG [0x1ae]			
2023/01/15	08:27:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/15	08:27:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15	08:27:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/15			MDP_XRT_FLD_RESET	1	07-F0	da

2023/01/15	08:27:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	08:30:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	08:50:30.0	XRT_Custom_430_OG [0x1ae]						
2023/01/15	08:51:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	10:07:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	10:07:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	10:07:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	10:07:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	10:10:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	10:26:00.0	XRT_Custom_430_OG [0x1ae]						
2023/01/15	10:27:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	11:49:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	11:49:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	11:49:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	11:49:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	11:51:00.0	XRT_Custom_430_OG [0x1ae]						
2023/01/15	11:52:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	11:52:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	15:34:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	15:34:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	15:34:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	15:34:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	15:37:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	15:44:30.0	XRT_Custom_430_OG [0x1ae]						
2023/01/15	15:45:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	17:08:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	17:08:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	17:08:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	17:08:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	17:11:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	17:32:00.0	XRT_Custom_430_OG [0x1ae]						
2023/01/15	17:33:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	18:02:24.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	18:02:26.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	18:02:28.0	XRT_FOCUS_POSITION_406_OG [0x196]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00		
2023/01/15	18:02:30.0	AOCS_Ore-point_Start_2_OG [0x098]	AOCU_NM	5	02-76	00 00 00 00 00		
2023/01/15	18:02:48.0	XRT_FLD_DIS_409_OG [0x199]	MDP_XRT_FLD_DIS	1	07-F0	d9		
2023/01/15	18:02:50.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLRCTRL_DIS	1	07-F0	c9		
2023/01/15	18:02:52.0	XRT_ARS_DIS_421_OG [0x1a5]	MDP_XRT_ARS_DIS	1	07-F0	d5		
2023/01/15	18:05:28.0	XRT_QT_PROG_SET_420_OG [0x1a4]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 03		
2023/01/15	18:05:30.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	18:12:24.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	18:12:26.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	18:12:28.0	XRT_FOCUS_POSITION_410_OG [0x19a]	XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00		
2023/01/15	18:12:30.0	AOCS_Ore-point_Start_1_OG [0x097]	AOCU_NM	5	02-76	04 03 74 01 db		
2023/01/15	18:12:48.0	XRT_FLD_ENA_411_OG [0x19b]	MDP_XRT_FLD_ENA	1	07-F0	d8		
2023/01/15	18:12:50.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8		
2023/01/15	18:12:52.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0	d0		
2023/01/15	18:12:54.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0	d5		

Jan 14, 23 12:44

## XRT\_OGLIST\_0827.chk

Page 5/10

2023/01/15	18:12:56.0	XRT_FLD_RESET_434_OG [0x1b2]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	18:15:26.0	XRT_QT_PROG_SET_422_OG [0x1a6]					
		MDP_XRT_QT_PROG_SET	2	07-F0	c4	0e	
2023/01/15	18:15:28.0	XRT_FL_PROG_SET_418_OG [0x1a2]					
		MDP_XRT_FL_PROG_SET	2	07-F0	c5	04	
2023/01/15	18:15:30.0	XRT_CTRL_AUTO_408_OG [0x198]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	18:45:00.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	18:45:02.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	18:45:04.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	18:45:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	18:48:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	19:08:30.0	XRT_Custom_430_OG [0x1ae]					
2023/01/15	19:09:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	20:22:00.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	20:22:02.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	20:22:04.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	20:22:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	20:25:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	20:45:30.0	XRT_Custom_430_OG [0x1ae]					
2023/01/15	20:46:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	21:59:30.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	21:59:32.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	21:59:34.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	21:59:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	22:02:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	22:22:30.0	XRT_Custom_430_OG [0x1ae]					
2023/01/15	22:23:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/15	23:36:30.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	23:36:32.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/15	23:36:34.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/15	23:36:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/15	23:39:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/15	23:57:30.0	XRT_Custom_430_OG [0x1ae]					
2023/01/15	23:58:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/16	01:14:00.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/16	01:14:02.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/16	01:14:04.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/16	01:14:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/16	01:17:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/16	01:22:01.0	XRT_Custom_430_OG [0x1ae]					
2023/01/16	01:23:01.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/16	02:37:30.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/16	02:37:32.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/16	02:37:34.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/16	02:37:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/16	02:40:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/16	02:56:30.0	XRT_Custom_430_OG [0x1ae]					
2023/01/16	02:57:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/16	03:59:54.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/16	03:59:56.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/16	03:59:58.0	XRT_FOCUS_POSITION_406_OG [0x196]					
		XRT_FOCUS_POSITION	4	07-F8	22	ff	aa 00
2023/01/16	04:00:00.0	AOCS_OrE-point_Start_2_OG [0x098]					





2023/01/16	07:26:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2023/01/16	07:48:01.0	XRT_Custom_430_OG [0x1ae]							
2023/01/16	07:49:01.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2023/01/16	09:03:00.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	09:03:02.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	09:03:04.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2023/01/16	09:03:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2023/01/16	09:06:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2023/01/16	09:25:00.0	XRT_Custom_430_OG [0x1ae]							
2023/01/16	09:26:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2023/01/16	10:43:00.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	10:43:02.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	10:43:04.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2023/01/16	10:43:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2023/01/16	10:46:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2023/01/16	10:59:00.0	XRT_Custom_430_OG [0x1ae]							
2023/01/16	11:00:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2023/01/16	16:07:30.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	16:07:32.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	16:07:34.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2023/01/16	16:07:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2023/01/16	16:10:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2023/01/16	16:20:30.0	XRT_Custom_430_OG [0x1ae]							
2023/01/16	16:21:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2023/01/16	16:28:00.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	16:28:02.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	16:28:04.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2023/01/16	16:28:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2023/01/16	16:30:00.0	XRT_Custom_430_OG [0x1ae]							
2023/01/16	16:31:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2023/01/16	16:31:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2023/01/16	17:43:00.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	17:43:02.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	17:43:04.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2023/01/16	17:43:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2023/01/16	17:46:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2023/01/16	18:06:24.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	18:06:26.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	18:06:28.0	XRT_FOCUS_POSITION_406_OG [0x196]							
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00				
2023/01/16	18:06:30.0	AOCS_OrE-point_Start_2_OG [0x098]							
		AOCU_NM	5	02-76	00 00 00 00 00				
2023/01/16	18:06:48.0	XRT_FLD_DIS_409_OG [0x199]							
		MDP_XRT_FLD_DIS	1	07-F0	d9				
2023/01/16	18:06:50.0	XRT_FLRCTRL_DIS_413_OG [0x19d]							
		MDP_XRT_FLRCTRL_DIS	1	07-F0	c9				
2023/01/16	18:06:52.0	XRT_ARS_DIS_421_OG [0x1a5]							
		MDP_XRT_ARS_DIS	1	07-F0	d5				
2023/01/16	18:09:28.0	XRT_QT_PROG_SET_438_OG [0x1b6]							
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 14				
2023/01/16	18:09:30.0	XRT_CTRL_AUTO_408_OG [0x198]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2023/01/16	18:16:24.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	18:16:26.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2023/01/16	18:16:28.0	XRT_FOCUS_POSITION_410_OG [0x19a]							
		XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00				
2023/01/16	18:16:30.0	AOCS_OrE-point_Start_1_OG [0x097]							
		AOCU_NM	5	02-76	04 03 74 01 db				

2023/01/16	18:16:48.0	XRT_FLD_ENA_411_OG [0x19b]			
		MDP_XRT_FLD_ENA	1	07-F0	d8
2023/01/16	18:16:50.0	XRT_FLRCTRL_ENA_412_OG [0x19c]			
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8
2023/01/16	18:16:52.0	XRT_AEC_RESET_448_OG [0x1c0]			
		MDP_XRT_AEC_RESET	1	07-F0	d0
2023/01/16	18:16:54.0	XRT_ARS_DIS_423_OG [0x1a7]			
		MDP_XRT_ARS_DIS	1	07-F0	d5
2023/01/16	18:16:56.0	XRT_FLD_RESET_434_OG [0x1b2]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/16	18:19:26.0	XRT_QT_PROG_SET_422_OG [0x1a6]			
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 0e
2023/01/16	18:19:28.0	XRT_FL_PROG_SET_418_OG [0x1a2]			
		MDP_XRT_FL_PROG_SET	2	07-F0	c5 04
2023/01/16	18:19:30.0	XRT_CTRL_AUTO_408_OG [0x198]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/16	19:20:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/16	19:20:02.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/16	19:20:04.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/16	19:20:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/16	19:23:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/16	19:43:30.0	XRT_Custom_430_OG [0x1ae]			
2023/01/16	19:44:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/16	20:57:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/16	20:57:02.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/16	20:57:04.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/16	20:57:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/16	21:00:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/16	21:20:30.0	XRT_Custom_430_OG [0x1ae]			
2023/01/16	21:21:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/16	22:34:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/16	22:34:02.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/16	22:34:04.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/16	22:34:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/16	22:37:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/16	22:57:00.0	XRT_Custom_430_OG [0x1ae]			
2023/01/16	22:58:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/17	00:11:30.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	00:11:32.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	00:11:34.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/17	00:11:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/17	00:14:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/17	00:27:30.0	XRT_Custom_430_OG [0x1ae]			
2023/01/17	00:28:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/17	01:45:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	01:45:02.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	01:45:04.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/17	01:45:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/17	01:48:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/17	01:48:30.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	01:48:32.0	XRT_CTRL_MANU_402_OG [0x192]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	01:48:34.0	XRT_FLD_RESET_415_OG [0x19f]			
		MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/17	01:48:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]			
		MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/17	01:51:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]			
		MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/17	01:55:00.0	XRT_Custom_430_OG [0x1ae]			
2023/01/17	01:56:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]			
		MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/17	03:11:00.0	XRT_CTRL_MANU_400_OG [0x190]			
		MDP_XRT_CTRL_MANU	1	07-F0	c1

2023/01/17	03:11:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	03:11:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/17	03:11:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/17	03:14:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/17	03:31:00.0	XRT_Custom_430_OG [0x1ae]						
2023/01/17	03:32:00.5	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/17	03:59:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	03:59:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	03:59:58.0	XRT_FOCUS_POSITION_406_OG [0x196]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00		
2023/01/17	04:00:00.0	AOCS_Ore-point_Start_2_OG [0x098]	AOCU_NM	5	02-76	00 00 00 00 00		
2023/01/17	04:00:18.0	XRT_FLD_ENA_411_OG [0x19b]	MDP_XRT_FLD_ENA	1	07-F0	d8		
2023/01/17	04:00:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8		
2023/01/17	04:00:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0	d0		
2023/01/17	04:00:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0	d5		
2023/01/17	04:00:26.0	XRT_FLD_RESET_434_OG [0x1b2]	MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/17	04:02:56.0	XRT_QT_PROG_SET_442_OG [0x1ba]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 12		
2023/01/17	04:02:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_FL_PROG_SET	2	07-F0	c5 04		
2023/01/17	04:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/17	04:40:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	04:40:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	04:40:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/17	04:40:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/01/17	04:43:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/01/17	05:08:00.0	XRT_Custom_430_OG [0x1ae]						
2023/01/17	05:09:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/17	05:51:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	05:51:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	05:51:58.0	XRT_FOCUS_POSITION_406_OG [0x196]	XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00		
2023/01/17	05:52:18.0	XRT_FLD_DIS_409_OG [0x199]	MDP_XRT_FLD_DIS	1	07-F0	d9		
2023/01/17	05:52:20.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLRCTRL_DIS	1	07-F0	c9		
2023/01/17	05:52:22.0	XRT_ARS_DIS_421_OG [0x1a5]	MDP_XRT_ARS_DIS	1	07-F0	d5		
2023/01/17	05:54:58.0	XRT_QT_PROG_SET_420_OG [0x1a4]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 03		
2023/01/17	05:55:00.5	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/17	06:01:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	06:01:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	06:01:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]	XRT_FOCUS_POSITION	4	07-F8	22 fe 97 00		
2023/01/17	06:02:00.0	AOCS_ORe-point_Start_1_OG [0x097]	AOCU_NM	5	02-76	04 03 74 01 db		
2023/01/17	06:02:18.0	XRT_FLD_ENA_411_OG [0x19b]	MDP_XRT_FLD_ENA	1	07-F0	d8		
2023/01/17	06:02:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8		
2023/01/17	06:02:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0	d0		
2023/01/17	06:02:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0	d5		
2023/01/17	06:02:26.0	XRT_FLD_RESET_434_OG [0x1b2]	MDP_XRT_FLD_RESET	1	07-F0	da		
2023/01/17	06:04:56.0	XRT_QT_PROG_SET_422_OG [0x1a6]	MDP_XRT_QT_PROG_SET	2	07-F0	c4 0e		
2023/01/17	06:04:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_FL_PROG_SET	2	07-F0	c5 04		
2023/01/17	06:05:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/01/17	06:18:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	06:18:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/01/17	06:18:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da		

Jan 14, 23 12:44

## XRT\_OGLIST\_0827.chk

Page 10/10

2023/01/17	06:18:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_FLD_RESET	1	07-F0	da
			MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/17	06:21:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/17	06:45:30.0	XRT_Custom_430_OG [0x1ae]				
2023/01/17	06:46:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/17	07:59:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	07:59:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	07:59:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/17	07:59:06.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/17	08:02:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/17	08:23:00.0	XRT_Custom_430_OG [0x1ae]				
2023/01/17	08:24:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2023/01/17	09:38:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	09:38:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2023/01/17	09:38:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da
2023/01/17	09:38:36.0	XRT_PREFLR_STRT_436_OG [0x1b4]	MDP_XRT_PREFLR_STRT	1	07-F0	e8
2023/01/17	09:41:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2023/01/17	11:19:00.0	AOCS_OrE-point_Start_2_OG [0x098]	AOCU_NM	5	02-76	00 00 00 00 00