

XRT Timeline to be uploaded on 2023/09/05

Period: 2023/09/05 11:41:00 - 2023/09/09 11:15:00

* * * * *

Normal mode

* * * * *

XOB #1CEE: Synoptic 8 Filter w/ Al-mesh(5/128/723), Al-poly(12/181/1443), Thin-Be(33/512/4096), Thick-Be(32768), Med-Al(512/8192/32768), Med-Be(128/576)												
Term	Pointing (x, y)				Comment							
09/06 07:21:30 - 09/06 07:29:24	Fixed (20.0, 0.0)				HOP344 08/15							
09/07 07:21:00 - 09/07 07:29:54	Fixed (0.0, 0.0)				End of HOP344 + HOP 349 + synoptic							
PROG= 17 1-time(s)												
Subr= 1 1-time(s) 2.0sec												
Seqn= 5 1-time(s) 2.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 26 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	5ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 15 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 83 1-time(s) 2.0sec												
thin-Be/Open	thin-Be/Open	close	Safe	Norm	32ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 23 1-time(s) 4.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec												
Seqn= 41 1-time(s) 2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Seqn= 17 1-time(s) 2.0sec												
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	8.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Al/Open	med-Al/Open	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 33 1-time(s) 2.0sec												
med-Be/Open	Open/thick-Al	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 56 1-time(s) 2.0sec												
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	63ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1CCF: HOP349 - 3-filter Synoptics (Al-mesh[2/128/723], Al-poly[12/181/1443], thin-Be[24/512/3897] with 512x512 G-band+Leak - 72min cad) + CME w												
Term	Pointing (x, y)				Comment							
09/06 07:32:30 - 09/06 10:12:30	Fixed (20.0, 0.0)				HOP344 08/15							
09/07 06:17:00 - 09/07 07:20:00	Fixed (0.0, 0.0)				End of HOP344 + HOP 349 + synoptic							
PROG= 03 Inf.-time(s)												
Subr= 1 1-time(s) 300.0sec												
Seqn= 55 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 15 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 79 1-time(s) 2.0sec												
thin-Be/Open	thin-Be/Open	close	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 30 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	512x512 (1024, 1024)	Q=90	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	512x512 (1024, 1024)	Q=95	0	0	2.0sec
Subr= 2 15-time(s) 360.0sec												
Seqn= 8 1-time(s) 2.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 74 1-time(s) 2.0sec												
med-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	2.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	2	0	2.0sec
Seqn= 6 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec

Al-poly/Open	Al-poly/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 29 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	250ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	2	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1B89: AR - Standard Core - (Filter-Ratio with Al/poly and thin-Be long/short pairs) with PFB, 384x384 at 1064 1048, thin-Be, and Al/poly context, with

Term	Pointing (x, y)	Comment
09/07 07:54:00 - 09/07 11:21:54	Track (-514.6, 111.0) ^{09/07 07:30:00}	unnamed AR obs
PROG= 13 Inf.-time(s)		
Subr= 1 1-time(s) 2.0sec		
Seqn= 92 1-time(s) 2.0sec		
Open/G-band	Open/G-band	open Safe Norm 1ms Obs 1x1 384x384 (1064, 1048) DPCM 0 0 2.0sec
Open/G-band	Open/G-band	close Safe Norm 1ms Obs 1x1 384x384 (1064, 1048) DPCM 0 0 2.0sec
Open/Ti-poly	Open/thick-Al	close Safe Dark 16.0s Obs 1x1 384x384 (1064, 1048) Q=98 0 0 2.0sec
Subr= 2 5-time(s) 2.0sec		
Seqn= 47 1-time(s) 2.0sec		
Al-poly/Open	thin-Be/Open	close Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 2 0 2.0sec
Al-poly/Open	thin-Be/Open	close Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 3 0 2.0sec
thin-Be/Open	med-Be/Open	close Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 2 0 2.0sec
thin-Be/Open	med-Be/Open	close Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 3 0 2.0sec
Seqn= 96 4-time(s) 60.0sec		
Al-poly/Open	thin-Be/Open	close Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 1 0 2.0sec
thin-Be/Open	med-Be/Open	close Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 1 0 2.0sec
Al-poly/Open	thin-Be/Open	close Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 1 1 2.0sec
thin-Be/Open	med-Be/Open	close Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 1 1 2.0sec
Al-poly/Open	thin-Be/Open	close Safe Norm 250ms Obs 1x1 384x384 (1064, 1048) Q=95 1 2 2.0sec
thin-Be/Open	med-Be/Open	close Safe Norm 500ms Obs 1x1 384x384 (1064, 1048) Q=95 1 2 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

XOB #1C96: Flare - multifilter 26 sec cadence (Be/thin, Be/med, Be/thick), AEC 3, 384x384 + context (med-Al,thick-Be -384x384 + Al-poly 512x512 2x2) + G

Term	Pointing (x, y)	Comment
09/06 07:32:30 - 09/06 10:12:30	Fixed (20.0, 0.0)	HOP344 08/15
09/07 06:17:00 - 09/07 07:20:00	Fixed (0.0, 0.0)	End of HOP344 + HOP 349 + synoptic
09/07 07:54:00 - 09/07 11:21:54	Track (-514.6, 111.0) ^{09/07 07:30:00}	unnamed AR obs
PROG= 04 30-time(s)		
Subr= 1 20-time(s) 2.0sec		
Seqn= 11 1-time(s) 2.0sec		
Al-poly/Open	Al-poly/thick-Al	close Safe Norm 125ms Obs 2x2 512x512 (1024, 1024) Q=95 2 0 2.0sec
Seqn= 73 1-time(s) 10.0sec		
thin-Be/Open	med-Be/Open	close Safe Norm 125ms Obs 1x1 384x384 (1024, 1024) Q=95 3 0 2.0sec
med-Be/Open	Open/thick-Al	close Safe Norm 250ms Obs 1x1 384x384 (1024, 1024) Q=95 3 0 2.0sec
Open/thick-Be	Open/thick-Be	close Safe Norm 2.00s Obs 1x1 384x384 (1024, 1024) Q=95 3 0 2.0sec
Subr= 2 1-time(s) 2.0sec		
Seqn= 10 1-time(s) 2.0sec		
med-Al/Open	med-Al/thick-Al	close Safe Norm 500ms Obs 1x1 384x384 (1024, 1024) Q=95 3 0 2.0sec
Open/thick-Be	Open/thick-Be	close Safe Norm 2.00s Obs 1x1 384x384 (1024, 1024) Q=95 3 0 2.0sec
Seqn= 11 1-time(s) 2.0sec		
Al-poly/Open	Al-poly/thick-Al	close Safe Norm 125ms Obs 2x2 512x512 (1024, 1024) Q=95 2 0 2.0sec
Seqn= 87 1-time(s) 2.0sec		
Open/G-band	Open/G-band	open Safe Norm 1ms Obs 1x1 384x384 (1024, 1024) Q=98 0 0 2.0sec
Open/G-band	Open/G-band	close Safe Norm 1ms Obs 1x1 384x384 (1024, 1024) Q=98 0 0 2.0sec
Open/thick-Al	Open/thick-Al	close Safe Dark 1.00s Obs 1x1 384x384 (1024, 1024) Q=98 0 0 2.0sec
Open/thick-Al	Open/thick-Al	close Safe Dark 1.00s Obs 2x2 512x512 (1024, 1024) Q=98 0 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

Term	Pointing (x, y)	Comment
09/05 10:30:50 - 09/06 07:18:48	cannot be identified	
09/06 07:29:48 - 09/07 07:20:24	Fixed (20.0, 0.0)	HOP344 08/15
09/07 07:30:18 - 09/09 11:15:00	Track (-514.6, 111.0) ^{09/07 07:30:00}	unnamed AR obs
Al-poly/Open	Al-poly/Open	close Safe Norm 4ms Obs 8x8 Q=50 30sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval


CMDI #0299 2023/09/05




CMDI #0299 2023/09/05




CMDI #0299 2023/09/06




CMDI #0299 2023/09/06




CMDI #0299 2023/09/07




CMDI #0299 2023/09/07




CMDI #0299 2023/09/08




CMDI #0299 2023/09/08



CMDI #0299 2023/09/09



CMDI #0299 2023/09/09




```
0096 C.                0p0z;çSET0EDUMP0İÆ±°iYÑY¹0Ç¹00|0³0E;f
0097 C.
0098 . C. TIY³YF¥ÖYÉ00dÄDİç(UT)
0099 +. TI 2023-09-05 11:36:00.0
0100 DC 01-B3 DHU_OP_STOP
0101 C.                çç[HK1_TI_CMD_NUM]                EQ        1COUNTUP
0102 C.
0103 +. TI 2023-09-05 11:36:01.0
0104 DC 01-B4 DHU_OP_COPY
0105 C.                çç[HK1_TI_CMD_NUM]                EQ        1COUNTUP
0106 C.
0107 +. TI 2023-09-05 11:36:01.0
0108 DC 01-B5 DHU_OPOG_COPY
0109 C.                çç[HK1_TI_CMD_NUM]                EQ        1COUNTUP
0110 C.
0111 +. TI 2023-09-05 11:40:59.5
0112 DC 01-B2 DHU_OP_START
0113 C.                çç[HK1_TI_CMD_NUM]                EQ        1COUNTUP
0114 C.
0115 C. °E²¼0İÄè%îÍÑ0İYÁY§YÄY-¹àÛ
0116 C.                çç[HK1_TI_CMD_ENA/DIS]                EQ        ENA
0117 C.                çç[HK1_TI_CMD_NUM]                EQ        4
0118 C.                çç[HK1_NEXT_EXEC_PIM]                EQ        DHU
0119 C.                çç[HK1_NEXT_EXEC_DC]                EQ        0xB3
0120 C.
0121 . C. *****
0122 C. TIİİ°èYÄYÖY×
0123 C. *****
0124 C.
0125 C. TI_TBL(0x03AB00-0x03AEFF;§ 1024byte)
0126 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0127 BC (03 ab 03 01 02)
0128 C.                çç[HK1_DMP_TOP_ADRS_1]                EQ        07
0129 C.                çç[HK1_DMP_TOP_ADRS_0]                EQ        2B
0130 C.                çç[HK1_DMP_BLOCK_NUM]                EQ        3
0131 C.                çç[HK1_DMP_REPEAT_NUM]                EQ        0
0132 C.                çç[HK1_DMA_DMP_PIM]                EQ        DHU
0133 +. DC 01-22 DHU_MODE_CHNG
0134 BC (07 0b f8)
0135 C.                çç[HK1_PKT_FORM_NO]                EQ        7
0136 C.                çç[HK1_PKT_GEN_TIME]                EQ        0.25 s
0137 C.                çç[HK1_S_TLM_BIT_RATE]                EQ        32k
0138 C.                çç[HK1_X_TLM_BIT_RATE]                EQ        4M
0139 C.                çç[HK1_DMP_CHK_FLG]                EQ        EXEC
0140 C.
0141 . C. YÄYÖY×½ªİ»0ð³İÇ§
0142 C.                çç[HK1_DMP_CHK_FLG]                EQ        NON
0143 C.
0144 . C. RAM ID=TI_TBL0İÈ¹Ç•è²İOK0ð³İÇ§
0145 C.
0146 . C. DHUYâ;¼YÉ;È¼Y½,¥i;¼YÈ;È0ðİã0¹
0147 +. DC 01-22 DHU_MODE_CHNG
0148 BC (02 0a f8)
0149 C.                çç[HK1_PKT_FORM_NO]                EQ        2
0150 C.                çç[HK1_PKT_GEN_TIME]                EQ        0.5S
0151 C.                çç[HK1_S_TLM_BIT_RATE]                EQ        32K
0152 C.                çç[HK1_X_TLM_BIT_RATE]                EQ        4M
0153 C.
0154 . C. Stop EIS observation and temporarily disable EIS mode changes
0155 C.
0156 C.
0157 C. ***** Start EIS operation (TI set) *****
0158 C. Execute, after the success of OP upload.
0159 C. Set EIS TI-commands
0160 +. TI 2023-09-05 11:40:30.0
0161 DC 07-FC EIS_MODE_MANU
0162 BC (21 02)
0163 +. TI 2023-09-05 11:40:40.0
0164 DC 07-FC EIS_MODE_CHG_DIS
0165 BC (22)
0166 . C.                [ ] [HK1_TI_CMD_NUM]                EQ        2 COUNTUP
0167 C. ***** End EIS operation (TI set) *****
0168 C.
0169 C.
0170 C.
0171 C. ***** XRT START *****
0172 C. Execute, after the success of OP upload.
0173 +. TI 2023-09-05 11:40:00.0
0174 DC 07-F0 MDP_XRT_MODE_STBY
0175 BC (c3)
0176 . C.                [ ] [HK1_TI_CMD_NUM]                EQ        1COUNTUP
0177 C.
0178 C. ***** XRT END *****
0179 C.
0180 . C. ***** MDP ´üÄî0İ»0¼Y0ÈÄ00¹0èDCBC•x²è *****
0181 C. (¼ª°İYÖYÄYÉYF¥YÄYÇYè0È¼00¼Ä»Ü0¹0è)
0182 . S. DC-BC dcbc-402:DCBC
0183 (MDP_known_event)
0184 C.
0185 C.
0186 . C. ***** YD¥¹•İ Daily±çİÑ0È'00¹0èDCBC•x²è *****
0187 . S. DC-BC dcbc-153:DCBC
0188 (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0189 C.
0190 C.
0191 . C. ;ãLOS¥ÄY§YÄY-¼Ä»Ü;ä
0192 C.
0193 . C. ***** LOS *****
```



```

0096 C.
0097 C.
0098 C.
0099 C. ***** XRT START *****
0100 C.
0101 +. DC 07-F0 MDP_XRT_CTRL_MANU
0102 BC (c1)
0103 + DC 07-F0 MDP_XRT_MODE_STBY
0104 BC (c3)
0105 . C. ----- Success Verify ? OK / NG ____
0106 C.
0107 C. XRT Obs. Table Upload
0108 . S. RAM ram-291:MDP_OBS_X
0109 ( )
0110 C.
0111 +. DC 07-F0 MDP_DUMP_XRTTBL
0112 BC (84 07 00 00 00 3a d4)
0113 . C. ----- Comparison Check ? OK / ERR ____
0114 C.
0115 C.
0116 +. DC 07-F0 MDP_XRT_ROI_SET
0117 BC (cd 01 b1 b1 04 04)
0118 + DC 07-F0 MDP_XRT_ROI_SET
0119 BC (cd 02 b1 b1 08 08)
0120 + DC 07-F0 MDP_XRT_ROI_SET
0121 BC (cd 03 b1 b1 08 08)
0122 + DC 07-F0 MDP_XRT_ROI_SET
0123 BC (cd 04 b1 b1 06 06)
0124 + DC 07-F0 MDP_XRT_ROI_SET
0125 BC (cd 05 85 83 06 06)
0126 + DC 07-F0 MDP_XRT_ROI_SET
0127 BC (cd 06 85 83 06 06)
0128 + DC 07-F0 MDP_XRT_ROI_SET
0129 BC (cd 07 80 80 20 20)
0130 + DC 07-F0 MDP_XRT_ROI_SET
0131 BC (cd 08 80 80 20 08)
0132 + DC 07-F0 MDP_XRT_ROI_SET
0133 BC (cd 09 80 80 08 20)
0134 + DC 07-F0 MDP_XRT_ROI_SET
0135 BC (cd 0a 80 80 08 08)
0136 + DC 07-F0 MDP_XRT_ROI_SET
0137 BC (cd 0f 80 80 06 06)
0138 + DC 07-F0 MDP_XRT_ROI_SET
0139 BC (cd 10 80 80 08 08)
0140 + DC 07-F0 MDP_XRT_FLD_ENA
0141 BC (d8)
0142 + DC 07-F0 MDP_XRT_FLRCTRL_ENA
0143 BC (c8)
0144 + DC 07-F0 MDP_XRT_ARS_DIS
0145 BC (d5)
0146 + DC 07-F0 MDP_XRT_AEC_RESET
0147 BC (d0)
0148 + DC 07-F0 MDP_XRT_FLD_RESET
0149 BC (da)
0150 +. DC 07-F0 MDP_XRT_QT_PROG_SET
0151 BC (c4 0b)
0152 +. DC 07-F0 MDP_XRT_FL_PROG_SET
0153 BC (c5 04)
0154 . C. ----- Success Verify ? OK / NG ____
0155 C.
0156 C.
0157 . C. All OK? Yes--> Please Proceed. / No --> Stop here.
0158 C.
0159 +. DC 07-F0 MDP_XRT_MODE_OBSV
0160 BC (c2)
0161 +. TI 2023-09-05 11:40:02.0
0162 DC 07-F0 MDP_XRT_MODE_OBSV
0163 BC (c2)
0164 . C. ----- Success Verify ? OK / NG ____
0165 C.
0166 C. ***** XRT END *****
0167 C.
0168 . C. ***** MDP `úÃîï»ö%ÝðËÄð¹ñèDCBC•x²è *****
0169 C. (%á°îÿÓYÁYÉYÉYÉYáYçYèèE%¼¼¼»Û¹ñè)
0170 . S. DC-BC dcbc-402:DCBC
0171 (MDP_known_event)
0172 C.
0173 C.
0174 . C. ***** ¥D¥¹•İ Daily±¿İÑñÈ´Øñ¹ñèDCBC•x²è *****
0175 . S. DC-BC dcbc-153:DCBC
0176 (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0177 C.
0178 C.
0179 . C. ;ãLOS¥Á¥$¥Ã¥¹¼Å»Û;ã
0180 C.
0181 . C. ***** LOS *****
0182 C.

```

*** OP Sequence for XRT ***

2023/09/05	11:51:00.0	AOCS_ORe-point_Start_1_OG [0x097]					
		AOCU_NM	5	02-76	00 d6 36 b7 8e		
2023/09/05	13:29:00.0	AOCS_ORe-point_Start_2_OG [0x098]					
		AOCU_NM	5	02-76	00 00 00 b7 8e		
2023/09/05	17:03:00.0	AOCS_ORe-point_Start_3_OG [0x099]					
		AOCU_NM	5	02-76	00 29 ca b7 8e		
2023/09/05	18:40:00.0	AOCS_ORe-point_Start_4_OG [0x09a]					
		AOCU_NM	5	02-76	00 b4 b5 db 75		
2023/09/05	21:53:30.0	AOCS_ORe-point_Start_5_OG [0x09b]					
		AOCU_NM	5	02-76	00 00 00 db 75		
2023/09/06	00:56:30.0	AOCS_ORe-point_Start_6_OG [0x09c]					
		AOCU_NM	5	02-76	00 4b 4b db 75		
2023/09/06	04:04:00.0	AOCS_ORe-point_Start_7_OG [0x09d]					
		AOCU_NM	5	02-76	00 ac 5b 00 00		
2023/09/06	07:18:24.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	07:18:26.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	07:18:28.0	XRT_FOCUS_POSITION_406_OG [0x196]					
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00		
2023/09/06	07:18:30.5	AOCS_ORe-point_Start_8_OG [0x09e]					
		AOCU_NM	5	02-76	00 00 00 fe 36		
2023/09/06	07:18:48.0	XRT_FLD_DIS_409_OG [0x199]					
		MDP_XRT_FLD_DIS	1	07-F0	d9		
2023/09/06	07:18:50.0	XRT_FLRCTRL_DIS_413_OG [0x19d]					
		MDP_XRT_FLRCTRL_DIS	1	07-F0	c9		
2023/09/06	07:18:52.0	XRT_ARS_DIS_435_OG [0x1b3]					
		MDP_XRT_ARS_DIS	1	07-F0	d5		
2023/09/06	07:21:28.0	XRT_QT_PROG_SET_416_OG [0x1a0]					
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 11		
2023/09/06	07:21:30.0	XRT_CTRL_AUTO_408_OG [0x198]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/09/06	07:29:24.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	07:29:26.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	07:29:28.0	XRT_FOCUS_POSITION_406_OG [0x196]					
		XRT_FOCUS_POSITION	4	07-F8	22 ff aa 00		
2023/09/06	07:29:48.0	XRT_FLD_ENA_411_OG [0x19b]					
		MDP_XRT_FLD_ENA	1	07-F0	d8		
2023/09/06	07:29:50.0	XRT_FLRCTRL_ENA_412_OG [0x19c]					
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8		
2023/09/06	07:29:52.0	XRT_AEC_RESET_448_OG [0x1c0]					
		MDP_XRT_AEC_RESET	1	07-F0	d0		
2023/09/06	07:29:54.0	XRT_ARS_DIS_423_OG [0x1a7]					
		MDP_XRT_ARS_DIS	1	07-F0	d5		
2023/09/06	07:29:56.0	XRT_FLD_RESET_434_OG [0x1b2]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/09/06	07:32:26.0	XRT_QT_PROG_SET_426_OG [0x1aa]					
		MDP_XRT_QT_PROG_SET	2	07-F0	c4 03		
2023/09/06	07:32:28.0	XRT_FL_PROG_SET_418_OG [0x1a2]					
		MDP_XRT_FL_PROG_SET	2	07-F0	c5 04		
2023/09/06	07:32:30.0	XRT_CTRL_AUTO_408_OG [0x198]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/09/06	08:33:00.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	08:33:02.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	08:33:04.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/09/06	08:33:06.0	XRT_PREFLR_STRT_431_OG [0x1af]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/09/06	08:36:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/09/06	08:55:30.0	XRT_Custom_430_OG [0x1ae]					
2023/09/06	08:56:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/09/06	09:05:30.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	09:05:32.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	09:05:34.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/09/06	09:05:36.0	XRT_PREFLR_STRT_431_OG [0x1af]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/09/06	09:07:30.0	XRT_Custom_430_OG [0x1ae]					
2023/09/06	09:08:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]					
		MDP_XRT_CTRL_AUTO	1	07-F0	c0		
2023/09/06	09:08:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/09/06	10:12:30.0	XRT_CTRL_MANU_400_OG [0x190]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	10:12:32.0	XRT_CTRL_MANU_402_OG [0x192]					
		MDP_XRT_CTRL_MANU	1	07-F0	c1		
2023/09/06	10:12:34.0	XRT_FLD_RESET_415_OG [0x19f]					
		MDP_XRT_FLD_RESET	1	07-F0	da		
2023/09/06	10:12:36.0	XRT_PREFLR_STRT_431_OG [0x1af]					
		MDP_XRT_PREFLR_STRT	1	07-F0	e8		
2023/09/06	10:15:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]					
		MDP_XRT_PREFLR_STOP	1	07-F0	e9		
2023/09/06	10:31:00.0	AOCS_ORe-point_Start_9_OG [0x09f]					

2023/09/06	13:34:30.0	AOCs_OrE-point_Start_10_OG [0x0a0]	AOCU_NM	5	02-76	00	53	a5	00	00
			AOCU_NM	5	02-76	00	b4	b5	24	8b
2023/09/06	17:37:00.0	AOCs_OrE-point_Start_11_OG [0x0a1]	AOCU_NM	5	02-76	00	00	00	24	8b
2023/09/06	20:50:30.0	AOCs_OrE-point_Start_12_OG [0x0a2]	AOCU_NM	5	02-76	00	4b	4b	24	8b
2023/09/07	00:02:30.0	AOCs_OrE-point_Start_13_OG [0x0a3]	AOCU_NM	5	02-76	00	d6	36	48	72
2023/09/07	01:26:30.0	AOCs_OrE-point_Start_14_OG [0x0a4]	AOCU_NM	5	02-76	00	00	00	48	72
2023/09/07	04:38:30.0	AOCs_OrE-point_Start_15_OG [0x0a5]	AOCU_NM	5	02-76	00	29	db	48	72
2023/09/07	05:54:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	05:54:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	05:54:58.0	XRT_FOCUS_POSITION_406_OG [0x196]	XRT_FOCUS_POSITION	4	07-F8	22	ff	aa	00	
2023/09/07	05:55:00.0	AOCs_OrE-point_Start_16_OG [0x0a6]	AOCU_NM	5	02-76	00	00	00	00	00
2023/09/07	05:55:18.0	XRT_FLD_ENA_411_OG [0x19b]	MDP_XRT_FLD_ENA	1	07-F0		d8			
2023/09/07	05:55:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLRCTRL_ENA	1	07-F0		c8			
2023/09/07	05:55:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0		d0			
2023/09/07	05:55:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0		d5			
2023/09/07	05:55:26.0	XRT_FLD_RESET_429_OG [0x1ad]	MDP_XRT_FLD_RESET	1	07-F0		da			
2023/09/07	06:16:56.0	XRT_QT_PROG_SET_426_OG [0x1aa]	MDP_XRT_QT_PROG_SET	2	07-F0		c4	03		
2023/09/07	06:16:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_FL_PROG_SET	2	07-F0		c5	04		
2023/09/07	06:17:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0		c0			
2023/09/07	07:20:00.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	07:20:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	07:20:04.0	XRT_FOCUS_POSITION_406_OG [0x196]	XRT_FOCUS_POSITION	4	07-F8	22	ff	aa	00	
2023/09/07	07:20:24.0	XRT_FLD_DIS_409_OG [0x199]	MDP_XRT_FLD_DIS	1	07-F0		d9			
2023/09/07	07:20:26.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLRCTRL_DIS	1	07-F0		c9			
2023/09/07	07:20:28.0	XRT_ARS_DIS_433_OG [0x1b1]	MDP_XRT_ARS_DIS	1	07-F0		d5			
2023/09/07	07:20:58.0	XRT_QT_PROG_SET_416_OG [0x1a0]	MDP_XRT_QT_PROG_SET	2	07-F0		c4	11		
2023/09/07	07:21:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0		c0			
2023/09/07	07:29:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	07:29:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	07:29:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]	XRT_FOCUS_POSITION	4	07-F8	22	fe	97	00	
2023/09/07	07:30:00.0	AOCs_OrE-point_Start_17_OG [0x0a7]	AOCU_NM	5	02-76	02	03	ce	01	f3
2023/09/07	07:30:18.0	XRT_FLD_ENA_411_OG [0x19b]	MDP_XRT_FLD_ENA	1	07-F0		d8			
2023/09/07	07:30:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLRCTRL_ENA	1	07-F0		c8			
2023/09/07	07:30:22.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0		d0			
2023/09/07	07:30:24.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0		d5			
2023/09/07	07:30:26.0	XRT_FLD_RESET_445_OG [0x1bd]	MDP_XRT_FLD_RESET	1	07-F0		da			
2023/09/07	07:53:56.0	XRT_QT_PROG_SET_432_OG [0x1b0]	MDP_XRT_QT_PROG_SET	2	07-F0		c4	0d		
2023/09/07	07:53:58.0	XRT_FL_PROG_SET_418_OG [0x1a2]	MDP_XRT_FL_PROG_SET	2	07-F0		c5	04		
2023/09/07	07:54:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0		c0			
2023/09/07	09:08:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	09:08:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	09:08:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0		da			
2023/09/07	09:08:06.0	XRT_PREFLR_STRT_431_OG [0x1af]	MDP_XRT_PREFLR_STRT	1	07-F0		e8			
2023/09/07	09:11:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0		e9			
2023/09/07	09:29:30.0	XRT_Custom_430_OG [0x1ae]								
2023/09/07	09:30:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0		c0			
2023/09/07	11:21:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0		c1			
2023/09/07	11:22:00.0	AOCs_OrE-point_Start_16_OG [0x0a6]								

AOCU_NM

5 02-76 00 00 00 00 00