

XRT Timeline to be uploaded on 2024/09/28

Period: 2024/09/28 11:01:00 - 2024/10/03 11:37:00

* * * * *

Normal mode

* * * * *

XOB #1C97: AR - Filter-Ratio with thin-Be (long/short pairs) and Med-Be (short) with PFB, 384x384 at 1064 1048, with G-band (1ms/1ms VLS=CLS), 60 cad													
Term		Pointing (x, y)					Comment						
09/28 11:24:00 - 09/28 17:44:54		Track (112.5, -503.6) ^{© 09/28 11:11:00}					# OP start + 10min + HOP409(12-23UT) + AR13835						
PROG= 09 Inf.-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 92 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec
	Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	16.0s	Obs	1x1	384x384 (1064, 1048)	Q=98	0	0	2.0sec
Subr= 2 120-time(s) 60.0sec													
Seqn= 37 1-time(s) 2.0sec													
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	2	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	0	2.0sec
	med-Be/Open	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1064, 1048)	Q=95	3	0	2.0sec
Seqn= 59 1-time(s) 2.0sec													
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	1	2.0sec
	med-Be/Open	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1064, 1048)	Q=95	3	1	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	2	2.0sec
	med-Be/Open	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1064, 1048)	Q=95	3	2	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1CC9: Synoptic 7 Filter w/ Al-mesh(2/128/723), Al-poly(12/181/1443), Thin-Be(64/1024/5795) - Thick-Be(32768), Al-poly+Ti-poly(128/2048), Med-Al(289)													
Term		Pointing (x, y)					Comment						
09/28 17:48:00 - 09/28 17:54:54		Fixed (0.0, 0.0)					synoptic, shifted -15.0 min						
PROG= 10 1-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 5 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512 (1024, 1024)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 78 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 15 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 45 1-time(s) 2.0sec													
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	63ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	1.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 23 1-time(s) 4.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec
	Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec													
Seqn= 41 1-time(s) 2.0sec													
	Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Seqn= 85 1-time(s) 2.0sec													
	med-Al/Open	med-Al/Open	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	med-Al/Open	med-Al/Open	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Seqn= 4 1-time(s) 2.0sec													
	Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1CA7: AR - Filter-Ratio with thin-Be (long/short pairs) and Med-Be (short) with PFB, 384x384 at 1064 1048, with G-band (1ms/1ms VLS=CLS), 120 cad													
Term		Pointing (x, y)					Comment						
09/28 17:58:00 - 09/29 03:59:54		Track (168.4, -502.2) ^{© 09/28 17:55:00}					HOP409(12-23UT) + AR13835						
PROG= 01 Inf.-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 92 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec
	Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384 (1064, 1048)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	16.0s	Obs	1x1	384x384 (1064, 1048)	Q=98	0	0	2.0sec
Subr= 2 60-time(s) 120.0sec													
Seqn= 37 1-time(s) 2.0sec													
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	2	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	0	2.0sec
	med-Be/Open	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1064, 1048)	Q=95	3	0	2.0sec

Seqn= 59	1-time(s)	2.0sec										
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	1	2.0sec
med-Be/Open	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1064, 1048)	Q=95	3	1	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	1x1	384x384 (1064, 1048)	Q=95	3	2	2.0sec
med-Be/Open	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	384x384 (1064, 1048)	Q=95	3	2	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1CD1: HOP349 - 3-filter Synoptics (Al-mesh[2/128/723], Al-poly[12/181/1443], thin-Be[24/512/3897] with 512x512 G-band+Leak - 375min cad) + CME w

Term	Pointing (x, y)	Comment										
09/29 04:03:00 - 09/29 05:59:54	Fixed (0.0, 0.0)	HOP349 + synoptic										
PROG= 13 Inf-time(s)												
Subr= 1 1-time(s) 300.0sec												
Seqn= 55 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 15 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 79 1-time(s) 2.0sec												
thin-Be/Open	thin-Be/Open	close	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 30 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	512x512 (1024, 1024)	Q=90	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	512x512 (1024, 1024)	Q=95	0	0	2.0sec
Subr= 2 15-time(s) 1500.0sec												
Seqn= 8 1-time(s) 2.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 74 1-time(s) 2.0sec												
med-Be/Open	med-Be/Open	close	Safe	Norm	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	2.00s	Obs	4x4	2048x2048 (1024, 1024)	Q=98	2	0	2.0sec
Seqn= 6 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 29 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	3	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	250ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	2	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1D19: Synoptic 8 Filter w/ Al-mesh(3/128/723), Al-poly(5/181/1443), Thin-Be(24/512/4096), Thick-Be(32768), Med-Al(181/5795/32768), Med-Be(88/4096)

Term	Pointing (x, y)	Comment										
09/29 06:03:00 - 09/29 06:09:54	Fixed (0.0, 0.0)	HOP349 + synoptic										
PROG= 06 1-time(s)												
Subr= 1 1-time(s) 2.0sec												
Seqn= 5 1-time(s) 2.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	4x4	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	8x8	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	2048x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Dark	500ms	Obs	1x1	512x2048 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 55 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	707ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 98 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	5ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 76 1-time(s) 2.0sec												
thin-Be/Open	thin-Be/Open	close	Safe	Norm	24ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 23 1-time(s) 4.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=90	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec												
Seqn= 41 1-time(s) 2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Seqn= 18 1-time(s) 2.0sec												
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	177ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Al/Open	med-Al/Open	close	Safe	Norm	5.66s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Al/Open	med-Al/Open	close	Safe	Norm	32.0s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 86 1-time(s) 2.0sec												
med-Be/Open	Open/thick-Al	close	Safe	Norm	86ms	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
med-Be/Open	med-Be/Open	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

med-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	2x2	2048x2048 (1024, 1024)	Q=95	0	0	2.0sec
Seqn= 54 1-time(s) 2.0sec												
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	12ms	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	Q=98	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

XOB #1C96: Flare - multifilter 26 sec cadence (Be/thin, Be/med, Be/thick), AEC 3, 384x384 + context (med-Al,thick-Be -384x384 + Al-poly 512x512 2x2) + G

Term	Pointing (x, y)	Comment
09/28 11:24:00 - 09/28 17:44:54	Track (112.5, -503.6) @ 09/28 11:11:00	# OP start + 10min + HOP409(12-23UT) + AR13835
09/28 17:58:00 - 09/29 03:59:54	Track (168.4, -502.2) @ 09/28 17:55:00	HOP409(12-23UT) + AR13835
09/29 04:03:00 - 09/29 05:59:54	Fixed (0.0, 0.0)	HOP349 + synoptic

PROG= 14 30-time(s)

Subr= 1 20-time(s) 2.0sec												
Seqn= 11 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	Q=95	2	0	2.0sec
Seqn= 73 1-time(s) 10.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	125ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
med-Be/Open	Open/thick-Al	close	Safe	Norm	250ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	2.00s	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Subr= 2 1-time(s) 2.0sec												
Seqn= 10 1-time(s) 2.0sec												
med-Al/Open	med-Al/thick-Al	close	Safe	Norm	500ms	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	2.00s	Obs	1x1	384x384 (1024, 1024)	Q=95	3	0	2.0sec
Seqn= 11 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	Q=95	2	0	2.0sec
Seqn= 87 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	1ms	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	1ms	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/thick-Al	Open/thick-Al	close	Safe	Dark	1.00s	Obs	1x1	384x384 (1024, 1024)	Q=98	0	0	2.0sec
Open/thick-Al	Open/thick-Al	close	Safe	Dark	1.00s	Obs	2x2	512x512 (1024, 1024)	Q=98	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Active Region Search

* * * * *

NOT USED

* * * * *


Flare Detection

* * * * *


FLD Patrol

Term	Pointing (x, y)	Comment
09/28 10:25:05 - 09/28 17:45:18	cannot be identified	
09/28 17:55:18 - 09/29 06:00:18	Track (168.4, -502.2) @ 09/28 17:55:00	HOP409(12-23UT) + AR13835
Al-poly/Open	Al-poly/Open	close Safe Norm 4ms Obs 8x8 Q=50 30sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval


CMDI #0118 2024/09/28




CMDI #0118 2024/09/28




CMDI #0118 2024/09/29




CMDI #0118 2024/09/29




CMDI #0118 2024/09/30




CMDI #0118 2024/09/30




CMDI #0118 2024/10/01




CMDI #0118 2024/10/01




CMDI #0118 2024/10/02




CMDI #0118 2024/10/02



CMDI #0118 2024/10/03



CMDI #0118 2024/10/03



(a) Spacecraft Operation Procedure (real-commands)

```
main-836 2024-09-28 12:50:39 194 33 SOLAR-B MAIN //
0001 C.
0002 . C. ***** AOS *****
0003 C.
0004 . C. ;ãAOSYÁY$YÁY`¼Ä»Ü;ä
0005 C.
0006 C. YÀYß;¼Y³YDYóYÉÁ÷¿®
0007 +. DC 00-00 NULL_DUMMY_CMD
0008 C.
0009 . C. ***** AOCs : Reload orbital element (send every contact) *****
0010 C. Áí;Êñ¿µÁñ•µ°È»Í×ÁÇñÍYçYÁY×Yí;¼YÉ;ÈÈèµ•íÍÉ;ÈñÈ¼°ÇÔñ•ñ¿¼í¹ÇñÍ; ÇÀ®, ùñ¹ñèñµñÇÁ÷¿®ñ•ñÈñµñ³ñÈ; Æ
0011 +. DC 02-8E AOCU_ORB_UPD
0012 C.
0013 C.
0014 . C. *****
0015 C. OP/OGYí;¼YÉ; | YÁYóY×
0016 C. *****
0017 C.
0018 . C. ;ãOP/OGYí;¼YÉ;ä
0019 . S. OP op-836:OP
0020 ()
0021 . S. OG og-836:OG
0022 ()
0023 C.
0024 . C. ;ãNMOG&OPÍî°èYÁYóY×;ä
0025 C. NMOG(0x200000-0x207FFF;$ 32 kbyte)
0026 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0027 BC (20 00 7f 01 02)
0028 C. ÇÇ [HK1_DMP_TOP_ADRS_1] EQ 40
0029 C. ÇÇ [HK1_DMP_TOP_ADRS_0] EQ 0
0030 C. ÇÇ [HK1_DMP_BLOCK_NUM] EQ 127
0031 C. ÇÇ [HK1_DMP_REPEAT_NUM] EQ 0
0032 C. ÇÇ [HK1_DMA_DMP_PIM] EQ DHU
0033 +. DC 01-22 DHU_MODE_CHNG
0034 BC (07 0b f8)
0035 C. ÇÇ [HK1_PKT_FORM_NO] EQ 7
0036 C. ÇÇ [HK1_PKT_GEN_TIME] EQ 0.25 s
0037 C. ÇÇ [HK1_S_TLM_BIT_RATE] EQ 32k
0038 C. ÇÇ [HK1_X_TLM_BIT_RATE] EQ 4M
0039 C. ÇÇ [HK1_DMP_CHK_FLG] EQ EXEC
0040 . C. YÁYóY×½ªí»ò³ÍÇ$
0041 C. ÇÇ [HK1_DMP_CHK_FLG] EQ NON
0042 . C. RAM ID=NMOGñÍ¾È¹Ç•è²ÍOKò³ÍÇ$
0043 C.
0044 C. NMOG(0x208000-0x20FFFF;$ 32 kbyte)
0045 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0046 BC (20 80 7f 01 02)
0047 C. ÇÇ [HK1_DMP_TOP_ADRS_1] EQ 41
0048 C. ÇÇ [HK1_DMP_TOP_ADRS_0] EQ 0
0049 C. ÇÇ [HK1_DMP_BLOCK_NUM] EQ 127
0050 C. ÇÇ [HK1_DMP_REPEAT_NUM] EQ 0
0051 C. ÇÇ [HK1_DMA_DMP_PIM] EQ DHU
0052 +. DC 01-22 DHU_MODE_CHNG
0053 BC (07 0b f8)
0054 C. ÇÇ [HK1_PKT_FORM_NO] EQ 7
0055 C. ÇÇ [HK1_PKT_GEN_TIME] EQ 0.25 s
0056 C. ÇÇ [HK1_S_TLM_BIT_RATE] EQ 32k
0057 C. ÇÇ [HK1_X_TLM_BIT_RATE] EQ 4M
0058 C. ÇÇ [HK1_DMP_CHK_FLG] EQ EXEC
0059 . C. YÁYóY×½ªí»ò³ÍÇ$
0060 C. ÇÇ [HK1_DMP_CHK_FLG] EQ NON
0061 . C. RAM ID=NMOGñÍ¾È¹Ç•è²ÍOKò³ÍÇ$
0062 C.
0063 C. NMOG(0x210000-0x2100FF;$ 256byte)+OP(0x210100-0x2141FF: 16.25kbyte)
0064 +. DC 01-23 DHU_DMA_DMP_PRM_SET
0065 BC (21 00 41 01 02)
0066 C. ÇÇ [HK1_DMP_TOP_ADRS_1] EQ 42
0067 C. ÇÇ [HK1_DMP_TOP_ADRS_0] EQ 0
0068 C. ÇÇ [HK1_DMP_BLOCK_NUM] EQ 65
0069 C. ÇÇ [HK1_DMP_REPEAT_NUM] EQ 0
0070 C. ÇÇ [HK1_DMA_DMP_PIM] EQ DHU
0071 +. DC 01-22 DHU_MODE_CHNG
0072 BC (07 0b f8)
0073 C. ÇÇ [HK1_PKT_FORM_NO] EQ 7
0074 C. ÇÇ [HK1_PKT_GEN_TIME] EQ 0.25 s
0075 C. ÇÇ [HK1_S_TLM_BIT_RATE] EQ 32k
0076 C. ÇÇ [HK1_X_TLM_BIT_RATE] EQ 4M
0077 C. ÇÇ [HK1_DMP_CHK_FLG] EQ EXEC
0078 . C. YÁYóY×½ªí»ò³ÍÇ$
0079 C. ÇÇ [HK1_DMP_CHK_FLG] EQ NON
0080 . C. RAM ID=NMOG, RAM ID=OPñÍ¾È¹Ç•è²ÍOKò³ÍÇ$
0081 C.
0082 . C. ***** °È²¼ñÍ¾Ä´¶¹°ñÈÈ¬ñ°Á÷¿® (¾ãµ-YÁYóY×¼è½ÇñòÄÓÃñÇ½ªñ¬ñè¾¼¹ÇñÇñá) *****
0083 C. DHUYá;¼YÉ;È¼Y½, Yí;¼YÉ;ÈòÍáñ¹
0084 +. DC 01-22 DHU_MODE_CHNG
0085 BC (02 0a f8)
0086 C. ÇÇ [HK1_PKT_FORM_NO] EQ 2
0087 C. ÇÇ [HK1_PKT_GEN_TIME] EQ 0.5S
0088 C. ÇÇ [HK1_S_TLM_BIT_RATE] EQ 32K
0089 C. ÇÇ [HK1_X_TLM_BIT_RATE] EQ 4M
0090 C.
0091 . C. *****
0092 C. TI-CMD SET (OPOG STOP/COPY/START)
0093 C. *****
0094 C.
0095 . C. NOTICE ;$ OPOG UPLOADñ¬Á÷¿®NGñÍ¾¼¹Ç; Ç°È²¼ñÍTI-CMDÁ÷¿®ñÍ¾Á¹Ôñ•ñÈñµñ³ñÈ; Æ
```



```

0096 C.
0097 C.
0098 . C. ***** AOCs Commands (Tracking Curve Upload) *****
0099 C. Upload the Orbit Element and the Target Attitude
0100 C. RAM-ID:TARGET_ATT
0101 . S. RAM ram-150:TARGET_ATT
0102 ()
0103 C.
0104 C.
0105 C. Set the dump memory area of TARGET_ATT
0106 +. DC 02-48 AOCU_DUMP_SET
0107 BC (07 00 00 00 18 00)
0108 C.
0109 C. <A_STS1>[MEMORY OPERATE STATUS] ADRS = 070000 [ ]
0110 C.
0111 C.
0112 C. Change the TLMFormatNo for the AOCs Dump Format
0113 +. DC 01-22 DHU_MODE_CHNG
0114 BC (04 0b f8)
0115 C.
0116 C. Wait for AOCSDUMP to end
0117 C.
0118 . C. Check the dump memory
0119 C.
0120 C. Result = OK [ ]
0121 C.
0122 +. DC 01-22 DHU_MODE_CHNG
0123 BC (02 0a f8)
0124 C.
0125 C. <A_***>[TLM STS] FMT = 2 [ ]
0126 C.
0127 +. DC 02-8E AOCU_ORB_UPD
0128 . C.
0129 . C. Load OBSTBL, dump OBSTBL, enable EIS mode changes
0130 +. DC 07-FC EIS_MODE_CHG_ENA
0131 BC (20)
0132 . C. Verify EIS_MODE_CHG_FLG is ENA
0133 +. DC 07-FC EIS_MODE_MANU
0134 BC (21 02)
0135 . C. Verify EIS in MANUAL mode
0136 . C. Estimated OBSTBL upload time is 15s
0137 C. *****
0138 C. EIS START OBSTBL LOAD
0139 C. *****
0140 . S. RAM ram-820:EIS_OBSTBL
0141 ()
0142 +. DC 07-FC EIS_DUMP_OBSTBL
0143 BC (07 07 07 00 00 70 00)
0144 C.
0145 C. Execute, after the success of OBSTBL upload.
0146 C. Set EIS TI-commands
0147 +. TI 2024-09-28 11:00:50.0
0148 DC 07-FC EIS_MODE_CHG_ENA
0149 BC (20)
0150 . C. [ ] [HK1_TI_CMD_NUM] EQ 1 COUNTUP
0151 C. *****
0152 C. EIS END OBSTBL LOAD
0153 C. *****
0154 C.
0155 . C. ***** MDP 'uÃîî»ö¼ÝñËÄðñ¹ñëDCBC•x²è *****
0156 C. (%ã°îÿÓÿÄÿËÿÐÿËÿÄÿÇÿËÿËÿ¼¼¼Ä»Û¹ñë)
0157 . S. DC-BC dcbc-402:DCBC
0158 (MDP_known_event)
0159 C.
0160 C.
0161 . C. ***** ÿÐÿ¹•ï Daily±çíÑñË'Øñ¹ñëDCBC•x²è *****
0162 . S. DC-BC dcbc-153:DCBC
0163 (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0164 C.
0165 C.
0166 . C. ;ãLOSÿÁÿSÿÄÿÿ-¼Ä»Û;ä
0167 C.
0168 . C. ***** LOS *****
0169 C.

```

(a) Spacecraft Operation Procedure (real-commands)

```
main-838 2024-09-28 12:50:39 182 33 SOLAR-B MAIN //
0001 C.
0002 . C. ***** AOS *****
0003 C.
0004 . C. ;ãAOSÿÁÿSÿÿÁÿ-¼Ä»Û;ä
0005 C.
0006 C. ÿÀÿß;¼ÿ³ÿÐÿóÿÉÄ÷ç®
0007 +. DC 00-00 NULL_DUMMY_CMD
0008 C.
0009 . C. ***** AOCs : Reload orbital element (send every contact) *****
0010 C. Áí;ËçµÄµ°Ë>Í×ÁÇµÍÿçÿÿÁÿ×ÿÿí;¼ÿË;ËËËµ°ííË;ËËË¼°ÇÖµ°µç¼í¹çµí;çÀ®, ùµ¹µËµÐµÇÄ÷ç®µ°µËµµµ³µË;£
0011 +. DC 02-8E AOCU_ORB_UPD
0012 C.
0013 C.
0014 . C. *****
0015 C. XÁ÷çµ;ON
0016 C. *****
0017 C. ç" °ËÀ, Í×ËÿµäLOSµÐµÇµí»p´Öµò¹íí, µ°; çÉÖÍ×µËXÁÓONµí¹ÖµËµíµËµµµ³µË;£
0018 C.
0019 +. DC 03-B4 TCIA_XPA_ON/HI
0020 M. WAIT_SEC 1
0021 + DC 03-84 TCIA_XMOD_ON
0022 M. WAIT_SEC 1
0023 + DC 03-95 TCIA_XMOD_QPSK
0024 C. çç [HK1_XPA_ON/OFF] EQ ON
0025 C. çç [HK1_XPA_PWR_HI/LO] EQ HI
0026 C. çç [HK1_XMOD_ON/OFF] EQ ON
0027 C. çç [HK1_XMOD_QPSK/PM] EQ QPSK
0028 C.
0029 . C. XÿÐÿóÿËÿÿíÿÿÿ-¾óÄÖµ°-ÄÄËµ°µçµé; ç°Ë²¼µí°ËÀ, ¼Ë½çµò¼Ä¹Öµ¹µË;£
0030 C.
0031 . C. *****
0032 C. DR PT1 Äí¼í°ËÀ,
0033 C. *****
0034 C. ç" RESTART;ËPT1;Ëµ°µçµ¼¼í¹çµí; ç°Ë²¼µí¼Ä¹Öµ»µ°; çDCBC-150µØçËµà;£
0035 C.
0036 . C. ;ãPT1°ËÀ, ³«»í;ä
0037 +. DC 01-29 DHU_S/X_VC4_OFF
0038 + DC 06-C8 DR_PT1_REP_SEL
0039 BC (01 00)
0040 + DC 06-B3 DR_REP_START
0041 + DC 01-32 DHU_X_VC4_ON
0042 C. çç [HK1_REP_PT_1/2] EQ PT1 (¼Ä¹Ö, ;¼Ú)
0043 C. çç [HK1_REP_STA/STP] EQ START (¼Ä¹Ö, ;¼Ú)
0044 C. çç [HK1_X_VC4_ON/OFF] EQ ON (¼Ä¹Ö, ;¼Ú)
0045 C.
0046 . C. ;ãÿçÿóÿËÿÿËÀÜÄØ;ËÄ°Ä°²óËò;Ë, äµí°ËÀ, °Ë³«;ä
0047 +. DC 06-B3 DR_REP_START
0048 + DC 01-32 DHU_X_VC4_ON
0049 C. çç [HK1_REP_PT_1/2] EQ PT1 (¼Ä¹Ö, ;¼Ú)
0050 C. çç [HK1_REP_STA/STP] EQ START (¼Ä¹Ö, ;¼Ú)
0051 C. çç [HK1_X_VC4_ON/OFF] EQ ON (¼Ä¹Ö, ;¼Ú)
0052 C.
0053 C.
0054 . C. PT1°ËÀ, µ¼«°Ë°Ää»ßµ°µç, ä; ç°Ë²¼µò¼Ä¹Öµ¹µË;£
0055 C. ÿçÿóÿËÿÿËÀÜÄØµäÄ°Ä°²óËòµ°µçµ¼¼í¹çµí´°í´°í»µ¹µËµÐµÇÄÖµÄ;£
0056 C.
0057 . C. *****
0058 C. DR PT2 Äí¼í°ËÀ,
0059 C. *****
0060 C. ç" RESTART;ËPT2;Ëµ°µçµ¼¼í¹çµí; ç°Ë²¼µí¼Ä¹Öµ»µ°; çDCBC-151µØçËµà;£
0061 C.
0062 . C. ;ãPT2°ËÀ, ³«»í;ä
0063 +. DC 01-29 DHU_S/X_VC4_OFF
0064 + DC 06-C8 DR_PT2_REP_SEL
0065 BC (02 00)
0066 + DC 06-B3 DR_REP_START
0067 + DC 01-32 DHU_X_VC4_ON
0068 C. çç [HK1_REP_PT_1/2] EQ PT2 (¼Ä¹Ö, ;¼Ú)
0069 C. çç [HK1_REP_STA/STP] EQ START (¼Ä¹Ö, ;¼Ú)
0070 C. çç [HK1_X_VC4_ON/OFF] EQ ON (¼Ä¹Ö, ;¼Ú)
0071 C.
0072 . C. ;ãÿçÿóÿËÿÿËÀÜÄØ;ËÄ°Ä°²óËò;Ë, äµí°ËÀ, °Ë³«;ä
0073 +. DC 06-B3 DR_REP_START
0074 + DC 01-32 DHU_X_VC4_ON
0075 C. çç [HK1_REP_PT_1/2] EQ PT2 (¼Ä¹Ö, ;¼Ú)
0076 C. çç [HK1_REP_STA/STP] EQ START (¼Ä¹Ö, ;¼Ú)
0077 C. çç [HK1_X_VC4_ON/OFF] EQ ON (¼Ä¹Ö, ;¼Ú)
0078 C.
0079 . C. *****
0080 C. DR°ËÀ, Ää»ß; çXÁ÷çµ;OFF
0081 C. *****
0082 C.
0083 . C. ;ãDR°ËÀ, Ää»ß;ä
0084 +. DC 06-B4 DR_REP_STOP
0085 + DC 01-29 DHU_S/X_VC4_OFF
0086 C. çç [HK1_REP_STA/STP] EQ STOP
0087 C. çç [HK1_S_VC4_ON/OFF] EQ OFF
0088 C. çç [HK1_X_VC4_ON/OFF] EQ OFF
0089 C.
0090 . C. ;ãXÁ÷çµ;OFF;ä
0091 +. DC 03-85 TCIA_XMOD_OFF
0092 M. WAIT_SEC 1
0093 + DC 03-B5 TCIA_XPA_OFF
0094 C. çç [HK1_XMOD_ON/OFF] EQ OFF
0095 C. çç [HK1_XPA_ON/OFF] EQ OFF
```

```
0096 C.
0097 C.
0098 C.
0099 C. ***** XRT START *****
0100 C.
0101 +. DC 07-F0 MDP_XRT_CTRL_MANU
0102 BC (c1)
0103 +. DC 07-F0 MDP_XRT_CTRL_MANU
0104 BC (c1)
0105 + DC 07-F0 MDP_XRT_MODE_STBY
0106 BC (c3)
0107 . C. ----- Success Verify ? OK / NG ____
0108 C.
0109 C. XRT Obs. Table Upload
0110 . S. RAM ram-291:MDP_OBS_X
0111 ()
0112 C.
0113 +. DC 07-F0 MDP_DUMP_XRTTBL
0114 BC (84 07 00 00 00 3a d4)
0115 . C. ----- Comparison Check ? OK / ERR ____
0116 C.
0117 C.
0118 +. DC 07-F0 MDP_XRT_ROI_SET
0119 BC (cd 01 b1 b1 04 04)
0120 + DC 07-F0 MDP_XRT_ROI_SET
0121 BC (cd 02 b1 b1 08 08)
0122 + DC 07-F0 MDP_XRT_ROI_SET
0123 BC (cd 03 b1 b1 08 08)
0124 + DC 07-F0 MDP_XRT_ROI_SET
0125 BC (cd 04 b1 b1 06 06)
0126 + DC 07-F0 MDP_XRT_ROI_SET
0127 BC (cd 06 85 83 06 06)
0128 + DC 07-F0 MDP_XRT_ROI_SET
0129 BC (cd 07 80 80 20 20)
0130 + DC 07-F0 MDP_XRT_ROI_SET
0131 BC (cd 08 80 80 20 08)
0132 + DC 07-F0 MDP_XRT_ROI_SET
0133 BC (cd 09 80 80 08 20)
0134 + DC 07-F0 MDP_XRT_ROI_SET
0135 BC (cd 0a 80 80 08 08)
0136 + DC 07-F0 MDP_XRT_ROI_SET
0137 BC (cd 0f 80 80 06 06)
0138 + DC 07-F0 MDP_XRT_ROI_SET
0139 BC (cd 10 80 80 08 08)
0140 + DC 07-F0 MDP_XRT_FLD_ENA
0141 BC (d8)
0142 + DC 07-F0 MDP_XRT_FLRCTRL_ENA
0143 BC (c8)
0144 + DC 07-F0 MDP_XRT_ARS_DIS
0145 BC (d5)
0146 + DC 07-F0 MDP_XRT_AEC_RESET
0147 BC (d0)
0148 + DC 07-F0 MDP_XRT_FLD_RESET
0149 BC (da)
0150 +. DC 07-F0 MDP_XRT_QT_PROG_SET
0151 BC (c4 0c)
0152 +. DC 07-F0 MDP_XRT_FL_PROG_SET
0153 BC (c5 0e)
0154 . C. ----- Success Verify ? OK / NG ____
0155 C.
0156 C.
0157 . C. All OK? Yes--> Please Proceed. / No --> Stop here.
0158 C.
0159 +. DC 07-F0 MDP_XRT_MODE_OBSV
0160 BC (c2)
0161 +. TI 2024-09-28 11:00:02.0
0162 DC 07-F0 MDP_XRT_MODE_OBSV
0163 BC (c2)
0164 . C. ----- Success Verify ? OK / NG ____
0165 C.
0166 C. ***** XRT END *****
0167 C.
0168 . C. ***** MDP 'ûÃÎ±Í»ö¼Ý±ÊÄÐ±¹±èDCBC•x²è *****
0169 C. (¾å°îÿÓŸÁŸÈŸÐŸÈŸÁŸŸÿè±È½¼±¼Á»Û¹±è)
0170 . S. DC-BC dcbc-402:DCBC
0171 (MDP_known_event)
0172 C.
0173 C.
0174 . C. ***** ¥ÐŸ¹•İ Daily±zİÑ±È´Ø±¹±èDCBC•x²è *****
0175 . S. DC-BC dcbc-153:DCBC
0176 (SPECIAL-CMD_DAILY_OPERATIN_DCB)
0177 C.
0178 C.
0179 . C. ;ãLOSŸÁŸ$ŸÃŸ~¼Á»Û;ä
0180 C.
0181 . C. ***** LOS *****
0182 C.
```

*** OP Sequence for XRT ***

2024/09/28	11:10:54.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	11:10:56.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	11:10:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]							
		XRT_FOCUS_POSITION	4	07-F8	22	fe	97	00	
2024/09/28	11:11:00.0	AOCs_OrE-point_Start_1_OG [0x097]							
		AOCU_NM	5	02-76	01	03	ce	01	f3
2024/09/28	11:11:00.5	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	11:11:02.5	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	11:11:04.5	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2024/09/28	11:11:06.5	XRT_PREFLR_STRT_417_OG [0x1a1]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2024/09/28	11:11:18.0	XRT_FLD_ENA_411_OG [0x19b]							
		MDP_XRT_FLD_ENA	1	07-F0	d8				
2024/09/28	11:11:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]							
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8				
2024/09/28	11:11:22.0	XRT_AEC_RESET_448_OG [0x1c0]							
		MDP_XRT_AEC_RESET	1	07-F0	d0				
2024/09/28	11:11:24.0	XRT_ARS_DIS_423_OG [0x1a7]							
		MDP_XRT_ARS_DIS	1	07-F0	d5				
2024/09/28	11:11:26.0	XRT_FLD_RESET_434_OG [0x1b2]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2024/09/28	11:13:56.0	XRT_OT_PROG_SET_443_OG [0x1bb]							
		MDP_XRT_OT_PROG_SET	2	07-F0	c4	09			
2024/09/28	11:13:58.0	XRT_FL_PROG_SET_439_OG [0x1b7]							
		MDP_XRT_FL_PROG_SET	2	07-F0	c5	0e			
2024/09/28	11:14:14.5	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2024/09/28	11:23:00.0	XRT_Custom_430_OG [0x1ae]							
2024/09/28	11:24:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2024/09/28	16:33:00.0	XRT_CTRL_MANU_400_OG [0x190]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	16:33:02.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	16:33:04.0	XRT_FLD_RESET_415_OG [0x19f]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2024/09/28	16:33:06.0	XRT_PREFLR_STRT_417_OG [0x1a1]							
		MDP_XRT_PREFLR_STRT	1	07-F0	e8				
2024/09/28	16:36:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]							
		MDP_XRT_PREFLR_STOP	1	07-F0	e9				
2024/09/28	16:56:30.0	XRT_Custom_430_OG [0x1ae]							
2024/09/28	16:57:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2024/09/28	17:44:54.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	17:44:56.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	17:44:58.0	XRT_FOCUS_POSITION_406_OG [0x196]							
		XRT_FOCUS_POSITION	4	07-F8	22	ff	aa	00	
2024/09/28	17:45:00.0	AOCs_OrE-point_Start_2_OG [0x098]							
		AOCU_NM	5	02-76	00	00	00	00	00
2024/09/28	17:45:18.0	XRT_FLD_DIS_409_OG [0x199]							
		MDP_XRT_FLD_DIS	1	07-F0	d9				
2024/09/28	17:45:20.0	XRT_FLRCTRL_DIS_413_OG [0x19d]							
		MDP_XRT_FLRCTRL_DIS	1	07-F0	c9				
2024/09/28	17:45:22.0	XRT_ARS_DIS_435_OG [0x1b3]							
		MDP_XRT_ARS_DIS	1	07-F0	d5				
2024/09/28	17:47:58.0	XRT_OT_PROG_SET_442_OG [0x1ba]							
		MDP_XRT_OT_PROG_SET	2	07-F0	c4	0a			
2024/09/28	17:48:00.0	XRT_CTRL_AUTO_408_OG [0x198]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2024/09/28	17:54:54.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	17:54:56.0	XRT_CTRL_MANU_402_OG [0x192]							
		MDP_XRT_CTRL_MANU	1	07-F0	c1				
2024/09/28	17:54:58.0	XRT_FOCUS_POSITION_410_OG [0x19a]							
		XRT_FOCUS_POSITION	4	07-F8	22	fe	97	00	
2024/09/28	17:55:00.0	AOCs_OrE-point_Start_1_OG [0x097]							
		AOCU_NM	5	02-76	01	03	ce	01	f3
2024/09/28	17:55:18.0	XRT_FLD_ENA_411_OG [0x19b]							
		MDP_XRT_FLD_ENA	1	07-F0	d8				
2024/09/28	17:55:20.0	XRT_FLRCTRL_ENA_412_OG [0x19c]							
		MDP_XRT_FLRCTRL_ENA	1	07-F0	c8				
2024/09/28	17:55:22.0	XRT_AEC_RESET_448_OG [0x1c0]							
		MDP_XRT_AEC_RESET	1	07-F0	d0				
2024/09/28	17:55:24.0	XRT_ARS_DIS_423_OG [0x1a7]							
		MDP_XRT_ARS_DIS	1	07-F0	d5				
2024/09/28	17:55:26.0	XRT_FLD_RESET_434_OG [0x1b2]							
		MDP_XRT_FLD_RESET	1	07-F0	da				
2024/09/28	17:57:56.0	XRT_OT_PROG_SET_405_OG [0x195]							
		MDP_XRT_OT_PROG_SET	2	07-F0	c4	01			
2024/09/28	17:57:58.0	XRT_FL_PROG_SET_439_OG [0x1b7]							
		MDP_XRT_FL_PROG_SET	2	07-F0	c5	0e			
2024/09/28	17:58:00.0	XRT_CTRL_AUTO_408_OG [0x198]							
		MDP_XRT_CTRL_AUTO	1	07-F0	c0				
2024/09/28	18:09:00.0	XRT_CTRL_MANU_400_OG [0x190]							

2024/09/28	18:09:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	18:09:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	18:09:06.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_FLD_RESET	1	07-F0	da
2024/09/28	18:12:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e8
2024/09/28	18:33:00.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2024/09/28	18:34:00.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2024/09/28	19:46:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	19:46:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	19:46:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	19:46:06.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_FLD_RESET	1	07-F0	da
2024/09/28	19:49:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e8
2024/09/28	20:09:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2024/09/28	20:10:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2024/09/28	21:23:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	21:23:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	21:23:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	21:23:06.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_FLD_RESET	1	07-F0	da
2024/09/28	21:26:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e8
2024/09/28	21:46:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2024/09/28	21:47:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2024/09/28	23:00:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	23:00:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	23:00:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/28	23:00:06.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_FLD_RESET	1	07-F0	da
2024/09/28	23:03:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e8
2024/09/28	23:22:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2024/09/28	23:23:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2024/09/29	00:37:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	00:37:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	00:37:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	00:37:36.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_FLD_RESET	1	07-F0	da
2024/09/29	00:40:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e8
2024/09/29	00:49:00.5	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2024/09/29	00:50:00.5	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2024/09/29	02:04:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	02:04:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	02:04:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	02:04:36.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_FLD_RESET	1	07-F0	da
2024/09/29	02:07:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e8
2024/09/29	02:20:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2024/09/29	02:21:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2024/09/29	03:36:00.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	03:36:02.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	03:36:04.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	03:36:06.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_FLD_RESET	1	07-F0	da
2024/09/29	03:39:14.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e8
2024/09/29	03:56:30.0	XRT_Custom_430_OG [0x1ae]	MDP_XRT_PREFLR_STOP	1	07-F0	e9
2024/09/29	03:57:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0
2024/09/29	03:59:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1
2024/09/29	03:59:56.0	XRT_FOCUS_POSITION_406_OG [0x196]	MDP_XRT_CTRL_MANU	1	07-F0	c1

2024/09/29	04:00:00.0	AOCS_ORe-point_Start_2_OG [0x098]	XRT_FOCUS_POSITION	4	07-F8	22	ff	aa	00
		AOCU_NM		5	02-76	00	00	00	00
2024/09/29	04:00:16.0	XRT_FLD_ENA_411_OG [0x19b]	MDP_XRT_FLD_ENA	1	07-F0	d8			
2024/09/29	04:00:18.0	XRT_FLRCTRL_ENA_412_OG [0x19c]	MDP_XRT_FLRCTRL_ENA	1	07-F0	c8			
2024/09/29	04:00:20.0	XRT_AEC_RESET_448_OG [0x1c0]	MDP_XRT_AEC_RESET	1	07-F0	d0			
2024/09/29	04:00:22.0	XRT_ARS_DIS_423_OG [0x1a7]	MDP_XRT_ARS_DIS	1	07-F0	d5			
2024/09/29	04:00:24.0	XRT_FLD_RESET_428_OG [0x1ac]	MDP_XRT_FLD_RESET	1	07-F0	da			
2024/09/29	04:02:56.0	XRT_QT_PROG_SET_440_OG [0x1b8]	MDP_XRT_QT_PROG_SET	2	07-F0	c4	0d		
2024/09/29	04:02:58.0	XRT_FL_PROG_SET_439_OG [0x1b7]	MDP_XRT_FL_PROG_SET	2	07-F0	c5	0e		
2024/09/29	04:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2024/09/29	05:04:30.0	XRT_CTRL_MANU_400_OG [0x190]	MDP_XRT_CTRL_MANU	1	07-F0	c1			
2024/09/29	05:04:32.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1			
2024/09/29	05:04:34.0	XRT_FLD_RESET_415_OG [0x19f]	MDP_XRT_FLD_RESET	1	07-F0	da			
2024/09/29	05:04:36.0	XRT_PREFLR_STRT_417_OG [0x1a1]	MDP_XRT_PREFLR_STRT	1	07-F0	e8			
2024/09/29	05:07:44.0	XRT_PREFLR_STOP_419_OG [0x1a3]	MDP_XRT_PREFLR_STOP	1	07-F0	e9			
2024/09/29	05:33:30.0	XRT_Custom_430_OG [0x1ae]							
2024/09/29	05:34:30.0	XRT_CTRL_AUTO_424_OG [0x1a8]	MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2024/09/29	05:59:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1			
2024/09/29	05:59:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1			
2024/09/29	05:59:58.0	XRT_FOCUS_POSITION_406_OG [0x196]	XRT_FOCUS_POSITION	4	07-F8	22	ff	aa	00
2024/09/29	06:00:18.0	XRT_FLD_DIS_409_OG [0x199]	MDP_XRT_FLD_DIS	1	07-F0	d9			
2024/09/29	06:00:20.0	XRT_FLRCTRL_DIS_413_OG [0x19d]	MDP_XRT_FLRCTRL_DIS	1	07-F0	c9			
2024/09/29	06:00:22.0	XRT_ARS_DIS_435_OG [0x1b3]	MDP_XRT_ARS_DIS	1	07-F0	d5			
2024/09/29	06:02:58.0	XRT_QT_PROG_SET_401_OG [0x191]	MDP_XRT_QT_PROG_SET	2	07-F0	c4	06		
2024/09/29	06:03:00.0	XRT_CTRL_AUTO_408_OG [0x198]	MDP_XRT_CTRL_AUTO	1	07-F0	c0			
2024/09/29	06:09:54.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1			
2024/09/29	06:09:56.0	XRT_CTRL_MANU_402_OG [0x192]	MDP_XRT_CTRL_MANU	1	07-F0	c1			
2024/09/29	06:10:00.0	AOCS_ORe-point_Start_3_OG [0x099]	AOCU_NM	5	02-76	04	03	ce	01
2024/09/29	06:11:30.0	XRT_TCIB_XRT_S_HTR_A_ENA_425_OG [0x1a9]	TCIB_XRT_S_HTR_A_ENA	0	04-BC				
2024/09/29	18:00:00.0	AOCS_ORe-point_Start_2_OG [0x098]	AOCU_NM	5	02-76	00	00	00	00
2024/09/29	18:10:00.0	AOCS_ORe-point_Start_3_OG [0x099]	AOCU_NM	5	02-76	04	03	ce	01
2024/09/30	18:02:00.0	AOCS_ORe-point_Start_2_OG [0x098]	AOCU_NM	5	02-76	00	00	00	00
2024/09/30	18:12:00.0	AOCS_ORe-point_Start_3_OG [0x099]	AOCU_NM	5	02-76	04	03	ce	01
2024/09/30	22:00:00.0	AOCS_ORe-point_Start_3_OG [0x099]	AOCU_NM	5	02-76	04	03	ce	01
2024/10/01	01:45:00.0	AOCS_ORe-point_Start_3_OG [0x099]	AOCU_NM	5	02-76	04	03	ce	01
2024/10/01	11:13:00.0	AOCS_ORe-point_Start_2_OG [0x098]	AOCU_NM	5	02-76	00	00	00	00