

Period: 2007/12/01 10:10:00 - 2007/12/04 09:52:00

✱ ✱ ✱ ✱ ✱

XOB #143C: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/16384) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/32768)															
Term		Pointing (x, y)				Comment									
12/01 11:09:00 - 12/01 11:16:54		Fixed (0.0, 0.0)				synoptic, shifted 47.0 min									
12/02 00:02:00 - 12/02 00:09:54		Fixed (0.0, 0.0)				synoptic									
12/02 10:08:30 - 12/02 10:16:24		Fixed (0.0, 0.0)				synoptic, shifted -13.5 min									
12/03 00:08:30 - 12/03 00:16:24		Fixed (0.0, 0.0)				synoptic, shifted 6.5 min									
PROG= 11 1-time(s)															
└ Subr= 1 1-time(s) 2.0sec															
└ Seqn= 80 1-time(s) 2.0sec															
└ Open/Al-mesh		Open/Ti-poly		close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	0.5sec
└ Open/Al-mesh		Open/Ti-poly		close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec
└ Seqn= 85 1-time(s) 2.0sec															
└ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	0.5sec
└ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec
└ Seqn= 23 1-time(s) 2.0sec															
└ Open/Ti-poly		Open/Ti-poly		close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec
└ Seqn=100 1-time(s) 2.0sec															
└ Open/G-band		Open/G-band		open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec
└ Seqn= 54 1-time(s) 2.0sec															
└ Al-poly/Open		Al-poly/Open		close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec
└ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec
└ Seqn= 4 1-time(s) 2.0sec															
└ thin-Be/Open		med-Be/Open		close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec
└ thin-Be/Open		med-Be/Open		close	Safe	Norm	32.0s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #1468: AR DEM multi-filter program (version II) - G-band context + 90s cadence C/poly														
Term		Pointing (x, y)				Comment								
12/01 11:19:00 - 12/01 15:46:54		Track (-512.6, -148.1) @ 12/01 11:17:00				# Track EFR								
12/01 15:59:00 - 12/01 23:59:54		Track (-475.1, -148.1) @ 12/01 15:57:00				# HOP 35 (officially until 20:00), track EFR.								
12/02 00:12:00 - 12/02 05:59:54		Track (-406.8, -148.0) @ 12/02 00:10:00				# Cont.								
12/02 06:12:00 - 12/02 10:06:24		Track (-355.2, -147.8) @ 12/02 06:10:00				# EIS- and SOT-requested study of TR response to mottles/fibrils in EFR/AR.								
PROG= 14 Inf.-time(s)														
Subr= 2		1-time(s)		2.0sec										
└─ Seqn= 20		1-time(s)		2.0sec										
		Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	512x512 (1024, 1024)	52%	0	0	2.0sec
Subr= 1		6-time(s)		2.0sec										
└─ Seqn= 21		6-time(s)		90.0sec										
		C-poly/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
└─ Seqn= 71		1-time(s)		15.0sec										
		C-poly/Open	C-poly/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
		C-poly/Open	C-poly/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└─ Seqn= 25		1-time(s)		30.0sec										
		med-Be/Open	Open/thick-Be	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
└─ Seqn= 76		1-time(s)		40.0sec										
		thin-Be/Open	med-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	2.0sec
		thin-Be/Open	med-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└─ Seqn= 57		1-time(s)		25.0sec										
		Al-poly/Open	med-Al/Open	close	Safe	Norm	250ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
		Al-poly/Open	med-Al/Open	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	0.5sec
		Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
		Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└─ Seqn= 60		1-time(s)		25.0sec										
		Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
		Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└─ Seqn= 44		1-time(s)		2.0sec										

Open/thick-Al	Open/thick-Al	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #143B: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/16384) + Dark cal (8192) + Al/poly(512/11571) + C/poly (1024/16384ms)

Term	Pointing (x, y)	Comment
12/01 15:49:00 - 12/01 15:56:54	Fixed (0.0, 0.0)	* Synoptic, shifted manually
12/02 06:02:00 - 12/02 06:09:54	Fixed (0.0, 0.0)	synoptic
12/02 15:37:00 - 12/02 15:44:54	Fixed (0.0, 0.0)	* Synoptic, shifted manually

PROG= 17 1-time(s)												
└ Subr= 1 1-time(s) 2.0sec												
└ Seqn= 80 1-time(s) 2.0sec												
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└ Seqn= 85 1-time(s) 2.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└ Seqn= 23 1-time(s) 2.0sec												
Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└ Seqn=100 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└ Seqn= 54 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└ Seqn= 58 1-time(s) 2.0sec												
C-poly/Open	C-poly/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
C-poly/Open	thin-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1476: AR DEM multi-filter program (version II) - G-band context + 2min cadence C/poly

Term	Pointing (x, y)	Comment
12/02 10:18:30 - 12/02 15:34:54	Track (-319.2, -147.7) @ 12/02 10:16:30	# Track EFR
12/02 15:47:00 - 12/03 00:06:24	Track (-270.4, -147.4) @ 12/02 15:45:00	# HOP 35, EFR (officially until 20:00 UT)
12/03 00:18:30 - 12/03 11:01:54	Track (-192.9, -146.9) @ 12/03 00:16:30	# HOP 15 (officially from 1 UT), helioseismology (synoptic at 05:34 UT canceled by agreement)

PROG= 19 Inf.-time(s)												
└ Subr= 2 1-time(s) 2.0sec												
└ Seqn= 20 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	512x512 (1024, 1024)	52%	0	0	2.0sec
└ Subr= 1 6-time(s) 2.0sec												
└ Seqn= 21 6-time(s) 120.0sec												
C-poly/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
└ Seqn= 71 1-time(s) 15.0sec												
C-poly/Open	C-poly/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
C-poly/Open	C-poly/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└ Seqn= 25 1-time(s) 30.0sec												
med-Be/Open	Open/thick-Be	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
└ Seqn= 76 1-time(s) 40.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└ Seqn= 57 1-time(s) 25.0sec												
Al-poly/Open	med-Al/Open	close	Safe	Norm	250ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
Al-poly/Open	med-Al/Open	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	0.5sec
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└ Seqn= 60 1-time(s) 25.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└ Seqn= 44 1-time(s) 2.0sec												
Open/thick-Al	Open/thick-Al	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair

Term	Pointing (x, y)	Comment
12/03 11:04:00 - 12/04 09:52:00	Fixed (0.0, 0.0)	Backup plan

PROG= 02 Inf.-time(s)												
└ Subr= 1 1-time(s) 2.0sec												
└ Seqn= 8 3-time(s) 1200.0sec												
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	177ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└ Seqn= 10 1-time(s) 2.0sec												
Open/Al-mesh	Open/G-band	close	Safe	Dark	1ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol											
Term		Pointing (x, y)					Comment				
12/01 11:18:54 - 12/01 15:48:58		Track (-512.6, -148.1) @ 12/01 11:17:00					# Track EFR				
12/01 15:58:54 - 12/02 00:01:58		Track (-475.1, -148.1) @ 12/01 15:57:00					# HOP 35 (officially until 20:00), track EFR.				
12/02 00:11:54 - 12/02 06:01:58		Track (-406.8, -148.0) @ 12/02 00:10:00					# Cont.				
12/02 06:11:54 - 12/02 10:08:28		Track (-355.2, -147.8) @ 12/02 06:10:00					# EIS- and SOT-requested study of TR response to mottles/fibrils in EFR/AR.				
12/02 10:18:24 - 12/02 15:36:58		Track (-319.2, -147.7) @ 12/02 10:16:30					# Track EFR				
12/02 15:46:54 - 12/03 00:08:28		Track (-270.4, -147.4) @ 12/02 15:45:00					# HOP 35, EFR (officially until 20:00 UT)				
12/03 00:18:24 - 12/04 09:52:00		Track (-192.9, -146.9) @ 12/03 00:16:30					# HOP 15 (officially from 1 UT), helioseismology (synoptic at 05:34 UT canceled by agreement)				
Open/Ti-poly		Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	52%		20.00min
Default Filter		Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp. AEC Buffer Interval


* * * * *

Flare Detection


* * * * *

NOT USED


exported #20071201001 2007/12/01




exported #20071201001 2007/12/01



exported #20071201001 2007/12/02



exported #20071201001 2007/12/04



exported #20071201001 2007/12/04

