

XRT Timeline to be uploaded on 2008/04/05

Period: 2008/04/05 11:44:00 - 2008/04/10 11:34:00

* * * * *

Normal mode

* * * * *

XOB #1519: AR - Al/poly + Thin-Be - 60s cad - 1x1 512FOV AEC1 -- context + align (45min cad)-twice													
Term	Pointing (x, y)							Comment					
04/05 11:56:02 - 04/05 18:44:54	Fixed (929.0, -93.0)							# OP start + 10min, observe AR 10988 at W limb.					
PROG= 09 3-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 57 30-time(s) 60.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) 30% 1 0 2.0sec													
└─ thin-Be/Open med-Be/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) 30% 1 0 2.0sec													
└─ Subr= 2 1-time(s) 900.0sec													
└─ Seqn= 65 1-time(s) 4.0sec													
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 512x512 (1024, 1024) 30% 0 0 2.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)													
Term	Pointing (x, y)							Comment					
04/05 18:47:00 - 04/05 18:55:54	Fixed (0.0, 0.0)							* Synoptic, shifted manually.					
04/06 18:02:00 - 04/07 05:29:54	Fixed (0.0, 0.0)							synoptic					
04/07 18:22:30 - 04/08 06:05:54	Fixed (0.0, 0.0)							synoptic, shifted 20.5 min					
PROG= 20 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 42 1-time(s) 2.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 26 1-time(s) 2.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 8 1-time(s) 2.0sec													
└─ Open/Ti-poly Open/thick-Al close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 46 1-time(s) 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14CD: CCD Monitor During Bakeout - G-Band - Bottom Half(one loop) - 1kx1k - 1													
Term	Pointing (x, y)							Comment					
04/05 18:57:40 - 04/05 19:05:54	Fixed (528.4, 528.4)							Dither pointing 1 of 4					
PROG= 15 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 21 1-time(s) 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 1024x1024 (512, 512) DPCM 0 0 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 1024x1024 (512, 512) DPCM 0 0 2.0sec													
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 1024x1024 (512, 512) DPCM 0 0 2.0sec													
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 1024x1024 (512, 512) DPCM 0 0 2.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14D2: CCD Monitor During Bakeout - G-Band - Bottom Half(one loop) - 1kx1k - 2													
Term	Pointing (x, y)							Comment					
04/05 19:07:40 - 04/05 19:15:54	Fixed (-528.4, 528.4)							Dither pointing 2 of 4.					
PROG= 17 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 39 1-time(s) 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 2.0sec													
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 2.0sec													
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 2.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14D3: CCD Monitor During Bakeout - G-Band - Top Half(one loop) - 1kx1k - 3													
Term	Pointing (x, y)							Comment					
04/05 19:17:40 - 04/05 19:25:54	Fixed (-528.4, -528.4)							Dither pointing 3 of 4.					
PROG= 02 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 92 1-time(s) 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 2.0sec													
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 2.0sec													
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 2.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14D4: CCD Monitor During Bakeout - G-Band - Top Half(one loop) - 1kx1k - 4													
Term	Pointing (x, y)		Comment										
04/05 19:27:40 - 04/05 19:34:54	Fixed (528.4, -528.4)		Dither pointing 4 of 4.										
PROG= 03 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 41 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	2.0sec
	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1506: QS-CH AL/Poly Q90 512x512 (3hours)													
Term	Pointing (x, y)		Comment										
04/05 19:35:24 - 04/05 22:34:00	Track (536.6, -291.0) @ 04/05 19:35:00		* WHI low-latitude CH obs (Miralles/DeForest).										
04/06 12:35:24 - 04/06 17:18:00	Track (642.4, -301.6) @ 04/06 12:35:00		* WHI, track low-lat CH (Miralles/DeForest) study.										
04/07 13:06:24 - 04/07 17:56:00	Track (765.1, -319.5) @ 04/07 13:06:00		* WHI, track low-lat CH (Miralles/DeForest) study.										
PROG= 04 1-time(s)													
└─ Subr= 1 3-time(s) 60.0sec													
└─ Seqn= 19 60-time(s) 60.0sec													
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	30%	3	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1517: Multi-filter - 1x1 + 2x2 - 512FOV - AEC1 Q90													
Term	Pointing (x, y)		Comment										
04/05 22:37:02 - 04/06 05:18:30	Fixed (929.0, -93.0)		* AR 10988, fixed pointing at W limb.										
PROG= 14 Inf.-time(s)													
└─ Subr= 1 1-time(s) 210.0sec													
└─ Seqn= 99 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	30%	1	0	10.0sec
	C-poly/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	2x2	512x512 (1024, 1024)	30%	1	0	15.0sec
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	500ms	Obs	2x2	512x512 (1024, 1024)	30%	1	0	20.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	30%	1	0	10.0sec
	med-Al/Open	med-Al/Open	close	Safe	Norm	4.00s	Obs	2x2	512x512 (1024, 1024)	30%	1	0	15.0sec
	med-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	30%	1	0	20.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	2.00s	Obs	2x2	512x512 (1024, 1024)	30%	1	0	10.0sec
└─ Subr= 2 1-time(s) 60.0sec													
└─ Seqn= 10 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Dark	500ms	Obs	2x2	512x512 (1024, 1024)	30%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #150B: Synoptic Q90 2x2 - Al/mesh(128/512) + Dark cal(512) + Ti-poly(256/4096ms) + G-band(16)													
Term	Pointing (x, y)		Comment										
04/06 06:02:00 - 04/06 06:09:54	Fixed (0.0, 0.0)		synoptic										
04/07 05:32:00 - 04/07 13:05:54	Fixed (0.0, 0.0)		synoptic, shifted -30.0 min, and then no observations.										
04/08 06:08:00 - 04/10 11:34:00	Fixed (0.0, 0.0)		synoptic, shifted 6.0 min										
PROG= 10 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 40 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	500ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 4 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 8 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 46 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1518: AR - Al/poly + Thin-Be - 60s cad - 1x1 512FOV AEC1 -- context + align (45min cad)													
Term	Pointing (x, y)		Comment										
04/06 06:12:02 - 04/06 08:39:00	Fixed (929.0, -93.0)		# Cont.										
PROG= 13 Inf.-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 57 30-time(s) 60.0sec													
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	30%	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	30%	1	0	2.0sec
└─ Subr= 2 1-time(s) 900.0sec													
└─ Seqn= 65 1-time(s) 4.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs	2x2	512x512 (1024, 1024)	30%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


exported #20080405000 2008/04/05




exported #20080405000 2008/04/05




exported #20080405000 2008/04/06




exported #20080405000 2008/04/06




exported #20080405000 2008/04/07




exported #20080405000 2008/04/07




exported #20080405000 2008/04/08




exported #20080405000 2008/04/08




exported #20080405000 2008/04/09



exported #20080405000 2008/04/09



exported #20080405000 2008/04/10



exported #20080405000 2008/04/10

