

# XRT Timeline to be uploaded on 2007/08/25

Period: 2007/08/25 10:43:00 - 2007/08/28 09:52:00

\* \* \* \* \*

Normal mode

\* \* \* \* \*

XOB #13EC: Remove Contamination Package - Al/mesh (1s - 128x128) + contexts 512x512 - no compression												
Term	Pointing (x, y)						Comment					
08/25 10:54:40 - 08/26 01:30:00	Track (422.4, 203.1) @ 08/25 10:53:00						# OP start + 10min / HOP34 (AR10969)					
08/26 03:00:08 - 08/26 05:00:00	Track ( 0.0, -0.0) @ 08/26 02:00:00						EIS sensitivity monitoring					
08/26 06:30:08 - 08/26 18:00:00	Track ( 1.6, 311.1) @ 08/26 05:50:00						HOP34					
08/26 18:50:00 - 08/27 05:10:00	Track (160.7, 214.3) @ 08/26 17:00:00						AR10969					
08/27 07:05:08 - 08/27 10:29:54	Track (-50.3, 199.9) @ 08/27 06:25:00						HOP34 (AR10969)					
<b>PROG= 04 Inf.-time(s)</b>												
└─ Subr= 1 1-time(s) 1800.0sec												
└─ Seqn= 74 5-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 61 5-time(s) 2.0sec												
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 91 5-time(s) 2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 85 20-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13E5: CCD Monitor During Bakeout - G-Band and X-ray - improved												
Term	Pointing (x, y)						Comment					
08/26 02:01:40 - 08/26 02:20:00	Track ( 0.0, -0.0) @ 08/26 02:00:00						EIS sensitivity monitoring					
08/26 05:31:10 - 08/26 05:50:00	Fixed ( 0.0, 0.0)						synoptic, shifted -30.0 min					
08/27 06:06:40 - 08/27 06:25:00	Fixed ( 0.0, 0.0)						synoptic, shifted 5.0 min					
<b>PROG= 05 Inf.-time(s)</b>												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 45 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└─ Seqn= 46 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└─ Subr= 2 2-time(s) 540.0sec												
└─ Seqn= 42 5-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 52 5-time(s) 2.0sec												
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 36 5-time(s) 2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13E4: CCD Monitor During Bakeout - G-Band and X-ray + 4 strips Al/mesh												
Term	Pointing (x, y)						Comment					
08/27 10:31:40 - 08/28 09:52:00	Fixed ( 0.0, 0.0)						Backup plan					
<b>PROG= 07 Inf.-time(s)</b>												
└─ Subr= 1 1-time(s) 9000.0sec												
└─ Seqn= 45 1-time(s) 2.0sec												

Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
<b>Seqn= 42    5-time(s)    2.0sec</b>												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
<b>Seqn= 52    5-time(s)    2.0sec</b>												
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
<b>Seqn= 36    5-time(s)    2.0sec</b>												
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
<b>Seqn= 46    1-time(s)    2.0sec</b>												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

\* \* \* \* \*

### Flare mode

\* \* \* \* \*

NOT USED

\* \* \* \* \*

### Active Region Search

\* \* \* \* \*

NOT USED


\* \* \* \* \*

### Flare Detection


\* \* \* \* \*

NOT USED


### CMDI #0319 2007/08/25




### CMDI #0319 2007/08/25




### CMDI #0319 2007/08/26




CMDI #0319 2007/08/26




CMDI #0319 2007/08/27



CMDI #0319 2007/08/27



CMDI #0319 2007/08/28



CMDI #0319 2007/08/28

