

XRT Timeline to be uploaded on 2007/08/27

Period: 2007/08/27 10:20:00 - 2007/08/29 10:30:00

* * * * *

Normal mode

* * * * *

XOB #13EC: Remove Contamination Package - Al/mesh (1s - 128x128) + contexts 512x512 - no compression													
Term	Pointing (x, y)						Comment						
08/27 10:31:40 - 08/28 03:00:00	Track (-23.4, 198.3) @ 08/27 10:30:00						# OP start + 10min / HOP34 (AR10969)						
08/28 03:50:00 - 08/28 05:30:00	Fixed (0.0, 880.0)						Practice for polar obs						
08/28 08:12:00 - 08/28 10:01:54	Track (164.6, 197.4) @ 08/28 07:00:00						# HOP34 (AR10969 ...the same as Track#3)						
PROG= 04 Inf.-time(s)													
└─ Subr= 1 1-time(s) 1800.0sec													
└─ Seqn= 74 5-time(s) 2.0sec													
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 61 5-time(s) 2.0sec													
└─	C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─	C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 91 5-time(s) 2.0sec													
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 85 20-time(s) 2.0sec													
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #13E5: CCD Monitor During Bakeout - G-Band and X-ray - improved													
Term	Pointing (x, y)						Comment						
08/28 06:41:40 - 08/28 06:59:54	Fixed (0.0, 0.0)						synoptic, shifted +40.0 min						
PROG= 05 Inf.-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 45 1-time(s) 2.0sec													
└─	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└─	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└─	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└─	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└─ Seqn= 46 1-time(s) 2.0sec													
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└─ Subr= 2 2-time(s) 540.0sec													
└─ Seqn= 42 5-time(s) 2.0sec													
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 52 5-time(s) 2.0sec													
└─	C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─	C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 36 5-time(s) 2.0sec													
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─	Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #13E4: CCD Monitor During Bakeout - G-Band and X-ray + 4 strips Al/mesh													
Term	Pointing (x, y)						Comment						
08/28 10:03:40 - 08/29 10:30:00	Fixed (0.0, 0.0)						Backup plan						
PROG= 07 Inf.-time(s)													
└─ Subr= 1 1-time(s) 9000.0sec													
└─ Seqn= 45 1-time(s) 2.0sec													
└─	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└─	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└─	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└─	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec

Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Seqn= 42 5-time(s) 2.0sec												
Open/AI-mesh	Open/AI-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/AI-mesh	Open/AI-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 52 5-time(s) 2.0sec												
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 36 5-time(s) 2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 46 1-time(s) 2.0sec												
Open/AI-mesh	Open/AI-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/AI-mesh	Open/AI-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/AI-mesh	Open/AI-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/AI-mesh	Open/AI-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0322 2007/08/27




CMDI #0322 2007/08/27




CMDI #0322 2007/08/28



CMDI #0322 2007/08/28



CMDI #0322 2007/08/29



CMDI #0322 2007/08/29

