

XRT Timeline to be uploaded on 2007/08/28

Period: 2007/08/28 09:52:00 - 2007/08/30 10:34:00

* * * * *

Normal mode

* * * * *

XOB #13EA: Remove Contamination Package - Al/mesh (2s - 128x128) + contexts 512x512 - no compression												
Term	Pointing (x, y)	Comment										
08/28 10:03:40 - 08/29 05:00:00	Track (181.6, 191.1) @ 08/28 10:02:00	HOP 34: AR network/waves										
08/29 07:21:40 - 08/29 10:39:54	Track (360.5, 184.7) @ 08/29 06:20:00	HOP 34 : (conti.)										
PROG= 11 Inf.-time(s)												
└─ Subr= 1 1-time(s) 1800.0sec												
└─ Seqn= 74 5-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ Seqn= 61 5-time(s) 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ Seqn= 91 5-time(s) 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 4.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 2.0sec												
└─ Seqn= 48 20-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13E5: CCD Monitor During Bakeout - G-Band and X-ray - improved												
Term	Pointing (x, y)	Comment										
08/29 06:01:40 - 08/29 06:19:54	Fixed (0.0, 0.0)	synoptic										
PROG= 05 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 45 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Seqn= 46 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Subr= 2 2-time(s) 540.0sec												
└─ Seqn= 42 5-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Seqn= 52 5-time(s) 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Seqn= 36 5-time(s) 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13E4: CCD Monitor During Bakeout - G-Band and X-ray + 4 strips Al/mesh												
Term	Pointing (x, y)	Comment										
08/29 10:41:40 - 08/30 10:34:00	Fixed (0.0, 0.0)	Backup plan										
PROG= 07 Inf.-time(s)												
└─ Subr= 1 1-time(s) 9000.0sec												
└─ Seqn= 45 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												

Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Seqn= 42 5-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 52 5-time(s) 2.0sec												
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 36 5-time(s) 2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 46 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0326 2007/08/28




CMDI #0326 2007/08/28




CMDI #0326 2007/08/29



CMDI #0326 2007/08/29



CMDI #0326 2007/08/30



CMDI #0326 2007/08/30

