

XRT Timeline to be uploaded on 2007/08/30

Period: 2007/08/30 10:34:00 - 2007/09/01 10:43:00

* * * * *

Normal mode

* * * * *

XOB #13EE: CCD Monitor During Bakeout - G-Band and Five X-rays 512FOV - Al/mesh 128FOV - low cadence												
Term	Pointing (x, y)						Comment					
08/30 10:45:40 - 08/30 14:00:00	Track (152.7, 1.3) @ 08/30 10:44:00						HOP21 (network & waves) conti.					
08/30 15:55:46 - 08/31 10:46:54	Track (152.7, 1.3) @ 08/30 10:44:00						HOP21 (network & waves) conti.					
PROG= 16 Inf.-time(s)												
Subr= 2 1-time(s) 2.0sec												
Seqn= 67 1-time(s) 60.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Subr= 1 2-time(s) 2.0sec												
Seqn= 60 5-time(s) 120.0sec												
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 74 5-time(s) 120.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 38 5-time(s) 120.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 61 5-time(s) 120.0sec												
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 16 5-time(s) 120.0sec												
thin-Be/Open	thin-Be/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 76 5-time(s) 120.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 48 10-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13E5: CCD Monitor During Bakeout - G-Band and X-ray - improved												
Term	Pointing (x, y)						Comment					
08/30 14:35:33 - 08/30 14:54:00	Track (152.7, 1.3) @ 08/30 10:44:00						HOP21 (network & waves) conti.					
PROG= 05 Inf.-time(s)												
Subr= 1 1-time(s) 2.0sec												
Seqn= 45 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Seqn= 46 1-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Subr= 2 2-time(s) 540.0sec												
Seqn= 42 5-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 52 5-time(s) 2.0sec												
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 36 5-time(s) 2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13E4: CCD Monitor During Bakeout - G-Band and X-ray + 4 strips Al/mesh

Term	Pointing (x, y)	Comment
08/31 10:48:40 - 09/01 10:43:00	Fixed (0.0, 0.0)	Backup plan

PROG= 07 Inf.-time(s)

Subr= 1	1-time(s)	9000.0sec										
Seqn= 45	1-time(s)	2.0sec										
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Seqn= 42	5-time(s)	2.0sec										
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 52	5-time(s)	2.0sec										
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 36	5-time(s)	2.0sec										
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 46	1-time(s)	2.0sec										
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0331 2007/08/30




CMDI #0331 2007/08/30




CMDI #0331 2007/08/31



CMDI #0331 2007/08/31



CMDI #0331 2007/09/01



CMDI #0331 2007/09/01

