

XRT Timeline to be uploaded on 2007/09/01

Period: 2007/09/01 10:43:00 - 2007/09/04 10:57:00

* * * * *

Normal mode

* * * * *

XOB #13EE: CCD Monitor During Bakeout - G-Band and Five X-rays 512FOV - Al/mesh 128FOV - low cadence												
Term	Pointing (x, y)							Comment				
09/01 10:54:40 - 09/01 16:10:00	Track (842.6, 149.6) @ 09/01 10:53:00	AR 10969										
09/01 18:20:00 - 09/02 00:00:00	Track (0.0, 0.1) @ 09/01 17:00:00	EIS calibration 3.5 hours (sun center tracking)										
09/02 01:00:00 - 09/02 06:00:00	Fixed (0.0, 915.0)	HOP 2										
09/02 07:00:00 - 09/02 21:00:00	Track (906.3, 129.7) @ 09/02 05:30:00	AR 10969 again (near the limb)										
09/02 22:00:00 - 09/03 10:29:54	Fixed (932.6, 115.7)	AR 10969 on the limb (fixed)										
PROG= 16 Inf.-time(s)												
└─ Subr= 2 1-time(s) 2.0sec												
└─┬─ Seqn= 67 1-time(s) 60.0sec												
└─┬─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Subr= 1 2-time(s) 2.0sec												
└─┬─ Seqn= 60 5-time(s) 120.0sec												
└─┬─ Open/Ti-poly Open/Ti-poly close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Open/Ti-poly Open/Ti-poly close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Seqn= 74 5-time(s) 120.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Seqn= 38 5-time(s) 120.0sec												
└─┬─ Al-poly/Open Al-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Al-poly/Open Al-poly/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Seqn= 61 5-time(s) 120.0sec												
└─┬─ C-poly/Open C-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ C-poly/Open C-poly/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Seqn= 16 5-time(s) 120.0sec												
└─┬─ thin-Be/Open thin-Be/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ thin-Be/Open thin-Be/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Seqn= 76 5-time(s) 120.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Seqn= 48 10-time(s) 2.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 2.0sec												
└─┬─ Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #13E5: CCD Monitor During Bakeout - G-Band and X-ray - improved												
Term	Pointing (x, y)							Comment				
09/01 17:01:40 - 09/01 17:20:00	Track (0.0, 0.1) @ 09/01 17:00:00	EIS calibration 3.5 hours (sun center tracking)										
PROG= 05 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─┬─ Seqn= 45 1-time(s) 2.0sec												
└─┬─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─┬─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─┬─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─┬─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─┬─ Seqn= 46 1-time(s) 2.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─┬─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─┬─ Subr= 2 2-time(s) 540.0sec												
└─┬─ Seqn= 42 5-time(s) 2.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─┬─ Seqn= 52 5-time(s) 2.0sec												
└─┬─ C-poly/Open C-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─┬─ C-poly/Open C-poly/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─┬─ Seqn= 36 5-time(s) 2.0sec												

Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	


XOB #13E4: CCD Monitor During Bakeout - G-Band and X-ray + 4 strips Al/mesh													
Term		Pointing (x, y)				Comment							
09/03 10:31:40 - 09/04 10:57:00		Fixed (0.0, 0.0)				Backup plan							
PROG= 07 Inf.-time(s)													
└ Subr= 1 1-time(s) 9000.0sec													
└ Seqn= 45 1-time(s) 2.0sec													
└	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└ Seqn= 42 5-time(s) 2.0sec													
└	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└ Seqn= 52 5-time(s) 2.0sec													
└	C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└	C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└ Seqn= 36 5-time(s) 2.0sec													
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└ Seqn= 46 1-time(s) 2.0sec													
└	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
└	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval		

```


* * * * *           Flare mode           * * * * *
                                NOT USED
* * * * *           Active Region Search   * * * * *
                                NOT USED
* * * * *           Flare Detection       * * * * *
                                NOT USED

```


CMDI #0337 2007/09/01




CMDI #0337 2007/09/01




CMDI #0337 2007/09/02




CMDI #0337 2007/09/02




CMDI #0337 2007/09/03



CMDI #0337 2007/09/03



CMDI #0337 2007/09/04



CMDI #0337 2007/09/04

