

XRT Timeline to be uploaded on 2007/09/11

Period: 2007/09/11 09:52:00 - 2007/09/14 10:39:00

* * * * *

Normal mode

* * * * *

XOB #1402: Eclipse 20070911-1-1													
Term		Pointing (x, y)					Comment						
09/11 10:46:00 - 09/11 11:43:54		Fixed (605.0, 726.0)					# Eclipse 1 first contact						
PROG= 03 1-time(s)													
└─ Subr= 1 1-time(s) 1020.0sec													
└─ Seqn= 77 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	8.00s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	1.00s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	5.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	16.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	75.0sec
└─ Seqn= 87 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	10.0sec
	Open/Al-poly	Open/Ti-poly	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	10.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 81 3-time(s) 1080.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	16.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	30.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	8.00s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	10.0sec
	med-Al/Open	med-Al/Open	close	Safe	Norm	8.00s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	16.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	75.0sec
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 77 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	8.00s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	1.00s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	5.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	16.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	75.0sec
└─ Seqn= 87 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	10.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (768, 768)	DPCM	0	0	10.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #1403: Eclipse 20070911-1-2													
Term		Pointing (x, y)					Comment						
09/11 11:46:00 - 09/11 13:09:54		Fixed (945.0, 0.0)					# Eclipse 1 second contact						
PROG= 19 1-time(s)													
└─ Subr= 1 1-time(s) 540.0sec													
└─ Seqn= 72 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	8.00s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	1.00s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	5.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	16.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	75.0sec
└─ Seqn= 96 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	10.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	10.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 39 3-time(s) 1080.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	16.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	30.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	8.00s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	10.0sec
	med-Al/Open	med-Al/Open	close	Safe	Norm	8.00s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	16.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	75.0sec
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 72 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	8.00s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	1.00s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	5.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	16.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	75.0sec
└─ Seqn= 96 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	10.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (1280, 1024)	DPCM	0	0	10.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #13FF: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/23142)												
Term		Pointing (x, y)					Comment					
09/11 13:12:00 - 09/11 13:22:39		Fixed (0.0, 0.0)					# synoptic					
09/12 00:01:30 - 09/12 00:09:24		Fixed (0.0, 0.0)					synoptic, shifted -0.5 min					

09/12 12:02:00 - 09/12 12:09:54 Fixed (0.0, 0.0) synoptic, shifted 3.0 min
 09/12 23:50:00 - 09/12 23:57:54 Fixed (0.0, 0.0) synoptic, shifted -12.0 min

PROG= 15 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 80 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 26 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	60.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	60.0sec
└─ Seqn= 23 1-time(s) 2.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn=100 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 54 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 59 1-time(s) 2.0sec													
	thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1405: Eclipse 20070911-2

Term	Pointing (x, y)	Comment
09/11 13:24:45 - 09/11 13:59:54	Fixed (118.0, 245.0)	# Eclipse 2

PROG= 04 1-time(s)													
└─ Subr= 1 1-time(s) 540.0sec													
└─ Seqn= 94 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	8.00s	Obs	4x4	512x512 (1024, 384)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	1.00s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	5.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	16.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	75.0sec
└─ Seqn= 70 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	10.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	10.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 11 2-time(s) 540.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	16.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	30.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	8.00s	Obs	4x4	512x512 (1024, 384)	DPCM	0	0	10.0sec
	med-Al/Open	med-Al/Open	close	Safe	Norm	8.00s	Obs	4x4	512x512 (1024, 384)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	16.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	75.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	64.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	75.0sec
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 94 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	8.00s	Obs	4x4	512x512 (1024, 384)	DPCM	0	0	10.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	1.00s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	5.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	16.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	30.0sec
	Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	75.0sec
└─ Seqn= 70 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	10.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	1.00s	Obs	1x1	1536x1536 (1024, 768)	DPCM	0	0	10.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13F4: HOP-02 North Pole - Al/poly - 1024x384 + 1024x1024 -dark

Term	Pointing (x, y)	Comment
09/11 14:02:00 - 09/11 19:49:54	Fixed (0.0, 905.0)	# HOP 2
09/11 20:02:00 - 09/11 23:59:24	Fixed (0.0, 905.0)	# HOP 2
09/12 00:11:30 - 09/12 07:04:54	Fixed (0.0, 905.0)	# HOP 2
09/12 18:47:30 - 09/12 20:59:54	Fixed (0.0, 905.0)	# HOP 2
09/13 03:02:00 - 09/13 07:00:24	Fixed (0.0, 905.0)	HOP 2

PROG= 09 Inf.-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 6 15-time(s) 120.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	16.0s	Obs	1x1	1024x384 (1024, 1024)	DPCM	0	0	30.0sec
└─ Seqn= 1 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Dark	16.0s	Obs	1x1	1024x384 (1024, 1024)	DPCM	0	0	30.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 82 1-time(s) 2.0sec													
	Al-poly/Open	C-poly/Open	close	Safe	Norm	16.0s	Obs	1x1	1024x1024 (1024, 1312)	DPCM	0	0	30.0sec
└─ Seqn= 41 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Dark	16.0s	Obs	1x1	1024x1024 (1024, 1312)	DPCM	0	0	30.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1400: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + C/poly (512/8192)

Term	Pointing (x, y)	Comment
09/11 19:52:00 - 09/11 19:59:54	Fixed (0.0, 0.0)	synoptic
09/12 07:07:00 - 09/12 07:14:54	Fixed (0.0, 0.0)	synoptic, shifted 14.5 min
09/12 18:37:30 - 09/12 18:45:24	Fixed (0.0, 0.0)	synoptic, shifted 1.5 min
09/13 07:02:30 - 09/13 07:10:24	Fixed (0.0, 0.0)	synoptic, shifted -11.5 min

PROG= 12 1-time(s)

└─ Subr= 1 1-time(s) 2.0sec

- └─ Seqn= 80 1-time(s) 2.0sec
 - └─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec
 - └─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
- └─ Seqn= 26 1-time(s) 2.0sec
 - └─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 60.0sec
 - └─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 60.0sec
- └─ Seqn= 23 1-time(s) 2.0sec
 - └─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
- └─ Seqn= 100 1-time(s) 2.0sec
 - └─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
- └─ Seqn= 54 1-time(s) 2.0sec
 - └─ Al-poly/Open Al-poly/Open close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
 - └─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
- └─ Seqn= 86 1-time(s) 2.0sec
 - └─ C-poly/Open C-poly/thick-Al close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
 - └─ C-poly/Open thin-Be/Open close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec

Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #13F9: XBP Al/poly+C/poly -FOV512 -AEC -dark

Term	Pointing (x, y)	Comment
09/12 07:17:00 - 09/12 11:59:54	Track (-6.9, 0.0) ^{@ 09/12 07:15:00}	# HOP 25 (disk center)

PROG= 20 Inf.-time(s)

└─ Subr= 1 15-time(s) 60.0sec

- └─ Seqn= 55 1-time(s) 2.0sec
 - └─ Al-poly/Open Al-poly/thick-Al close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec
- └─ Seqn= 30 1-time(s) 2.0sec
 - └─ C-poly/Open thin-Be/Open close Safe Norm 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec

└─ Subr= 2 1-time(s) 2.0sec

- └─ Seqn= 98 1-time(s) 2.0sec
 - └─ C-poly/Open C-poly/Open close Safe Dark 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
- └─ Seqn= 73 1-time(s) 2.0sec
 - └─ med-Be/Open Open/thick-Be close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec

Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #13FC: HOP-25 Al/mesh -FOV384 -AEC -dark -30sec

Term	Pointing (x, y)	Comment
09/12 12:12:00 - 09/12 15:29:54	Fixed (0.0, 570.0)	# HOP 25
09/12 15:32:00 - 09/12 18:35:24	Fixed (0.0, 420.0)	# HOP 25

PROG= 17 Inf.-time(s)

└─ Subr= 1 1-time(s) 2.0sec

- └─ Seqn= 17 60-time(s) 30.0sec
 - └─ Open/Al-mesh Open/Ti-poly close Safe Norm 5.66s Obs 1x1 384x384 (1024, 1024) DPCM 1 0 2.0sec
- └─ Seqn= 12 1-time(s) 2.0sec
 - └─ Open/Al-mesh Open/Al-mesh close Safe Dark 16.0s Obs 1x1 384x384 (1024, 1024) DPCM 0 0 2.0sec

Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #13F7: HOP-25 Al/mesh -FOV512 -AEC -dark -30sec

Term	Pointing (x, y)	Comment
09/12 21:02:00 - 09/12 23:47:54	Track (-87.2, 640.1) ^{@ 09/12 21:00:00}	Filament with HIDA observatory
09/13 00:00:00 - 09/13 02:59:54	Track (-71.7, 639.9) ^{@ 09/12 23:58:00}	# Filament with HIDA observatory

PROG= 06 Inf.-time(s)

└─ Subr= 1 1-time(s) 2.0sec

- └─ Seqn= 93 60-time(s) 30.0sec
 - └─ Open/Al-mesh Open/Ti-poly close Safe Norm 5.66s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 10.0sec
- └─ Seqn= 32 1-time(s) 2.0sec
 - └─ Open/Al-mesh Open/Al-mesh close Safe Dark 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 10.0sec

Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #13FA: XBP Al/poly+C/poly+thinBe+medBe -FOV512 -AEC -dark

Term	Pointing (x, y)	Comment
09/13 07:12:30 - 09/13 10:11:54	Track (-7.6, 0.0) ^{@ 09/13 07:10:30}	# HOP 25

PROG= 14 Inf.-time(s)

└─ Subr= 1 30-time(s) 60.0sec

- └─ Seqn= 55 1-time(s) 2.0sec
 - └─ Al-poly/Open Al-poly/thick-Al close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec
- └─ Seqn= 30 1-time(s) 2.0sec
 - └─ C-poly/Open thin-Be/Open close Safe Norm 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec
- └─ Seqn= 83 1-time(s) 2.0sec
 - └─ thin-Be/Open med-Be/Open close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec

Seqn= 73	1-time(s)	2.0sec																			
med-Be/Open	Open/thick-Be	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec									
Subr= 2	1-time(s)	2.0sec																			
Seqn= 98	1-time(s)	2.0sec																			
C-poly/Open	C-poly/Open	close	Safe	Dark	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec									
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval										

XOB #137B: Synoptic - AI/mesh short (181ms) /long (4096ms) pair

Term	Pointing (x, y)	Comment
09/13 10:14:00 - 09/14 10:39:00	Fixed (0.0, 0.0)	Backup plan
PROG= 02 Inf.-time(s)		
Subr= 1	1-time(s)	2.0sec
Seqn= 8	3-time(s)	1200.0sec
Open/AI-mesh	Open/Ti-poly	close Safe Norm 177ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Open/AI-mesh	Open/Ti-poly	close Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 10	1-time(s)	2.0sec
Open/AI-mesh	Open/G-band	close Safe Dark 1ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Open/AI-mesh	Open/G-band	close Safe Dark 64.0s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol

Term	Pointing (x, y)	Comment
09/11 14:01:54 - 09/11 19:51:58	Fixed (0.0, 905.0)	# HOP 2
09/11 20:01:54 - 09/12 00:01:28	Fixed (0.0, 905.0)	# HOP 2
09/12 00:11:24 - 09/12 07:06:58	Fixed (0.0, 905.0)	# HOP 2
09/12 07:16:54 - 09/12 12:01:58	Track (-6.9, 0.0) @ 09/12 07:15:00	# HOP 25 (disk center)
09/12 12:11:54 - 09/12 18:37:28	Fixed (0.0, 570.0)	# HOP 25
09/12 18:47:24 - 09/12 23:49:58	Fixed (0.0, 905.0)	# HOP 2
09/12 23:59:54 - 09/13 07:02:28	Track (-71.7, 639.9) @ 09/12 23:58:00	# Filament with HIDA observatory
09/13 07:12:24 - 09/14 10:39:00	Track (-7.6, 0.0) @ 09/13 07:10:30	# HOP 25
Open/Ti-poly	Open/Ti-poly	close Safe Norm 2.83s Obs 2x2 52% 20.00min
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0356 2007/09/11




CMDI #0356 2007/09/11




CMDI #0356 2007/09/12




CMDI #0356 2007/09/12




CMDI #0356 2007/09/13



CMDI #0356 2007/09/13



CMDI #0356 2007/09/14



CMDI #0356 2007/09/14

