

XRT Timeline to be uploaded on 2007/09/18

Period: 2007/09/18 10:57:00 - 2007/09/20 10:34:00

* * * * *

Normal mode

* * * * *

XOB #130E: Al_poly-AEC1-512FOV-1min cad+Ti/Poly, thick-Al context												
Term	Pointing (x, y)							Comment				
09/18 11:09:00 - 09/18 12:39:54	Track (0.0, 750.0) @ 09/18 11:07:00	# OP start + 10min, HOP14										
09/19 06:12:00 - 09/19 10:39:54	Track (-14.8, 450.0) @ 09/19 06:10:00	# HOP 14, tracking										
PROG= 17 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 4 5-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 250ms Obs 1x1 512x512 (1024, 1024) DPCM 1 0 60.0sec												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 14 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 250ms Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 2 0 8.0sec												
└─ Al-poly/Ti-poly Al-poly/thick-Al close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec												
└─ Al-poly/Ti-poly Al-poly/thick-Al close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 2 0 8.0sec												
└─ Al-poly/thick-Al Al-poly/thick-Be close Safe Norm 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 8.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13FF: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/23142)												
Term	Pointing (x, y)							Comment				
09/18 12:42:00 - 09/18 12:49:54	Fixed (0.0, 0.0)	synoptic, shifted manually										
09/19 01:02:00 - 09/19 01:09:54	Fixed (0.0, 0.0)	synoptic, shifted manually										
PROG= 15 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 23 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 100 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 54 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 59 1-time(s) 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 22.6s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #140B: HOP-02 North Pole - Al/poly - 1024x384 + 1024x1024 -dark-Gband												
Term	Pointing (x, y)							Comment				
09/18 12:52:00 - 09/18 17:41:54	Fixed (0.0, 905.0)	# HOP 2, N Pole										
09/18 17:54:00 - 09/18 21:59:54	Fixed (0.0, 905.0)	# HOP 2, N Pole										
09/19 01:12:00 - 09/19 05:59:54	Fixed (0.0, 905.0)	# HOP 2, N Pole										
PROG= 10 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 6 15-time(s) 80.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Norm 16.0s Obs 1x1 1024x384 (1024, 1024) DPCM 0 0 30.0sec												
└─ Seqn= 1 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Dark 16.0s Obs 1x1 1024x384 (1024, 1024) DPCM 0 0 30.0sec												
└─ Seqn= 15 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 1024x384 (1024, 1024) 52% 0 0 2.0sec												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 82 1-time(s) 2.0sec												
└─ Al-poly/Open C-poly/Open close Safe Norm 16.0s Obs 1x1 1024x1024 (1024, 1312) DPCM 0 0 30.0sec												
└─ Seqn= 41 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Dark 16.0s Obs 1x1 1024x1024 (1024, 1312) DPCM 0 0 30.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1400: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + C/poly (512/8192)												
Term	Pointing (x, y)							Comment				
09/18 17:44:00 - 09/18 17:51:54	Fixed (0.0, 0.0)	synoptic, shifted -18.0 min										
09/19 06:02:00 - 09/19 06:09:54	Fixed (0.0, 0.0)	synoptic										
PROG= 12 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												

Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 23		1-time(s)		2.0sec								
Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn=100		1-time(s)		2.0sec								
Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 54		1-time(s)		2.0sec								
Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 86		1-time(s)		2.0sec								
C-poly/Open	C-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
C-poly/Open	thin-Be/Open	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #140D: AR C/poly, Al/poly and Al-mesh with many other filter - G-band context, 90s cadence

Term	Pointing (x, y)	Comment
09/18 22:02:00 - 09/19 00:59:54	Fixed (930.0, -50.0)	* E limb pointing with Norikura
PROG= 14 Inf.-time(s)		
Subr= 2		1-time(s) 0.5sec
Seqn= 47		1-time(s) 2.0sec
Open/G-band	Open/G-band	open Safe Norm 63ms Obs 1x1 512x512 (1024, 1024) 52% 0 0 2.0sec
Subr= 1		6-time(s) 0.5sec
Seqn= 71		15-time(s) 90.0sec
C-poly/Open	thin-Be/Open	close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec
Seqn= 78		1-time(s) 15.0sec
C-poly/Open	thin-Be/Open	close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec
C-poly/Open	thin-Be/Open	close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec
Seqn= 73		1-time(s) 30.0sec
med-Be/Open	Open/thick-Be	close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec
Seqn= 2		1-time(s) 40.0sec
thin-Be/Open	med-Be/Open	close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 2.0sec
thin-Be/Open	med-Be/Open	close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec
Seqn= 92		1-time(s) 25.0sec
Al-poly/Open	Al-poly/thick-Al	close Safe Norm 250ms Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec
Al-poly/Open	Al-poly/thick-Al	close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 2 0 0.5sec
Al-poly/Ti-poly	Al-poly/thick-Al	close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec
Al-poly/Ti-poly	Al-poly/thick-Al	close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec
Seqn= 22		1-time(s) 20.0sec
Open/Al-mesh	Open/Ti-poly	close Safe Norm 250ms Obs 1x1 512x512 (1024, 1024) DPCM 3 0 2.0sec
Open/Al-mesh	Open/Ti-poly	close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec
Seqn= 35		1-time(s) 25.0sec
Open/Ti-poly	Open/thick-Al	close Safe Norm 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec
Open/Ti-poly	Open/thick-Al	close Safe Norm 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec
Seqn= 63		1-time(s) 2.0sec
Open/thick-Al	Open/thick-Al	close Safe Norm 22.6s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 30.0sec
C-poly/thick-Al	C-poly/thick-Be	close Safe Norm 22.6s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 30.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair

Term	Pointing (x, y)	Comment
09/19 10:42:00 - 09/20 10:34:00	Fixed (0.0, 0.0)	Backup plan
PROG= 02 Inf.-time(s)		
Subr= 1		1-time(s) 2.0sec
Seqn= 8		3-time(s) 1200.0sec
Open/Al-mesh	Open/Ti-poly	close Safe Norm 177ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Open/Al-mesh	Open/Ti-poly	close Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 10		1-time(s) 2.0sec
Open/Al-mesh	Open/G-band	close Safe Dark 1ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Open/Al-mesh	Open/G-band	close Safe Dark 64.0s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol

Term	Pointing (x, y)	Comment
09/18 12:51:54 - 09/18 17:43:58	Fixed (0.0, 905.0)	# HOP 2, N Pole
09/18 17:53:54 - 09/19 01:01:58	Fixed (0.0, 905.0)	# HOP 2, N Pole
09/19 01:11:54 - 09/19 06:01:58	Fixed (0.0, 905.0)	# HOP 2, N Pole
09/19 06:11:54 - 09/20 10:34:00	Track (-14.8, 450.0) @ 09/19 06:10:00	# HOP 14, tracking
Open/Ti-poly	Open/Ti-poly	close Safe Norm 2.83s Obs 2x2 52% 20.00min
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0370 2007/09/18




CMDI #0370 2007/09/18




CMDI #0370 2007/09/19



CMDI #0370 2007/09/19



CMDI #0370 2007/09/20



CMDI #0370 2007/09/20

