

XRT Timeline to be uploaded on 2007/09/26

Period: 2007/09/26 09:57:00 - 2007/09/28 10:38:00

* * * * *

Normal mode

* * * * *

XOB #13FF: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/23142)												
Term	Pointing (x, y)						Comment					
09/26 10:09:00 - 09/26 10:26:54	Fixed (0.0, 0.0)						# OP start + 10min, synoptic shifted manually to 10:07, and HOP 14 alignment					
09/27 00:03:30 - 09/27 00:11:24	Fixed (0.0, 0.0)						synoptic, shifted 1.5 min					
PROG= 15 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 23 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn=100 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 54 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 59 1-time(s) 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 22.6s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1412: HOP-14 - Ti/poly - FOV256 - AEC1 - fast cadence - Gband alignment												
Term	Pointing (x, y)						Comment					
09/26 10:29:00 - 09/26 14:14:54	Track (0.0, 0.0) @ 09/26 10:27:00						# HOP 14					
09/27 06:12:00 - 09/27 10:43:54	Track (-19.3, -0.1) @ 09/27 06:10:00						# HOP 14					
PROG= 11 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn=100 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Subr= 2 1-time(s) 0.5sec												
└─ Seqn= 43 80-time(s) 20.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 256x256 (1024, 1024) DPCM 1 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #140F: XBP C/poly+thinBe+medBe -FOV384 -AEC -dark (no Al/poly)												
Term	Pointing (x, y)						Comment					
09/26 14:17:00 - 09/26 17:46:24	Track (287.5, 486.0) @ 09/26 14:15:00						* EIS on-disk CH study					
PROG= 13 Inf.-time(s)												
└─ Subr= 1 30-time(s) 60.0sec												
└─ Seqn= 45 1-time(s) 2.0sec												
└─ C-poly/Open thin-Be/Open close Safe Norm 11.3s Obs 1x1 384x384 (1024, 1024) DPCM 1 0 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 16.0s Obs 1x1 384x384 (1024, 1024) DPCM 1 0 2.0sec												
└─ med-Be/Open Open/thick-Be close Safe Norm 32.0s Obs 1x1 384x384 (1024, 1024) DPCM 0 0 2.0sec												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 69 1-time(s) 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Dark 8.00s Obs 1x1 384x384 (1024, 1024) DPCM 0 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1400: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + C/poly (512/8192)												
Term	Pointing (x, y)						Comment					
09/26 17:48:30 - 09/26 17:56:24	Fixed (0.0, 0.0)						synoptic, shifted -13.5 min					
09/27 06:02:00 - 09/27 06:09:54	Fixed (0.0, 0.0)						synoptic					
PROG= 12 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 23 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn=100 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 54 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 86 1-time(s) 2.0sec												

C-poly/Open	C-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
C-poly/Open	thin-Be/Open	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1411: HOP-02 West Limb - C/poly - 1024x384 + 1024x1024 -dark-Gband												
Term		Pointing (x, y)					Comment					
09/26 17:58:30 - 09/27 00:01:24		Fixed (920.0, 0.0)					# W limb, SOT equatorial fields					
PROG= 16 Inf.-time(s)												
Subr= 1 1-time(s) 2.0sec												
Seqn= 60 15-time(s) 80.0sec												
C-poly/Open C-poly/Open close Safe Norm 22.6s Obs 1x1 384x1024 (1024, 1024) DPCM 0 0 30.0sec												
Seqn= 76 1-time(s) 2.0sec												
C-poly/Open C-poly/thick-Al close Safe Dark 22.6s Obs 1x1 384x1024 (1024, 1024) DPCM 0 0 30.0sec												
Seqn= 67 1-time(s) 2.0sec												
Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 384x1024 (1024, 1024) 52% 0 0 2.0sec												
Subr= 2 1-time(s) 2.0sec												
Seqn= 74 1-time(s) 2.0sec												
C-poly/Open thin-Be/Open close Safe Norm 22.6s Obs 1x1 1024x1024 (1312, 1024) DPCM 0 0 30.0sec												
Seqn= 36 1-time(s) 2.0sec												
C-poly/Open C-poly/thick-Al close Safe Dark 22.6s Obs 1x1 1024x1024 (1312, 1024) DPCM 0 0 30.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1413: HOP-02 East Limb - C/poly - 1024x384 + 1024x1024 -dark-Gband												
Term		Pointing (x, y)					Comment					
09/27 00:13:30 - 09/27 05:59:54		Fixed (920.0, 0.0)					# E-limb QS EIS study					
PROG= 09 Inf.-time(s)												
Subr= 1 1-time(s) 2.0sec												
Seqn= 60 15-time(s) 80.0sec												
C-poly/Open C-poly/Open close Safe Norm 22.6s Obs 1x1 384x1024 (1024, 1024) DPCM 0 0 30.0sec												
Seqn= 76 1-time(s) 2.0sec												
C-poly/Open C-poly/thick-Al close Safe Dark 22.6s Obs 1x1 384x1024 (1024, 1024) DPCM 0 0 30.0sec												
Seqn= 67 1-time(s) 2.0sec												
Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 384x1024 (1024, 1024) 52% 0 0 2.0sec												
Subr= 2 1-time(s) 2.0sec												
Seqn= 57 1-time(s) 2.0sec												
C-poly/Open thin-Be/Open close Safe Norm 22.6s Obs 1x1 1024x1024 (736, 1024) DPCM 0 0 30.0sec												
Seqn= 44 1-time(s) 2.0sec												
C-poly/Open C-poly/thick-Al close Safe Dark 22.6s Obs 1x1 1024x1024 (736, 1024) DPCM 0 0 30.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair												
Term		Pointing (x, y)					Comment					
09/27 10:46:00 - 09/28 10:38:00		Fixed (0.0, 0.0)					Backup plan					
PROG= 02 Inf.-time(s)												
Subr= 1 1-time(s) 2.0sec												
Seqn= 8 3-time(s) 1200.0sec												
Open/Al-mesh Open/Ti-poly close Safe Norm 177ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Open/Al-mesh Open/Ti-poly close Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Seqn= 10 1-time(s) 2.0sec												
Open/Al-mesh Open/G-band close Safe Dark 1ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Open/Al-mesh Open/G-band close Safe Dark 64.0s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode * * * * *

NOT USED

* * * * *

Active Region Search * * * * *


ARS Patrol												
Term		Pointing (x, y)					Comment					
09/26 14:16:58 - 09/26 17:48:28		Track (287.5, 486.0) @ 09/26 14:15:00					* EIS on-disk CH study					
09/26 17:58:24 - 09/27 00:03:28		Fixed (920.0, 0.0)					# W limb, SOT equatorial fields					
09/27 00:13:24 - 09/27 06:01:58		Fixed (920.0, 0.0)					# E-limb QS EIS study					
09/27 10:45:54 - 09/28 10:38:00		Fixed (0.0, 0.0)					Backup plan					
Open/Ti-poly Open/Ti-poly close Safe Norm 2.83s Obs 2x2 52% 20.00min												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *


Flare Detection * * * * *

NOT USED


CMDI #0388 2007/09/26




CMDI #0388 2007/09/26




CMDI #0388 2007/09/27



CMDI #0388 2007/09/27



CMDI #0388 2007/09/28



CMDI #0388 2007/09/28

