

XRT Timeline to be uploaded on 2007/10/01

Period: 2007/10/01 10:52:00 - 2007/10/03 10:29:00

* * * * *

Normal mode

* * * * *

XOB #1415: XBP C/poly(AEC1)+thinBe(AEC0)+medBe(AEC0) -FOV384												
Term	Pointing (x, y)						Comment					
10/01 11:04:00 - 10/01 11:41:54	Track (412.5, -67.6) @ 10/01 11:02:00						# OP start + 10min, track AR, with HOP 14					
10/01 11:58:00 - 10/01 15:59:54	Track (419.6, -67.2) @ 10/01 11:52:00						# Track AR					
10/01 16:12:00 - 10/01 23:59:54	Track (-15.0, 0.0) @ 10/01 16:00:00						synoptic, shifted -22.5 min to 17:37:30, during EIS sensitivity mon. Also, joint with MDI high					
10/02 00:12:00 - 10/02 05:55:54	Track (519.5, -60.3) @ 10/02 00:10:00						# Track AR for rest of plan					
10/02 06:08:00 - 10/02 10:34:54	Track (565.2, -56.5) @ 10/02 06:06:00						#					
PROG= 05 Inf.-time(s)												
└─ Subr= 1 30-time(s) 60.0sec												
└─ Seqn= 45 1-time(s) 2.0sec												
└─ C-poly/Open thin-Be/Open close Safe Norm 11.3s Obs 1x1 384x384 (1024, 1024) DPCM 1 0 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 22.6s Obs 1x1 384x384 (1024, 1024) DPCM 0 0 2.0sec												
└─ med-Be/Open med-Al/Open close Safe Norm 45.2s Obs 1x1 384x384 (1024, 1024) DPCM 0 0 2.0sec												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 69 1-time(s) 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Dark 8.00s Obs 1x1 384x384 (1024, 1024) DPCM 0 0 2.0sec												
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #13FF: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/23142)

Term	Pointing (x, y)						Comment					
10/01 11:44:00 - 10/01 11:51:54	Fixed (0.0, 0.0)						synoptic, shifted 40.0 min					
10/02 00:02:00 - 10/02 00:09:54	Fixed (0.0, 0.0)						synoptic					
PROG= 15 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 23 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn=100 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 54 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 59 1-time(s) 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 22.6s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #1417: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + C/poly (1024/11571)

Term	Pointing (x, y)						Comment					
10/01 16:02:00 - 10/01 16:09:54	Track (-15.0, 0.0) @ 10/01 16:00:00						synoptic, shifted -22.5 min to 17:37:30, during EIS sensitivity mon. Also, joint with MDI high					
10/02 05:58:00 - 10/02 06:05:54	Fixed (0.0, 0.0)						synoptic, shifted -4.0 min					
PROG= 14 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 23 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn=100 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 54 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 51 1-time(s) 2.0sec												
└─ C-poly/Open C-poly/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ C-poly/Open thin-Be/Open close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair

Term	Pointing (x, y)						Comment					
10/02 10:37:00 - 10/03 10:29:00	Fixed (0.0, 0.0)						Backup plan					
PROG= 02 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												

Seqn= 8		3-time(s)		1200.0sec											
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	177ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec		
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec		
Seqn= 10		1-time(s)		2.0sec											
Open/Al-mesh	Open/G-band	close	Safe	Dark	1ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec		
Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	2048x2048 (1024, 1024)		52%	0	0	2.0sec		
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval			

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol												
Term		Pointing (x, y)				Comment						
10/01 11:57:58 - 10/01 16:01:58	Track (419.6, -67.2)	@ 10/01 11:52:00		# Track AR								
10/01 16:11:58 - 10/02 00:01:58	Track (-15.0, 0.0)	@ 10/01 16:00:00		synoptic, shifted -22.5 min to 17:37:30, during EIS sensitivity mon. Also, joint with MDI high								
10/02 00:11:58 - 10/02 05:57:58	Track (519.5, -60.3)	@ 10/02 00:10:00		# Track AR for rest of plan								
10/02 06:07:58 - 10/03 10:29:00	Track (565.2, -56.5)	@ 10/02 06:06:00		#								
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2			52%	20.00min	
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0397 2007/10/01




CMDI #0397 2007/10/01




CMDI #0397 2007/10/02



CMDI #0397 2007/10/02



CMDI #0397 2007/10/03



CMDI #0397 2007/10/03

