

XRT Timeline to be uploaded on 2007/10/09

Period: 2007/10/09 09:52:00 - 2007/10/11 10:34:00

* * * * *

Normal mode

* * * * *

XOB #1413: HOP-02 East Limb - C/poly - 1024x384 + 1024x1024 -dark-Gband												
Term	Pointing (x, y)							Comment				
10/09 10:04:00 - 10/09 10:48:24	Fixed (-945.0, 0.0)	# OP start + 10min Oslo support										
10/09 11:00:30 - 10/09 13:59:54	Fixed (-945.0, 0.0)	# Oslo support										
10/10 08:02:00 - 10/10 10:06:54	Fixed (-945.0, 0.0)	Oslo support										
PROG= 06 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 60 15-time(s) 80.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 22.6s Obs 1x1 384x1024 (1024, 1024) DPCM 0 0 30.0sec												
└─ Seqn= 76 1-time(s) 2.0sec												
└─ C-poly/Open C-poly/thick-Al close Safe Dark 22.6s Obs 1x1 384x1024 (1024, 1024) DPCM 0 0 30.0sec												
└─ Seqn= 67 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 384x1024 (1024, 1024) 52% 0 0 2.0sec												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 57 1-time(s) 2.0sec												
└─ C-poly/Open thin-Be/Open close Safe Norm 22.6s Obs 1x1 1024x1024 (736, 1024) DPCM 0 0 30.0sec												
└─ Seqn= 44 1-time(s) 2.0sec												
└─ C-poly/Open C-poly/thick-Al close Safe Dark 22.6s Obs 1x1 1024x1024 (736, 1024) DPCM 0 0 30.0sec												
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #13FF: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/23142)												
Term	Pointing (x, y)							Comment				
10/09 10:50:30 - 10/09 10:58:24	Fixed (0.0, 0.0)	synoptic, shifted 46.5 min										
10/10 02:27:00 - 10/10 02:34:54	Fixed (0.0, 0.0)	synoptic										
PROG= 15 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 23 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn=100 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 54 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 59 1-time(s) 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ thin-Be/Open med-Be/Open close Safe Norm 22.6s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #1428: AR loop C/Poly AEC2+3												
Term	Pointing (x, y)							Comment				
10/09 14:02:00 - 10/09 17:41:54	Track (621.7, -173.5) @ 10/09 14:00:00	AR 10972										
10/09 17:54:00 - 10/09 21:59:54	Track (648.6, -170.8) @ 10/09 17:52:00	# AR 10972										
10/10 02:37:00 - 10/10 05:59:54	Track (705.8, -164.3) @ 10/10 02:35:00	# AR 10972										
10/10 06:12:00 - 10/10 07:59:54	Track (727.9, -161.4) @ 10/10 06:10:00	# AR 10972										
PROG= 11 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 77 1-time(s) 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Dark 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Dark 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 72 30-time(s) 120.0sec												
└─ C-poly/Open thin-Be/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 2.0sec												
└─ C-poly/Open thin-Be/Open close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec												
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #1417: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + C/poly (1024/11571)												
Term	Pointing (x, y)							Comment				
10/09 17:44:00 - 10/09 17:51:54	Fixed (0.0, 0.0)	synoptic, shifted -18.0 min										
10/10 06:02:00 - 10/10 06:09:54	Fixed (0.0, 0.0)	synoptic										
PROG= 14 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												

Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 23		1-time(s)		2.0sec								
Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn=100		1-time(s)		2.0sec								
Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 54		1-time(s)		2.0sec								
Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 51		1-time(s)		2.0sec								
C-poly/Open	C-poly/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
C-poly/Open	thin-Be/Open	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1422: AR C/poly(AEC1)+thinBe(AEC1)-FOV512												
Term		Pointing (x, y)				Comment						
10/09 22:02:00 - 10/10 02:24:54		Track (-616.6, -221.2) @ 10/09 22:00:00				# HOP 36 with Norikura canceled for today, but track old AR in E anyway.						
PROG= 04		Inf.-time(s)										
Subr= 1		30-time(s)		60.0sec								
Seqn= 17		1-time(s)		2.0sec								
C-poly/Open	thin-Be/Open	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
Subr= 2		1-time(s)		2.0sec								
Seqn= 98		1-time(s)		2.0sec								
C-poly/Open	C-poly/Open	close	Safe	Dark	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair												
Term		Pointing (x, y)				Comment						
10/10 10:09:00 - 10/11 10:34:00		Fixed (0.0, 0.0)				Backup plan						
PROG= 02		Inf.-time(s)										
Subr= 1		1-time(s)		2.0sec								
Seqn= 8		3-time(s)		1200.0sec								
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	177ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 10		1-time(s)		2.0sec								
Open/Al-mesh	Open/G-band	close	Safe	Dark	1ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * * **Flare mode** * * * * *

NOT USED


* * * * * **Active Region Search** * * * * *

ARS Patrol												
Term		Pointing (x, y)				Comment						
10/09 11:00:28 - 10/09 17:43:58		Fixed (-945.0, 0.0)				# Oslo support						
10/09 17:53:58 - 10/10 02:26:58		Track (648.6, -170.8) @ 10/09 17:52:00				# AR 10972						
10/10 02:36:58 - 10/10 06:01:58		Track (705.8, -164.3) @ 10/10 02:35:00				# AR 10972						
10/10 06:11:58 - 10/11 10:34:00		Track (727.9, -161.4) @ 10/10 06:10:00				# AR 10972						
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2		52%			20.00min
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	


* * * * * **Flare Detection** * * * * *

NOT USED


CMDI #0417 2007/10/09




CMDI #0417 2007/10/09




CMDI #0417 2007/10/10



CMDI #0417 2007/10/10



CMDI #0417 2007/10/11



CMDI #0417 2007/10/11

