

XRT Timeline to be uploaded on 2007/12/03

Period: 2007/12/03 10:52:00 - 2007/12/05 10:29:00

* * * * *

Normal mode

* * * * *

XOB #1476: AR DEM multi-filter program (version II) - G-band context + 2min cadence C/poly													
Term	Pointing (x, y)	Comment											
12/03 11:04:00 - 12/03 11:41:54	Track (-105.7, -146.5) ^{Ⓜ 12/03 11:02:00}	# OP start + 10min, track AR, HOP 15, cont.											
12/03 11:54:00 - 12/03 17:36:54	Track (-97.9, -146.4) ^{Ⓜ 12/03 11:52:00}	# Cont., HOP 35 (officially from 16 UT until 20 UT).											
12/03 17:49:00 - 12/03 23:59:54	Track (-42.7, -146.0) ^{Ⓜ 12/03 17:47:00}	# Cont.											
12/04 00:12:00 - 12/04 05:54:54	Track (17.1, -145.4) ^{Ⓜ 12/04 00:10:00}	# Cont. tracking AR, HOP 15 heilioseismology for 24 hrs. (Synoptics will be off center, to be											
12/04 06:07:00 - 12/04 10:01:54	Track (17.1, -145.4) ^{Ⓜ 12/04 00:10:00}	# Cont. tracking AR, HOP 15 heilioseismology for 24 hrs. (Synoptics will be off center, to be											
PROG= 19 1-time(s)													
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 20 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	512x512 (1024, 1024)	52%	0	0	2.0sec
└─ Subr= 1 6-time(s) 2.0sec													
└─ Seqn= 21 6-time(s) 120.0sec													
	C-poly/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
└─ Seqn= 71 1-time(s) 15.0sec													
	C-poly/Open	C-poly/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
	C-poly/Open	C-poly/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└─ Seqn= 25 1-time(s) 30.0sec													
	med-Be/Open	Open/thick-Be	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
└─ Seqn= 76 1-time(s) 40.0sec													
	thin-Be/Open	med-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└─ Seqn= 57 1-time(s) 25.0sec													
	Al-poly/Open	med-Al/Open	close	Safe	Norm	250ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
	Al-poly/Open	med-Al/Open	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	0.5sec
	Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
	Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└─ Seqn= 60 1-time(s) 25.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
└─ Seqn= 44 1-time(s) 2.0sec													
	Open/thick-Al	Open/thick-Al	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #143C: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/16384) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/32768)

Term	Pointing (x, y)	Comment											
12/03 11:44:00 - 12/03 11:51:54	Fixed (0.0, 0.0)	synoptic, shifted 40.0 min											
12/04 00:02:00 - 12/04 00:09:54	Fixed (0.0, 0.0)	synoptic											
PROG= 11 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 80 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 85 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 23 1-time(s) 2.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 100 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 54 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 4 1-time(s) 2.0sec													
	thin-Be/Open	med-Be/Open	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	32.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #143B: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/16384) + Dark cal (8192) + Al/poly(512/11571) + C/poly (1024/16384ms)

Term	Pointing (x, y)	Comment											
12/03 17:39:00 - 12/03 17:46:54	Fixed (0.0, 0.0)	synoptic, shifted -23.0 min											
12/04 05:57:00 - 12/04 06:04:54	Track (17.1, -145.4) ^{Ⓜ 12/04 00:10:00}	# Cont. tracking AR, HOP 15 heilioseismology for 24 hrs. (Synoptics will be off center, to be											
PROG= 17 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 80 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 85 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 23 1-time(s) 2.0sec													

└─	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Seqn=100		1-time(s)		2.0sec								
└─	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Seqn= 54		1-time(s)		2.0sec								
└─	Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Seqn= 58		1-time(s)		2.0sec								
└─	C-poly/Open	C-poly/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	C-poly/Open	thin-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair													
Term		Pointing (x, y)						Comment					
12/04 10:04:00 - 12/05 10:29:00		Fixed (0.0, 0.0)						Backup plan					
PROG= 02 Inf.-time(s)													
└─	Subr= 1		1-time(s)		2.0sec								
└─	Seqn= 8		3-time(s)		1200.0sec								
└─	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	177ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Seqn= 10		1-time(s)		2.0sec								
└─	Open/Al-mesh	Open/G-band	close	Safe	Dark	1ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol													
Term		Pointing (x, y)						Comment					
12/03 11:53:54 - 12/03 17:38:58		Track (-97.9, -146.4) @ 12/03 11:52:00						# Cont., HOP 35 (officially from 16 UT until 20 UT).					
12/03 17:48:54 - 12/04 00:01:58		Track (-42.7, -146.0) @ 12/03 17:47:00						# Cont.					
12/04 00:11:54 - 12/04 05:56:58		Track (17.1, -145.4) @ 12/04 00:10:00						# Cont. tracking AR, HOP 15 heilioseismology for 24 hrs. (Synoptics will be off center, to be					
12/04 06:06:54 - 12/05 10:29:00		Track (17.1, -145.4) @ 12/04 00:10:00						# Cont. tracking AR, HOP 15 heilioseismology for 24 hrs. (Synoptics will be off center, to be					
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2		52%			20.00min
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0538 2007/12/03




CMDI #0538 2007/12/03




CMDI #0538 2007/12/04



CMDI #0538 2007/12/04



CMDI #0538 2007/12/05



CMDI #0538 2007/12/05

