

XRT Timeline to be uploaded on 2007/12/04

Period: 2007/12/04 09:52:00 - 2007/12/06 09:11:00

* * * * *

Normal mode

* * * * *

XOB #1476: AR DEM multi-filter program (version II) - G-band context + 2min cadence C/poly												
Term	Pointing (x, y)	Comment										
12/04 10:04:00 - 12/04 10:41:54	Fixed (,)											
12/04 10:54:00 - 12/04 17:59:54	Fixed (,)											
12/04 18:12:00 - 12/04 23:58:54	Fixed (,)											
12/05 00:11:00 - 12/05 06:13:54	Track (-415.2, -83.5) @ 12/05 00:09:00	# Track AR 10977										
12/05 06:26:00 - 12/05 10:38:54	Track (-361.1, -83.2) @ 12/05 06:24:00	# Cont.										
PROG= 19 Inf.-time(s)												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 20 1-time(s) 2.0sec												
Open/G-band	Open/G-band open	Safe	Norm	63ms	Obs	1x1	512x512 (1024, 1024)	52%	0	0	2.0sec	
└─ Subr= 1 6-time(s) 2.0sec												
└─ Seqn= 21 6-time(s) 120.0sec												
C-poly/Open	thin-Be/Open close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec	
└─ Seqn= 71 1-time(s) 15.0sec												
C-poly/Open	C-poly/Ti-poly close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec	
C-poly/Open	C-poly/Ti-poly close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec	
└─ Seqn= 25 1-time(s) 30.0sec												
med-Be/Open	Open/thick-Be close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec	
└─ Seqn= 76 1-time(s) 40.0sec												
thin-Be/Open	med-Be/Open close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	2.0sec	
thin-Be/Open	med-Be/Open close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec	
└─ Seqn= 57 1-time(s) 25.0sec												
Al-poly/Open	med-Al/Open close	Safe	Norm	250ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec	
Al-poly/Open	med-Al/Open close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	0.5sec	
Al-poly/Ti-poly	Al-poly/thick-Al close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec	
Al-poly/Ti-poly	Al-poly/thick-Al close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec	
└─ Seqn= 60 1-time(s) 25.0sec												
Open/Ti-poly	Open/thick-Al close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec	
Open/Ti-poly	Open/thick-Al close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec	
└─ Seqn= 44 1-time(s) 2.0sec												
Open/thick-Al	Open/thick-Al close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec	
Open/thick-Be	Open/thick-Be close	Safe	Norm	32.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec	
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #143C: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/16384) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/32768)												
Term	Pointing (x, y)	Comment										
12/04 10:44:00 - 12/04 10:51:54	Fixed (,)											
12/05 00:01:00 - 12/05 00:08:54	Fixed (0.0, 0.0)	synoptic, shifted -1.0 min										
PROG= 11 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
Open/Al-mesh	Open/Ti-poly close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec	
Open/Al-mesh	Open/Ti-poly close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
└─ Seqn= 85 1-time(s) 2.0sec												
Open/Ti-poly	Open/thick-Al close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec	
Open/Ti-poly	Open/thick-Al close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
└─ Seqn= 23 1-time(s) 2.0sec												
Open/Ti-poly	Open/Ti-poly close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
└─ Seqn= 100 1-time(s) 2.0sec												
Open/G-band	Open/G-band open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
└─ Seqn= 54 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
Al-poly/Open	Al-poly/thick-Al close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
└─ Seqn= 4 1-time(s) 2.0sec												
thin-Be/Open	med-Be/Open close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
thin-Be/Open	med-Be/Open close	Safe	Norm	32.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #143B: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/16384) + Dark cal (8192) + Al/poly(512/11571) + C/poly (1024/16384ms)												
Term	Pointing (x, y)	Comment										
12/04 18:02:00 - 12/04 18:09:54	Fixed (,)											
12/05 06:16:00 - 12/05 06:23:54	Fixed (0.0, 0.0)	synoptic, shifted 14.0 min										
PROG= 17 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 80 1-time(s) 2.0sec												
Open/Al-mesh	Open/Ti-poly close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec	
Open/Al-mesh	Open/Ti-poly close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
└─ Seqn= 85 1-time(s) 2.0sec												
Open/Ti-poly	Open/thick-Al close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec	
Open/Ti-poly	Open/thick-Al close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec	
└─ Seqn= 23 1-time(s) 2.0sec												

└─	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Seqn=100		1-time(s)		2.0sec								
└─	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Seqn= 54		1-time(s)		2.0sec								
└─	Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	Seqn= 58		1-time(s)		2.0sec								
└─	C-poly/Open	C-poly/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─	C-poly/Open	thin-Be/Open	close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair

Term	Pointing (x, y)	Comment
12/05 10:41:00 - 12/06 09:11:00	Fixed (0.0, 0.0)	Backup plan
PROG= 02 Inf.-time(s)		
└─	Subr= 1	
└─	Seqn= 8	
└─	3-time(s)	
└─	1200.0sec	
└─	Open/Al-mesh	Open/Ti-poly close Safe Norm 177ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
└─	Open/Al-mesh	Open/Ti-poly close Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
└─	Seqn= 10	
└─	1-time(s)	
└─	2.0sec	
└─	Open/Al-mesh	Open/G-band close Safe Dark 1ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
└─	Open/Al-mesh	Open/G-band close Safe Dark 64.0s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
	Default Filter	Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

Term	Pointing (x, y)	Comment
12/04 10:53:54 - 12/04 18:01:58	Fixed (,)	
12/04 18:11:54 - 12/05 00:00:58	Fixed (,)	
12/05 00:10:54 - 12/05 06:15:58	Track (-415.2, -83.5) @ 12/05 00:09:00	# Track AR 10977
12/05 06:25:54 - 12/06 09:11:00	Track (-361.1, -83.2) @ 12/05 06:24:00	# Cont.
Open/Ti-poly	Open/Ti-poly	close Safe Norm 2.83s Obs 2x2 52% 20.00min
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0540 2007/12/04




CMDI #0540 2007/12/04




CMDI #0540 2007/12/05



CMDI #0540 2007/12/05



CMDI #0540 2007/12/06



CMDI #0540 2007/12/06

