

XRT Timeline to be uploaded on 2007/12/10

Period: 2007/12/10 10:19:00 - 2007/12/12 10:29:00

* * * * *

Normal mode

* * * * *

XOB #1479: AR DEM multi-filter program (version II) - 1min30s cadence - frequent G-band + dark																									
Term	Pointing (x, y)	Comment																							
12/10 10:31:00 - 12/10 11:08:54	Track (-348.4, -136.1) ^{Ⓢ 12/10 10:29:00}	# OP start + 10min, track AR 10978 all period, except for EIS sensitivity																							
12/10 11:21:00 - 12/10 16:15:54	Track (-341.1, -136.0) ^{Ⓢ 12/10 11:19:00}	#																							
12/10 19:48:00 - 12/11 00:09:54	Track (-266.0, -135.2) ^{Ⓢ 12/10 19:46:00}	* Resume tracking AR 10978																							
12/11 05:50:30 - 12/11 09:28:54	Track (-174.5, -134.2) ^{Ⓢ 12/11 05:48:30}	#																							
PROG= 08 1-time(s)																									
└─ Subr= 2 1-time(s) 2.0sec																									
└─┬─ Seqn= 47 1-time(s) 2.0sec																									
└─┬─┬─ C-poly/Open C-poly/Open close Safe Dark 8.00s Obs 1x1 512x512 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─ Subr= 1 3-time(s) 2.0sec																									
└─┬─┬─ Seqn= 21 8-time(s) 90.0sec																									
└─┬─┬─┬─ C-poly/Open thin-Be/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec																									
└─┬─┬─┬─ Seqn= 71 1-time(s) 15.0sec																									
└─┬─┬─┬─┬─ C-poly/Open C-poly/Ti-poly close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec																									
└─┬─┬─┬─┬─ C-poly/Open C-poly/Ti-poly close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec																									
└─┬─┬─ Seqn= 25 1-time(s) 30.0sec																									
└─┬─┬─┬─ med-Be/Open Open/thick-Be close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec																									
└─┬─┬─ Seqn= 76 1-time(s) 40.0sec																									
└─┬─┬─┬─ thin-Be/Open med-Be/Open close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 2.0sec																									
└─┬─┬─┬─ thin-Be/Open med-Be/Open close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec																									
└─┬─┬─ Seqn= 57 1-time(s) 25.0sec																									
└─┬─┬─┬─ Al-poly/Open med-Al/Open close Safe Norm 250ms Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec																									
└─┬─┬─┬─ Al-poly/Open med-Al/Open close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 2 0 0.5sec																									
└─┬─┬─┬─ Al-poly/Ti-poly Al-poly/thick-Al close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec																									
└─┬─┬─┬─ Al-poly/Ti-poly Al-poly/thick-Al close Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec																									
└─┬─┬─ Seqn= 60 1-time(s) 25.0sec																									
└─┬─┬─┬─ Open/Ti-poly Open/thick-Al close Safe Norm 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec																									
└─┬─┬─┬─ Open/Ti-poly Open/thick-Al close Safe Norm 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec																									
└─┬─┬─ Seqn= 20 1-time(s) 2.0sec																									
└─┬─┬─┬─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 512x512 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─ Seqn= 44 1-time(s) 2.0sec																									
└─┬─┬─┬─ Open/thick-Al Open/thick-Al close Safe Norm 22.6s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 30.0sec																									
└─┬─┬─┬─ Open/thick-Be Open/thick-Be close Safe Norm 32.0s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 30.0sec																									
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Default Filter</td> <td style="width: 15%;">Thicker Filter</td> <td style="width: 10%;">VLS</td> <td style="width: 10%;">mode</td> <td style="width: 10%;">image</td> <td style="width: 10%;">Exp.</td> <td style="width: 10%;">CCD</td> <td style="width: 10%;">Bin</td> <td style="width: 15%;">ROI: size (center)</td> <td style="width: 10%;">Comp.</td> <td style="width: 10%;">AEC Buffer</td> <td style="width: 10%;">Interval</td> </tr> </table>														Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval														

XOB #147A: Synoptic - Al/mesh (256/4096) + G-band(64) + Ti/poly (512/8192) + Dark cal (8192) + Al/poly(256/5796) + thin-Be(723/23142)																									
Term	Pointing (x, y)	Comment																							
12/10 11:11:00 - 12/10 11:18:54	Fixed (0.0, 0.0)	synoptic, shifted 40.0 min																							
12/11 00:12:00 - 12/11 00:19:54	Fixed (0.0, 0.0)	synoptic, shifted 10.0 min																							
PROG= 05 1-time(s)																									
└─ Subr= 1 1-time(s) 2.0sec																									
└─┬─ Seqn= 78 1-time(s) 2.0sec																									
└─┬─┬─ Open/Al-mesh Open/Ti-poly close Safe Norm 250ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─ Open/Al-mesh Open/Ti-poly close Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─ Seqn= 95 1-time(s) 2.0sec																									
└─┬─┬─┬─ Open/Ti-poly Open/thick-Al close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec																									
└─┬─┬─┬─ Open/Ti-poly Open/thick-Al close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─ Seqn= 23 1-time(s) 2.0sec																									
└─┬─┬─┬─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─ Seqn= 100 1-time(s) 2.0sec																									
└─┬─┬─┬─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─ Seqn= 31 1-time(s) 2.0sec																									
└─┬─┬─┬─ Al-poly/Open Al-poly/Open close Safe Norm 250ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─┬─ Al-poly/Open Al-poly/Open close Safe Norm 5.66s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─ Seqn= 26 1-time(s) 2.0sec																									
└─┬─┬─┬─ thin-Be/Open med-Be/Open close Safe Norm 707ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
└─┬─┬─┬─ thin-Be/Open med-Be/Open close Safe Norm 22.6s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																									
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Default Filter</td> <td style="width: 15%;">Thicker Filter</td> <td style="width: 10%;">VLS</td> <td style="width: 10%;">mode</td> <td style="width: 10%;">image</td> <td style="width: 10%;">Exp.</td> <td style="width: 10%;">CCD</td> <td style="width: 10%;">Bin</td> <td style="width: 15%;">ROI: size (center)</td> <td style="width: 10%;">Comp.</td> <td style="width: 10%;">AEC Buffer</td> <td style="width: 10%;">Interval</td> </tr> </table>														Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval														

XOB #147C: Synoptic - multi-filter FW1 / FW2 with AR (1x1 thin-Be)													
Term	Pointing (x, y)	Comment											
12/10 16:22:00 - 12/10 16:42:00	Track (0.0, -0.1) ^{Ⓢ 12/10 16:16:00}	* EIS sensitivity calibration, with synoptic near 16:16:00 UT.											
PROG= 12 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─┬─ Seqn= 88 1-time(s) 90.0sec													
└─┬─┬─ Open/thick-Be Open/thick-Be close Safe Norm 64.0s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┬─┬─ Seqn= 62 1-time(s) 90.0sec													
└─┬─┬─┬─ Open/thick-Al Open/thick-Al close Safe Norm 16.0s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┬─┬─┬─ Open/thick-Al Open/thick-Al close Safe Norm 45.2s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┬─┬─ Seqn= 93 1-time(s) 90.0sec													
└─┬─┬─┬─ Open/Ti-poly Open/thick-Al close Safe Norm 125ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													

Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 22 1-time(s) 90.0sec												
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	125ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec												
Seqn= 27 1-time(s) 90.0sec												
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	1.41s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 53 1-time(s) 90.0sec												
C-poly/Ti-poly	C-poly/Ti-poly	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
C-poly/Ti-poly	C-poly/Ti-poly	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 24 1-time(s) 90.0sec												
C-poly/Open	C-poly/thick-Al	close	Safe	Norm	250ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
C-poly/Open	thin-Be/Open	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 89 1-time(s) 60.0sec												
C-poly/Open	C-poly/Open	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 26 1-time(s) 90.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	707ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 77 1-time(s) 90.0sec												
med-Be/Open	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
med-Be/Open	Open/thick-Be	close	Safe	Norm	16.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 64 1-time(s) 90.0sec												
med-Al/Open	med-Al/Open	close	Safe	Norm	5.66s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
med-Al/Open	med-Al/Open	close	Safe	Norm	45.2s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 72 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	177ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Al-poly/Open	C-poly/Open	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #146F: CCD calibration: Dark and Diffuser

Term	Pointing (x, y)	Comment
12/10 16:44:10 - 12/10 19:45:54	Track (0.0, -0.1) @ 12/10 16:16:00	* EIS sensitivity calibration, with synoptic near 16:16:00 UT.
PROG= 15 Inf.-time(s)		
Subr= 1 1-time(s) 2.0sec		
Seqn= 96 1-time(s) 2.0sec		
Open/G-band	Open/G-band open	Safe Dark 63ms Cal 1x1 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Open/G-band	Open/G-band open	Safe Norm 63ms Cal 1x1 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Open/G-band	Open/G-band close	Safe Dark 8.00s Cal 1x1 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Open/G-band	Open/G-band close	Safe Norm 8.00s Cal 1x1 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Seqn= 45 1-time(s) 2.0sec		
Al-poly/Open	Al-poly/Open close	Safe Dark 1.00s Obs 1x1 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Al-poly/Open	Al-poly/Open close	Safe Dark 32.0s Obs 1x1 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Al-poly/Open	Al-poly/Open close	Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Al-poly/Open	Al-poly/Open close	Safe Dark 32.0s Obs 2x2 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Al-poly/Open	Al-poly/Open close	Safe Dark 1.00s Obs 4x4 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Al-poly/Open	Al-poly/Open close	Safe Dark 32.0s Obs 4x4 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Al-poly/Open	Al-poly/Open close	Safe Dark 1.00s Obs 8x8 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Al-poly/Open	Al-poly/Open close	Safe Dark 32.0s Obs 8x8 2048x2048 (1024, 1024) DPCM 0 0 2.0sec
Subr= 2 20-time(s) 300.0sec		
Seqn= 13 1-time(s) 2.0sec		
Al-poly/Open	Al-poly/Open close	Safe Dark 1.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
Al-poly/Open	Al-poly/Open close	Safe Dark 32.0s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
Seqn= 32 1-time(s) 2.0sec		
Al-poly/Open	Al-poly/thick-Al close	Safe Norm 8.00s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #1478: AR DEM multi-filter program (version II) - 2min cadence - frequent G-band + dark

Term	Pointing (x, y)	Comment
12/11 00:22:00 - 12/11 05:38:24	Track (-224.7, -134.7) @ 12/11 00:20:00	# Cont.
PROG= 20 Inf.-time(s)		
Subr= 2 1-time(s) 2.0sec		
Seqn= 47 1-time(s) 2.0sec		
C-poly/Open	C-poly/Open close	Safe Dark 8.00s Obs 1x1 512x512 (1024, 1024) 52% 0 0 2.0sec
Subr= 1 3-time(s) 2.0sec		
Seqn= 21 6-time(s) 120.0sec		
C-poly/Open	thin-Be/Open close	Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec
Seqn= 71 1-time(s) 15.0sec		
C-poly/Open	C-poly/Ti-poly close	Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec
C-poly/Open	C-poly/Ti-poly close	Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec
Seqn= 25 1-time(s) 30.0sec		
med-Be/Open	Open/thick-Be close	Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec
Seqn= 76 1-time(s) 40.0sec		
thin-Be/Open	med-Be/Open close	Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 3 0 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) DPCM 2 0 2.0sec
Seqn= 57 1-time(s) 25.0sec		
Al-poly/Open	med-Al/Open close	Safe Norm 250ms Obs 1x1 512x512 (1024, 1024) DPCM 3 0 0.5sec
Al-poly/Open	med-Al/Open close	Safe Norm 500ms Obs 1x1 512x512 (1024, 1024) DPCM 2 0 0.5sec

Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
Al-poly/Ti-poly	Al-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 60			1-time(s)			25.0sec						
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	0.5sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 20			1-time(s)			2.0sec						
Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	512x512 (1024, 1024)	52%	0	0	2.0sec
Seqn= 44			1-time(s)			2.0sec						
Open/thick-Al	Open/thick-Al	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Norm	32.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	30.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #147B: Synoptic - Al/mesh (256/4096) + G-band(64) + Ti/poly (512/8192) + Dark cal (8192) + Al/poly(256/5796) + C/poly(512/8192)												
Term			Pointing (x, y)					Comment				
12/11 05:40:30 - 12/11 05:48:24			Fixed (0.0, 0.0)					synoptic, shifted -21.5 min				
PROG= 01			1-time(s)			2.0sec						
Subr= 1			1-time(s)			2.0sec						
Seqn= 78			1-time(s)			2.0sec						
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	250ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 95			1-time(s)			2.0sec						
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 23			1-time(s)			2.0sec						
Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn=100			1-time(s)			2.0sec						
Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 31			1-time(s)			2.0sec						
Al-poly/Open	Al-poly/Open	close	Safe	Norm	250ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	5.66s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 86			1-time(s)			2.0sec						
C-poly/Open	C-poly/thick-Al	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
C-poly/Open	thin-Be/Open	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair												
Term			Pointing (x, y)					Comment				
12/11 09:31:00 - 12/12 10:29:00			Fixed (0.0, 0.0)					Backup plan				
PROG= 02			Inf.-time(s)			2.0sec						
Subr= 1			1-time(s)			2.0sec						
Seqn= 8			3-time(s)			1200.0sec						
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	177ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Seqn= 10			1-time(s)			2.0sec						
Open/Al-mesh	Open/G-band	close	Safe	Dark	1ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Open/Al-mesh	Open/G-band	close	Safe	Dark	64.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode * * * * *

NOT USED

* * * * *

Active Region Search * * * * *


ARS Patrol												
Term			Pointing (x, y)					Comment				
12/10 11:20:54 - 12/11 00:11:58			Track (-341.1, -136.0) @ 12/10 11:19:00 #									
12/11 00:21:54 - 12/11 05:40:28			Track (-224.7, -134.7) @ 12/11 00:20:00 # Cont.									
12/11 05:50:24 - 12/12 10:29:00			Track (-174.5, -134.2) @ 12/11 05:48:30 #									
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2		52%			20.00min
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *


Flare Detection * * * * *

NOT USED


CMDI #0555 2007/12/10




CMDI #0555 2007/12/10




CMDI #0555 2007/12/11



CMDI #0555 2007/12/11



CMDI #0555 2007/12/12



CMDI #0555 2007/12/12

