

XRT Timeline to be uploaded on 2008/01/11

Period: 2008/01/11 10:37:00 - 2008/01/14 10:51:00

* * * * *

Normal mode

* * * * *

XOB #147A: Synoptic - Al/mesh (256/4096) + G-band(64) + Ti/poly (512/8192) + Dark cal (8192) + Al/poly(256/5796) + thin-Be(723/23142)													
Term	Pointing (x, y)			Comment									
01/11 11:04:00 - 01/11 11:11:54	Fixed (0.0, 0.0)			synoptic, shifted manually									
PROG= 05 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 78 1-time(s) 2.0sec													
└─┬─ Open/Al-mesh Open/Ti-poly close Safe Norm 250ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┴─ Open/Al-mesh Open/Ti-poly close Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 95 1-time(s) 2.0sec													
└─┬─ Open/Ti-poly Open/thick-Al close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec													
└─┴─ Open/Ti-poly Open/thick-Al close Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 23 1-time(s) 2.0sec													
└─┬─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 100 1-time(s) 2.0sec													
└─┬─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 31 1-time(s) 2.0sec													
└─┬─ Al-poly/Open Al-poly/Open close Safe Norm 250ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┴─ Al-poly/Open Al-poly/Open close Safe Norm 5.66s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 26 1-time(s) 2.0sec													
└─┬─ thin-Be/Open med-Be/Open close Safe Norm 707ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┴─ thin-Be/Open med-Be/Open close Safe Norm 22.6s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
<div style="display: flex; justify-content: space-between; font-size: small;"> Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval </div>													

XOB #14A2: AR - Ti/Poly - 15s cadence - Al/Poly + C/Poly + Thin-Be - 512FOV - Matching-EIS-FOV - HOP58													
Term	Pointing (x, y)			Comment									
01/11 11:14:02 - 01/11 23:55:54	Track (251.6, -40.7) @ 01/11 11:12:00 #												
01/12 00:08:02 - 01/12 10:19:54	Track (366.8, -42.5) @ 01/12 00:06:00 #												
PROG= 10 Inf.-time(s)													
└─ Subr= 1 3-time(s) 2.0sec													
└─ Seqn= 34 40-time(s) 15.0sec													
└─┬─ Open/Ti-poly Open/thick-Al close Safe Norm 2.00s Obs 2x2 512x512 (1056, 1000) DPCM 2 0 2.0sec													
└─┴─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.00s Obs 2x2 512x512 (1056, 1000) DPCM 2 0 2.0sec													
└─ Seqn= 27 1-time(s) 10.0sec													
└─┬─ C-poly/Open med-Be/Open close Safe Norm 1.00s Obs 2x2 512x512 (1056, 1000) DPCM 2 0 2.0sec													
└─ Seqn= 62 1-time(s) 20.0sec													
└─┬─ thin-Be/Open thin-Be/Open close Safe Norm 2.00s Obs 2x2 512x512 (1056, 1000) DPCM 2 0 2.0sec													
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 88 1-time(s) 2.0sec													
└─┬─ Open/Ti-poly Open/Ti-poly close Safe Dark 4.00s Obs 2x2 512x512 (1056, 1000) 52% 0 0 2.0sec													
└─ Subr= 3 1-time(s) 2.0sec													
└─ Seqn= 9 1-time(s) 2.0sec													
└─┬─ Open/Ti-poly Open/Ti-poly close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
<div style="display: flex; justify-content: space-between; font-size: small;"> Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval </div>													

XOB #14A5: Full Sun with AR - 2x2 - Al/mesh (128/2048) + Ti/poly (256/4096) + Dark cal (4096) + Al/poly(128/4096) + C/poly(256/4096)													
Term	Pointing (x, y)			Comment									
01/11 23:58:00 - 01/12 00:05:54	Fixed (0.0, 0.0)			synoptic, shifted -4.0 min									
PROG= 15 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 48 1-time(s) 2.0sec													
└─┬─ Open/Al-mesh Open/Al-mesh close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┴─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 38 1-time(s) 2.0sec													
└─┬─ Open/Ti-poly Open/Ti-poly close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┴─ Open/Ti-poly Open/Ti-poly close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 64 1-time(s) 2.0sec													
└─┬─ Open/Ti-poly Open/Ti-poly close Safe Dark 4.00s Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 89 1-time(s) 2.0sec													
└─┬─ Al-poly/Open Al-poly/Open close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┴─ Al-poly/Open Al-poly/Open close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─ Seqn= 16 1-time(s) 2.0sec													
└─┬─ C-poly/Open C-poly/Open close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
└─┴─ C-poly/Open C-poly/Open close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 52% 0 0 2.0sec													
<div style="display: flex; justify-content: space-between; font-size: small;"> Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval </div>													

XOB #14A3: Full Sun Movie - Ti/Poly + Al/poly + Med-Be - 4x4 - AEC123 - 8% Data Rate													
Term	Pointing (x, y)			Comment									
01/12 10:22:06 - 01/14 10:51:00	Fixed (0.0, 0.0)			Backup plan									
PROG= 03 Inf.-time(s)													
└─ Subr= 1 2-time(s) 240.0sec													

Seqn= 33 1-time(s) 2.0sec												
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	52%	3	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Seqn= 12 1-time(s) 2.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	52%	3	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2	0	2.0sec
Subr= 2 1-time(s) 180.0sec												
Seqn= 52 1-time(s) 2.0sec												
med-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	1	0	2.0sec
Seqn= 98 4-time(s) 2.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Norm	22.6s	Obs	8x8	2048x2048 (1024, 1024)	DPCM	1	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

XOB #1483: Flare response Med-Be (Thick-Al) long/short pairs - 15s + G-band

Term	Pointing (x, y)	Comment
01/11 11:14:02 - 01/11 23:55:54	Track (251.6, -40.7) @ 01/11 11:12:00	#
01/12 00:08:02 - 01/12 10:19:54	Track (366.8, -42.5) @ 01/12 00:06:00	#
01/12 10:22:06 - 01/14 10:51:00	Fixed (0.0, 0.0)	Backup plan

PROG= 06 Inf.-time(s)

Subr= 1 1-time(s) 2.0sec												
Seqn= 59 1-time(s) 2.0sec												
med-Be/Open	Open/thick-Al	close	Safe	Norm	1ms	Obs	1x1	384x384 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 63 35-time(s) 15.0sec												
med-Be/Open	Open/thick-Al	close	Safe	Norm	5ms	Obs	1x1	384x384 (1024, 1024)	DPCM	2	0	2.0sec
med-Be/Open	Open/thick-Al	close	Safe	Norm	5ms	Obs	1x1	384x384 (1024, 1024)	DPCM	3	0	2.0sec
Seqn= 35 1-time(s) 2.0sec												
Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	384x384 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Active Region Search

* * * * *

ARS Patrol

Term	Pointing (x, y)	Comment
01/12 10:21:58 - 01/14 10:51:00	Fixed (0.0, 0.0)	Backup plan
Open/Ti-poly	Open/Ti-poly	close Safe Norm 2.83s Obs 2x2 52% 20.00min
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *


Flare Detection

* * * * *


FLD Patrol

Term	Pointing (x, y)	Comment
01/11 11:13:58 - 01/11 23:57:54	Track (251.6, -40.7) @ 01/11 11:12:00	#
01/12 00:07:58 - 01/14 10:51:00	Track (366.8, -42.5) @ 01/12 00:06:00	#
thin-Be/Open	thin-Be/Open	close Safe Norm 8ms Obs 8x8 DPCM 120sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval


CMDI #0629 2008/01/11




CMDI #0629 2008/01/11




CMDI #0629 2008/01/12




CMDI #0629 2008/01/12




CMDI #0629 2008/01/13



CMDI #0629 2008/01/13



CMDI #0629 2008/01/14



CMDI #0629 2008/01/14

