

XRT Timeline to be uploaded on 2008/01/18

Period: 2008/01/18 09:47:00 - 2008/01/21 11:22:00

* * * * *

Normal mode

* * * * *

XOB #14AA: CH - Al/Poly - Ti/Poly - 5 filters - Gband-FOV 256x512												
Term	Pointing (x, y)	Comment										
01/18 09:59:02 - 01/18 10:30:24	Track (606.9, -362.0) ^{Ⓜ 01/18 09:57:00}	# OP start + 10min, HOP 61 all period, looking at on-disk CH.										
01/18 10:42:32 - 01/18 17:53:54	Track (611.2, -362.3) ^{Ⓜ 01/18 10:40:30}	# Cont.										
01/18 18:06:02 - 01/18 23:59:54	Track (653.9, -365.5) ^{Ⓜ 01/18 18:04:00}	# Cont.										
01/19 00:12:02 - 01/19 06:26:54	Track (686.8, -368.5) ^{Ⓜ 01/19 00:10:00}	# Cont.										
01/19 06:39:02 - 01/19 10:32:54	Track (719.1, -371.8) ^{Ⓜ 01/19 06:37:00}	# Cont.										
PROG= 14 Inf.-time(s)												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 49 1-time(s) 2.0sec												
└─ C-poly/Open	C-poly/Open	close	Safe	Norm	22.6s	Obs	1x1	256x512 (1024, 1024)	DPCM	0	0	70.0sec
└─ Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	16.0s	Obs	1x1	256x512 (1024, 1024)	DPCM	0	0	70.0sec
└─ thin-Be/Open	thin-Be/Open	close	Safe	Norm	32.0s	Obs	1x1	256x512 (1024, 1024)	DPCM	0	0	70.0sec
└─ med-Be/Open	med-Be/Open	close	Safe	Norm	64.0s	Obs	1x1	256x512 (1024, 1024)	DPCM	0	0	70.0sec
└─ med-Al/Open	med-Al/Open	close	Safe	Norm	45.2s	Obs	1x1	256x512 (1024, 1024)	DPCM	0	0	70.0sec
└─ Subr= 3 12-time(s) 2.0sec												
└─ Seqn= 42 4-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/Open	close	Safe	Norm	16.0s	Obs	1x1	256x512 (1024, 1024)	DPCM	3	0	60.0sec
└─ Seqn= 50 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	16.0s	Obs	1x1	256x512 (1024, 1024)	DPCM	3	0	60.0sec
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn=100 1-time(s) 2.0sec												
└─ Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #147A: Synoptic - Al/mesh (256/4096) + G-band(64) + Ti/poly (512/8192) + Dark cal (8192) + Al/poly(256/5796) + thin-Be(723/23142)												
Term	Pointing (x, y)	Comment										
01/18 10:32:30 - 01/18 10:40:24	Fixed (0.0, 0.0)	synoptic, shifted 33.5 min										
PROG= 05 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 78 1-time(s) 2.0sec												
└─ Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	250ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 95 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/thick-Al	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
└─ Open/Ti-poly	Open/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 23 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn=100 1-time(s) 2.0sec												
└─ Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 31 1-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/Open	close	Safe	Norm	250ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/Open	close	Safe	Norm	5.66s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 26 1-time(s) 2.0sec												
└─ thin-Be/Open	med-Be/Open	close	Safe	Norm	707ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14A5: Full Sun with AR - 2x2 - Al/mesh (128/2048) + Ti/poly (256/4096) + Dark cal (4096) + Al/poly(128/4096) + C/poly(256/4096)												
Term	Pointing (x, y)	Comment										
01/18 17:56:00 - 01/18 18:03:54	Fixed (0.0, 0.0)	synoptic, shifted -6.0 min										
01/19 06:29:00 - 01/19 06:36:54	Fixed (0.0, 0.0)	synoptic, shifted 27.0 min										
PROG= 15 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 48 1-time(s) 2.0sec												
└─ Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 38 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 64 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	4.00s	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 89 1-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/Open	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/Open	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 16 1-time(s) 2.0sec												
└─ C-poly/Open	C-poly/Open	close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14A4: Full Sun with AR - 2x2 - Al/mesh (128/2048) + Ti/poly (256/4096) + Dark cal (4096) + Al/poly (128/4096) + thin-Be(1024/23142)

Term	Pointing (x, y)	Comment
01/19 00:02:00 - 01/19 00:09:54	Fixed (0.0, 0.0) synoptic	
PROG= 07 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 48 1-time(s) 2.0sec		
Open/Al-mesh Open/Al-mesh close	Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
Open/Al-mesh Open/Al-mesh close	Safe Norm 2.00s Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
└─ Seqn= 38 1-time(s) 2.0sec		
Open/Ti-poly Open/Ti-poly close	Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
Open/Ti-poly Open/Ti-poly close	Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
└─ Seqn= 64 1-time(s) 2.0sec		
Open/Ti-poly Open/Ti-poly close	Safe Dark 4.00s Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
└─ Seqn= 89 1-time(s) 2.0sec		
Al-poly/Open Al-poly/Open close	Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
Al-poly/Open Al-poly/Open close	Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
└─ Seqn= 85 1-time(s) 2.0sec		
thin-Be/Open thin-Be/Open close	Safe Norm 1.00s Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
thin-Be/Open thin-Be/Open close	Safe Norm 1.00s Obs 2x2 2048x2048 (1024, 1024)	52% 0 0 2.0sec
Default Filter	Thicker Filter VLS mode image Exp. CCD Bin	ROI: size (center) Comp. AEC Buffer Interval

Term	Pointing (x, y)	Comment
01/19 10:35:06 - 01/21 11:22:00	Fixed (0.0, 0.0) Backup plan	
XOB #14A3: Full Sun Movie - Ti/Poly + Al/poly + Med-Be - 4x4 - AEC123 - 8% Data Rate		
PROG= 03 Inf.-time(s)		
└─ Subr= 1 2-time(s) 240.0sec		
└─ Seqn= 33 1-time(s) 2.0sec		
Open/Ti-poly Open/Ti-poly close	Safe Norm 125ms Obs 4x4 2048x2048 (1024, 1024)	52% 3 0 2.0sec
Open/Ti-poly Open/Ti-poly close	Safe Norm 2.00s Obs 4x4 2048x2048 (1024, 1024)	DPCM 2 0 2.0sec
└─ Seqn= 12 1-time(s) 2.0sec		
Al-poly/Open Al-poly/Open close	Safe Norm 125ms Obs 4x4 2048x2048 (1024, 1024)	52% 3 0 2.0sec
Al-poly/Open Al-poly/Open close	Safe Norm 1.00s Obs 4x4 2048x2048 (1024, 1024)	DPCM 2 0 2.0sec
└─ Subr= 2 1-time(s) 180.0sec		
└─ Seqn= 52 1-time(s) 2.0sec		
med-Be/Open med-Be/Open close	Safe Norm 22.6s Obs 4x4 2048x2048 (1024, 1024)	DPCM 1 0 2.0sec
└─ Seqn= 98 4-time(s) 2.0sec		
Open/thick-Be Open/thick-Be close	Safe Norm 22.6s Obs 8x8 2048x2048 (1024, 1024)	DPCM 1 0 2.0sec
Default Filter	Thicker Filter VLS mode image Exp. CCD Bin	ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

Term	Pointing (x, y)	Comment
01/18 09:59:02 - 01/18 10:30:24	Track (606.9, -362.0) ^{@ 01/18 09:57:00}	# OP start + 10min, HOP 61 all period, looking at on-disk CH.
01/18 10:42:32 - 01/18 17:53:54	Track (611.2, -362.3) ^{@ 01/18 10:40:30}	# Cont.
01/18 18:06:02 - 01/18 23:59:54	Track (653.9, -365.5) ^{@ 01/18 18:04:00}	# Cont.
01/19 00:12:02 - 01/19 06:26:54	Track (686.8, -368.5) ^{@ 01/19 00:10:00}	# Cont.
01/19 06:39:02 - 01/19 10:32:54	Track (719.1, -371.8) ^{@ 01/19 06:37:00}	# Cont.
01/19 10:35:06 - 01/21 11:22:00	Fixed (0.0, 0.0) Backup plan	
PROG= 06 Inf.-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 59 1-time(s) 2.0sec		
med-Be/Open Open/thick-Al close	Safe Norm 1ms Obs 1x1 384x384 (1024, 1024)	DPCM 0 0 2.0sec
└─ Seqn= 63 35-time(s) 15.0sec		
med-Be/Open Open/thick-Al close	Safe Norm 5ms Obs 1x1 384x384 (1024, 1024)	DPCM 2 0 2.0sec
med-Be/Open Open/thick-Al close	Safe Norm 5ms Obs 1x1 384x384 (1024, 1024)	DPCM 3 0 2.0sec
└─ Seqn= 35 1-time(s) 2.0sec		
Open/G-band Open/G-band open	Safe Norm 63ms Obs 1x1 384x384 (1024, 1024)	52% 0 0 2.0sec
Default Filter	Thicker Filter VLS mode image Exp. CCD Bin	ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Active Region Search

* * * * *

Term	Pointing (x, y)	Comment
01/19 10:34:58 - 01/21 11:22:00	Fixed (0.0, 0.0) Backup plan	
Open/Ti-poly Open/Ti-poly close	Safe Norm 2.83s Obs 2x2	52% 20.00min
Default Filter	Thicker Filter VLS mode image Exp. CCD Bin	ROI: size (center) Comp. AEC Buffer Interval


* * * * *

Flare Detection


* * * * *

Term	Pointing (x, y)	Comment
01/18 10:42:28 - 01/18 17:55:54	Track (611.2, -362.3) ^{@ 01/18 10:40:30}	# Cont.
01/18 18:05:58 - 01/19 00:01:54	Track (653.9, -365.5) ^{@ 01/18 18:04:00}	# Cont.
01/19 00:11:58 - 01/19 06:28:54	Track (686.8, -368.5) ^{@ 01/19 00:10:00}	# Cont.
01/19 06:38:58 - 01/21 11:22:00	Track (719.1, -371.8) ^{@ 01/19 06:37:00}	# Cont.
thin-Be/Open thin-Be/Open close	Safe Norm 8ms Obs 8x8	DPCM 120sec


CMDI #0660 2008/01/18




CMDI #0660 2008/01/18




CMDI #0660 2008/01/19




CMDI #0660 2008/01/19




CMDI #0660 2008/01/20



CMDI #0660 2008/01/20



CMDI #0660 2008/01/21



CMDI #0660 2008/01/21

