

XRT Timeline to be uploaded on 2008/02/05

Period: 2008/02/05 10:23:00 - 2008/02/07 09:59:00

* * * * *

Normal mode

* * * * *

XOB #14A4: Full Sun with AR - 2x2 - Al/mesh (128/2048) + Ti/poly (256/4096) + Dark cal (4096) + Al/poly (128/4096) + thin-Be(1024/23142)													
Term		Pointing (x, y)				Comment							
02/05 10:35:00 - 02/05 10:43:00		Fixed (0.0, 0.0)				synoptic, shifted manually, OP start+10min							
02/06 06:14:30 - 02/06 10:18:54		Fixed (0.0, 0.0)				synoptic, shifted 12.5 min							
PROG= 07 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 48 1-time(s) 2.0sec													
└─ Open/Al-mesh		Open/Al-mesh		close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Open/Al-mesh		Open/Al-mesh		close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn= 38 1-time(s) 2.0sec													
└─ Open/Ti-poly		Open/Ti-poly		close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Open/Ti-poly		Open/Ti-poly		close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn= 64 1-time(s) 2.0sec													
└─ Open/Ti-poly		Open/Ti-poly		close	Safe	Dark	4.00s	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn= 89 1-time(s) 2.0sec													
└─ Al-poly/Open		Al-poly/Open		close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Al-poly/Open		Al-poly/Open		close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn= 85 1-time(s) 2.0sec													
└─ thin-Be/Open		thin-Be/Open		close	Safe	Norm	1.00s	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ thin-Be/Open		thin-Be/Open		close	Safe	Norm	22.6s	Obs	2x2	2048x2048 (1024, 1024)		52%	0 0 2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer Interval

XOB #14A9: CH - Al/Poly - Ti/Poly - 5 filters - FOV 512x512													
Term		Pointing (x, y)				Comment							
02/05 10:45:10 - 02/05 13:00:10		Track (892.5, -122.3) @ 02/05 10:43:00				# HOP61, CH near limb							
PROG= 02 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 94 1-time(s) 60.0sec													
└─ C-poly/Open		C-poly/Open		close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)		DPCM	0 0 60.0sec
└─ Open/Al-mesh		Open/Al-mesh		close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)		DPCM	0 0 60.0sec
└─ thin-Be/Open		thin-Be/Open		close	Safe	Norm	32.0s	Obs	1x1	512x512 (1024, 1024)		DPCM	0 0 60.0sec
└─ med-Be/Open		med-Be/Open		close	Safe	Norm	45.2s	Obs	1x1	512x512 (1024, 1024)		DPCM	0 0 60.0sec
└─ med-Al/Open		med-Al/Open		close	Safe	Norm	45.2s	Obs	1x1	512x512 (1024, 1024)		DPCM	0 0 60.0sec
└─ Subr= 2 60-time(s) 2.0sec													
└─ Seqn= 70 4-time(s) 80.0sec													
└─ Al-poly/Open		Al-poly/Open		close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)		DPCM	3 0 60.0sec
└─ Seqn= 83 1-time(s) 80.0sec													
└─ Open/Ti-poly		Open/Ti-poly		close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)		DPCM	3 0 60.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer Interval

XOB #147B: Synoptic - Al/mesh (256/4096) + G-band(64) + Ti/poly (512/8192) + Dark cal (8192) + Al/poly(256/5796) + C/poly(512/8192)													
Term		Pointing (x, y)				Comment							
02/05 18:02:00 - 02/05 18:22:00		Track (0.0, 0.0) @ 02/05 18:00:00				# EIS sensitivity monitor							
PROG= 01 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 78 1-time(s) 2.0sec													
└─ Open/Al-mesh		Open/Ti-poly		close	Safe	Norm	250ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Open/Al-mesh		Open/Ti-poly		close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn= 95 1-time(s) 2.0sec													
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 0.5sec
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn= 23 1-time(s) 2.0sec													
└─ Open/Ti-poly		Open/Ti-poly		close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn=100 1-time(s) 2.0sec													
└─ Open/G-band		Open/G-band		open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn= 31 1-time(s) 2.0sec													
└─ Al-poly/Open		Al-poly/Open		close	Safe	Norm	250ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Al-poly/Open		Al-poly/Open		close	Safe	Norm	5.66s	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ Seqn= 86 1-time(s) 2.0sec													
└─ C-poly/Open		C-poly/thick-Al		close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
└─ C-poly/Open		thin-Be/Open		close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)		52%	0 0 2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer Interval

XOB #146F: CCD calibration: Dark and Diffuser													
Term		Pointing (x, y)				Comment							
02/05 18:24:10 - 02/05 20:00:00		Track (0.0, 0.0) @ 02/05 18:00:00				# EIS sensitivity monitor							
PROG= 14 Inf.-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 96 1-time(s) 2.0sec													
└─ Open/G-band		Open/G-band		open	Safe	Dark	63ms	Cal	1x1	2048x2048 (1024, 1024)		DPCM	0 0 2.0sec
└─ Open/G-band		Open/G-band		open	Safe	Norm	63ms	Cal	1x1	2048x2048 (1024, 1024)		DPCM	0 0 2.0sec

Open/G-band	Open/G-band	close	Safe	Dark	8.00s	Cal	1x1	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	close	Safe	Norm	8.00s	Cal	1x1	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 45		1-time(s)	2.0sec									
Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs	1x1	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	32.0s	Obs	1x1	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs	2x2	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	32.0s	Obs	2x2	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	32.0s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs	8x8	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	32.0s	Obs	8x8	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
Subr= 2		20-time(s)	300.0sec									
Seqn= 13		1-time(s)	2.0sec									
Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	32.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 32		1-time(s)	2.0sec									
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	3	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14A3: Full Sun Movie - Ti/Poly + Al/poly + Med-Be - 4x4 - AEC123 - 8% Data Rate

Term	Pointing (x, y)	Comment
02/06 10:21:06 - 02/07 09:59:00	Fixed (0.0, 0.0)	Backup plan
PROG= 03 Inf.-time(s)		
Subr= 1		2-time(s) 240.0sec
Seqn= 33		1-time(s) 2.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 125ms Obs 4x4 2048x2048 (1024, 1024) 52% 3 0 2.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 2.00s Obs 4x4 2048x2048 (1024, 1024) DPCM 2 0 2.0sec
Seqn= 12		1-time(s) 2.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 125ms Obs 4x4 2048x2048 (1024, 1024) 52% 3 0 2.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 1.00s Obs 4x4 2048x2048 (1024, 1024) DPCM 2 0 2.0sec
Subr= 2		1-time(s) 180.0sec
Seqn= 52		1-time(s) 2.0sec
med-Be/Open	med-Be/Open	close Safe Norm 22.6s Obs 4x4 2048x2048 (1024, 1024) DPCM 1 0 2.0sec
Seqn= 98		4-time(s) 2.0sec
Open/thick-Be	Open/thick-Be	close Safe Norm 22.6s Obs 8x8 2048x2048 (1024, 1024) DPCM 1 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

XOB #1483: Flare response Med-Be (Thick-Al) long/short pairs - 15s + G-band

Term	Pointing (x, y)	Comment
02/05 10:45:10 - 02/05 13:00:10	Track (892.5, -122.3) ^{© 02/05 10:43:00}	# HOP61, CH near limb
02/06 10:21:06 - 02/07 09:59:00	Fixed (0.0, 0.0)	Backup plan
PROG= 06 Inf.-time(s)		
Subr= 1		1-time(s) 2.0sec
Seqn= 59		1-time(s) 2.0sec
med-Be/Open	Open/thick-Al	close Safe Norm 1ms Obs 1x1 384x384 (1024, 1024) DPCM 0 0 2.0sec
Seqn= 63		35-time(s) 15.0sec
med-Be/Open	Open/thick-Al	close Safe Norm 5ms Obs 1x1 384x384 (1024, 1024) DPCM 2 0 2.0sec
med-Be/Open	Open/thick-Al	close Safe Norm 5ms Obs 1x1 384x384 (1024, 1024) DPCM 3 0 2.0sec
Seqn= 35		1-time(s) 2.0sec
Open/G-band	Open/G-band	open Safe Norm 63ms Obs 1x1 384x384 (1024, 1024) 52% 0 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Active Region Search

* * * * *

ARS Patrol

Term	Pointing (x, y)	Comment
02/06 10:20:58 - 02/07 09:59:00	Fixed (0.0, 0.0)	Backup plan
Open/Ti-poly	Open/Ti-poly	close Safe Norm 2.83s Obs 2x2 52% 20.00min
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *


Flare Detection

* * * * *


FLD Patrol

Term	Pointing (x, y)	Comment
02/05 10:45:04 - 02/05 18:01:56	Track (892.5, -122.3) ^{© 02/05 10:43:00}	# HOP61, CH near limb
02/06 10:21:02 - 02/07 09:59:00	Fixed (0.0, 0.0)	Backup plan
thin-Be/Open	thin-Be/Open	close Safe Norm 8ms Obs 8x8 DPCM 120sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval


CMDI #0710 2008/02/05




CMDI #0710 2008/02/05




CMDI #0710 2008/02/06



CMDI #0710 2008/02/06



CMDI #0710 2008/02/07



CMDI #0710 2008/02/07

