

XRT Timeline to be uploaded on 2008/02/16

Period: 2008/02/16 09:51:00 - 2008/02/19 10:55:00

* * * * *

Normal mode

* * * * *

XOB #14CB: Synoptic Q90 - G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571)													
Term	Pointing (x, y)					Comment							
02/16 10:07:06 - 02/17 06:31:00	Fixed (0.0, 0.0)					# OP start + 10min, Sun-center pointing all period. XRT synoptic times TBD by XRT CO.							
PROG= 04 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 36 1-time(s) 2.0sec													
└─ Open/Ti-poly		Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	0.5sec
└─ Open/Ti-poly		Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 74 1-time(s) 2.0sec													
└─ Open/Ti-poly		Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 68 1-time(s) 2.0sec													
└─ Open/G-band		Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 5 1-time(s) 2.0sec													
└─ Al-poly/Open		Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #14CC: Synoptic Q50 - Ti/poly (1024/11571) + Al/poly(512/11571)													
Term	Pointing (x, y)					Comment							
02/17 06:33:06 - 02/19 10:55:00	Fixed (0.0, 0.0)					# OP start + 10min, Sun-center pointing all period. XRT synoptic times TBD by XRT CO.							
PROG= 05 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 19 1-time(s) 2.0sec													
└─ Open/Ti-poly		Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	17%	0	0	0.5sec
└─ Open/Ti-poly		Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	17%	0	0	2.0sec
└─ Seqn= 29 1-time(s) 2.0sec													
└─ Al-poly/Open		Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	17%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	17%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0743 2008/02/16




CMDI #0743 2008/02/16




CMDI #0743 2008/02/17




CMDI #0743 2008/02/17




CMDI #0743 2008/02/18



CMDI #0743 2008/02/18



CMDI #0743 2008/02/19



CMDI #0743 2008/02/19

