

XRT Timeline to be uploaded on 2008/02/25

Period: 2008/02/25 10:50:00 - 2008/02/27 10:08:00

* * * * *

Normal mode

* * * * *

XOB #14DC: Synoptic Q90 - G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571)															
Term		Pointing (x, y)				Comment									
02/25 11:42:00 - 02/25 11:49:54		Fixed (0.0, 0.0)				synoptic, shifted 40.0 min									
PROG= 07 1-time(s)															
└─ Subr= 1 1-time(s) 2.0sec															
└─ Seqn= 36 1-time(s) 2.0sec															
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)		30%	0	0	0.5sec
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Seqn= 74 1-time(s) 2.0sec															
└─ Open/Ti-poly		Open/Ti-poly		close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Seqn= 68 1-time(s) 2.0sec															
└─ Open/G-band		Open/G-band		open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Seqn= 5 1-time(s) 2.0sec															
└─ Al-poly/Open		Al-poly/Open		close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)		30%	0	0	2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #14DD: Comp Evaluation in QS - Al/poly - Q=90, 75, 50 - bin=1x1, 2x2, 4x4															
Term		Pointing (x, y)				Comment									
02/25 11:52:02 - 02/25 14:59:54		Track (102.6, 296.2) ^{© 02/25 11:50:00}				# Track XBP for EIS.									
02/25 15:02:02 - 02/25 23:59:54		Fixed (-575.0, -750.0)				* Prominence fixed pointing, for SOT.									
PROG= 11 1-time(s)															
└─ Subr= 1 1-time(s) 2.0sec															
└─ Seqn= 45 1-time(s) 2.0sec															
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)		DPCM	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)		30%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)		22%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)		17%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/Open		close	Safe	Dark	11.3s	Obs	1x1	512x512 (1024, 1024)		DPCM	0	0	2.0sec
└─ Seqn= 32 1-time(s) 2.0sec															
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)		DPCM	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)		30%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)		22%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)		17%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/Open		close	Safe	Dark	2.83s	Obs	2x2	512x512 (1024, 1024)		DPCM	0	0	2.0sec
└─ Seqn= 96 1-time(s) 2.0sec															
└─ Al-poly/Open		thin-Be/Open		close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)		DPCM	0	0	2.0sec
└─ Al-poly/Open		thin-Be/Open		close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)		30%	0	0	2.0sec
└─ Al-poly/Open		thin-Be/Open		close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)		22%	0	0	2.0sec
└─ Al-poly/Open		thin-Be/Open		close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)		17%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/Open		close	Safe	Dark	707ms	Obs	4x4	512x512 (1024, 1024)		DPCM	0	0	2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)															
Term		Pointing (x, y)				Comment									
02/26 00:02:00 - 02/26 00:09:54		Fixed (0.0, 0.0)				synoptic									
PROG= 05 1-time(s)															
└─ Subr= 1 1-time(s) 2.0sec															
└─ Seqn= 42 1-time(s) 2.0sec															
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Seqn= 26 1-time(s) 2.0sec															
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Seqn= 8 1-time(s) 2.0sec															
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)		30%	0	0	2.0sec
└─ Seqn= 46 1-time(s) 2.0sec															
└─ Open/G-band		Open/G-band		open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)		30%	0	0	2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #14DE: Comp Evaluation in QS - Al/poly, Ti/poly, Thin-Be - Q=90,75,50 - bin=1x1,2x2,4x4															
Term		Pointing (x, y)				Comment									
02/26 00:12:02 - 02/27 10:08:00		Track (214.8, 293.9) ^{© 02/26 00:10:00}				# Follow XBP for rest of plan.									
PROG= 14 Inf.-time(s)															
└─ Subr= 1 1-time(s) 2.0sec															
└─ Seqn= 45 1-time(s) 240.0sec															
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)		DPCM	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)		30%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)		22%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)		17%	0	0	2.0sec
└─ Al-poly/Open		Al-poly/Open		close	Safe	Dark	11.3s	Obs	1x1	512x512 (1024, 1024)		DPCM	0	0	2.0sec

Seqn= 32 1-time(s) 240.0sec												
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	30%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	22%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	17%	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 96 1-time(s) 240.0sec												
Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	30%	0	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	22%	0	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	17%	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec												
Seqn= 65 1-time(s) 240.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	30%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	22%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	17%	0	0	2.0sec
Seqn= 37 1-time(s) 240.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	30%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	22%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	17%	0	0	2.0sec
Seqn= 99 1-time(s) 240.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	30%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	22%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	17%	0	0	2.0sec
Subr= 3 1-time(s) 2.0sec												
Seqn= 13 1-time(s) 240.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	30%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	22%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	17%	0	0	2.0sec
Seqn= 51 1-time(s) 240.0sec												
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	30%	0	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	22%	0	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	17%	0	0	2.0sec
Seqn= 17 1-time(s) 240.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	30%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	22%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	17%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol												
Term	Pointing (x, y)							Comment				
02/26 00:11:56 - 02/27 10:08:00	Track (214.8, 293.9) @ 02/26 00:10:00							# Follow XBP for rest of plan.				
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2					60.00min
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0772 2008/02/25




CMDI #0772 2008/02/25




CMDI #0772 2008/02/26



CMDI #0772 2008/02/26



CMDI #0772 2008/02/27



CMDI #0772 2008/02/27

