

XRT Timeline to be uploaded on 2008/02/26

Period: 2008/02/26 09:32:00 - 2008/02/28 11:03:00

* * * * *

Normal mode

* * * * *

XOB #14DC: Synoptic Q90 - G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571)												
Term	Pointing (x, y)		Comment									
02/26 10:17:30 - 02/26 10:25:24	Fixed (0.0, 0.0)		synoptic, shifted 33.5 min									
PROG= 07 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 36 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	0.5sec
└─ Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 74 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 68 1-time(s) 2.0sec												
└─ Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 5 1-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14E0: Comp Evaluation in QS - Al/poly - Q=92, 85, 65 - bin=1x1, 2x2, 4x4												
Term	Pointing (x, y)		Comment									
02/26 10:27:32 - 02/26 14:59:54	Track (305.9, 290.8) ^{® 02/26 10:25:30}		# XBP observation cont.									
02/26 15:02:02 - 02/26 23:56:54	Fixed (-585.0, -750.0)		* polar crown prominence									
PROG= 17 5-time(s)												
└─ Subr= 1 1-time(s) 600.0sec												
└─ Seqn= 10 1-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	35%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	27%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	20%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	11.3s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 39 1-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	35%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	27%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	20%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 92 1-time(s) 2.0sec												
└─ Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	35%	0	0	2.0sec
└─ Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	27%	0	0	2.0sec
└─ Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	20%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14D5: Synoptic Q90 - Al/mesh(256/4096) + Ti/poly(1024/11571) + Darl cal (8192) + G-band(64)												
Term	Pointing (x, y)		Comment									
02/26 23:59:00 - 02/27 00:06:54	Fixed (0.0, 0.0)		synoptic, shifted -3.0 min									
PROG= 10 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 49 1-time(s) 2.0sec												
└─ Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	250ms	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 36 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	0.5sec
└─ Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 74 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ Seqn= 68 1-time(s) 2.0sec												
└─ Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14E1: Comp Evaluation in QS - Al/poly, Ti/poly, Thin-Be - Q=92,85,65 - bin=1x1,2x2,4x4												
Term	Pointing (x, y)		Comment									
02/27 00:09:02 - 02/28 11:03:00	Track (422.5, 284.8) ^{® 02/27 00:07:00}		# XBP observation cont.									
PROG= 13 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 10 1-time(s) 240.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	35%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	27%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	20%	0	0	2.0sec
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	11.3s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec

Seqn= 39 1-time(s) 240.0sec												
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	35%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	27%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	20%	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 92 1-time(s) 240.0sec												
Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	35%	0	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	27%	0	0	2.0sec
Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	20%	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Dark	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec												
Seqn= 67 1-time(s) 240.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	35%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	27%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	20%	0	0	2.0sec
Seqn= 25 1-time(s) 240.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	35%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	27%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	20%	0	0	2.0sec
Seqn= 72 1-time(s) 240.0sec												
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	35%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	27%	0	0	2.0sec
thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	20%	0	0	2.0sec
Subr= 3 1-time(s) 2.0sec												
Seqn= 41 1-time(s) 240.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	35%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	27%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	20%	0	0	2.0sec
Seqn= 21 1-time(s) 240.0sec												
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	35%	0	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	27%	0	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	20%	0	0	2.0sec
Seqn= 75 1-time(s) 240.0sec												
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	35%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	27%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	20%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol												
Term	Pointing (x, y)							Comment				
02/27 00:08:56 - 02/28 11:03:00	Track (422.5, 284.8) @ 02/27 00:07:00 # XBP observation cont.											
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2					60.00min
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0774 2008/02/26




CMDI #0774 2008/02/26




CMDI #0774 2008/02/27



CMDI #0774 2008/02/27



CMDI #0774 2008/02/28



CMDI #0774 2008/02/28

