

XRT Timeline to be uploaded on 2008/02/28

Period: 2008/02/28 11:03:00 - 2008/03/01 10:22:00

* * * * *

Normal mode

* * * * *

XOB #14DC: Synoptic Q90 - G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571)												
Term	Pointing (x, y)		Comment									
02/28 11:55:00 - 02/28 12:02:54	Fixed (0.0, 0.0)		synoptic, shifted 40.0 min									
PROG= 07 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 36 1-time(s) 2.0sec												
└─└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 0.5sec												
└─└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 74 1-time(s) 2.0sec												
└─└─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 68 1-time(s) 2.0sec												
└─└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 5 1-time(s) 2.0sec												
└─└─ Al-poly/Open Al-poly/Open close Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14E6: AR - Al/poly+Thin-Be - Q90- 1x1 - 512x512 - 180s seq												
Term	Pointing (x, y)		Comment									
02/28 12:05:02 - 02/29 00:02:24	Track (923.6, -54.6) ^{02/28 12:03:00}		# Cont.									
PROG= 16 4-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 47 1-time(s) 180.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/Open close Safe Dark 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─└─ thin-Be/Open med-Be/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 57 1-time(s) 180.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) 30% 1 0 2.0sec												
└─└─ thin-Be/Open med-Be/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) 30% 1 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14D5: Synoptic Q90 - Al/mesh(256/4096) + Ti/poly(1024/11571) + Darl cal (8192) + G-band(64)												
Term	Pointing (x, y)		Comment									
02/29 00:04:30 - 02/29 00:13:24	Fixed (0.0, 0.0)		synoptic, shifted 3.5 min									
PROG= 10 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 49 1-time(s) 2.0sec												
└─└─ Open/Al-mesh Open/Ti-poly close Safe Norm 250ms Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─└─ Open/Al-mesh Open/Ti-poly close Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 36 1-time(s) 2.0sec												
└─└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 0.5sec												
└─└─ Open/Ti-poly Open/thick-Al close Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 74 1-time(s) 2.0sec												
└─└─ Open/Ti-poly Open/Ti-poly close Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 68 1-time(s) 2.0sec												
└─└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14E4: Comp Evaluation in AR - Al/poly, Ti/poly, Thin-Be - Q=92,85,65 - bin=1x1,2x2,4x4												
Term	Pointing (x, y)		Comment									
02/29 00:15:32 - 03/01 10:22:00	Fixed (945.0, -60.0)		# Cont., now with fixed pointing									
PROG= 09 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 59 1-time(s) 120.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 512x512 (1024, 1024) DPCM 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 512x512 (1024, 1024) 35% 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 512x512 (1024, 1024) 27% 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 11.3s Obs 1x1 512x512 (1024, 1024) 20% 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/Open close Safe Dark 11.3s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Seqn= 24 1-time(s) 120.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 512x512 (1024, 1024) DPCM 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 512x512 (1024, 1024) 35% 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 512x512 (1024, 1024) 27% 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 512x512 (1024, 1024) 20% 1 0 2.0sec												
└─└─ Al-poly/Open Al-poly/Open close Safe Dark 2.83s Obs 2x2 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Seqn= 14 1-time(s) 120.0sec												
└─└─ Al-poly/Open thin-Be/Open close Safe Norm 707ms Obs 4x4 512x512 (1024, 1024) DPCM 1 0 2.0sec												
└─└─ Al-poly/Open thin-Be/Open close Safe Norm 707ms Obs 4x4 512x512 (1024, 1024) 35% 1 0 2.0sec												
└─└─ Al-poly/Open thin-Be/Open close Safe Norm 707ms Obs 4x4 512x512 (1024, 1024) 27% 1 0 2.0sec												
└─└─ Al-poly/Open thin-Be/Open close Safe Norm 707ms Obs 4x4 512x512 (1024, 1024) 20% 1 0 2.0sec												

	Al-poly/Open	Al-poly/Open	close	Safe	Dark	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Subr= 2	1-time(s)		2.0sec										
	Seqn= 87	1-time(s)		120.0sec									
	thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	35%	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	27%	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	20%	1	0	2.0sec
	Seqn= 7	1-time(s)		120.0sec									
	thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	DPCM	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	35%	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	27%	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	5.66s	Obs	2x2	512x512 (1024, 1024)	20%	1	0	2.0sec
	Seqn= 28	1-time(s)		120.0sec									
	thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	DPCM	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	35%	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	27%	1	0	2.0sec
	thin-Be/Open	med-Be/Open	close	Safe	Norm	1.41s	Obs	4x4	512x512 (1024, 1024)	20%	1	0	2.0sec
Subr= 3	1-time(s)		2.0sec										
	Seqn= 18	1-time(s)		120.0sec									
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	DPCM	1	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	35%	1	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	27%	1	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	512x512 (1024, 1024)	20%	1	0	2.0sec
	Seqn= 76	1-time(s)		120.0sec									
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	DPCM	1	0	2.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	35%	1	0	2.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	27%	1	0	2.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	512x512 (1024, 1024)	20%	1	0	2.0sec
	Seqn= 60	1-time(s)		120.0sec									
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	DPCM	1	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	35%	1	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	27%	1	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	707ms	Obs	4x4	512x512 (1024, 1024)	20%	1	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol												
Term	Pointing (x, y)					Comment						
02/29 00:15:26 - 03/01 10:22:00	Fixed (945.0, -60.0)					# Cont., now with fixed pointing						
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2			17%		60.00min
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0779 2008/02/28




CMDI #0779 2008/02/28




CMDI #0779 2008/02/29



CMDI #0779 2008/02/29



CMDI #0779 2008/03/01



CMDI #0779 2008/03/01

