

# XRT Timeline to be uploaded on 2008/03/01

Period: 2008/03/01 10:22:00 - 2008/03/04 09:49:00

\* \* \* \* \*

## Normal mode

\* \* \* \* \*

<b>XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)</b>													
Term	Pointing (x, y)	Comment											
03/01 11:03:06 - 03/01 23:58:54	Track ( 45.2, -81.8) <sup>® 03/01 10:32:00</sup>	# OP start + 10min, track filament channel all period. EIS over 11 - 15 UT each day.											
03/02 00:01:00 - 03/02 10:31:54	Fixed ( 0.0, 0.0)	synoptic, shifted -1.0 min											
03/02 10:34:00 - 03/02 10:52:00	Fixed ( 0.0, 0.0)	synoptic, shifted 0.0 min											
03/03 00:03:30 - 03/03 10:25:54	Fixed ( 0.0, 0.0)	synoptic, shifted 1.5 min											
03/03 10:28:00 - 03/04 09:49:00	Fixed ( 0.0, 0.0)	Backup plan											
<b>PROG= 05 1-time(s)</b>													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 42 1-time(s) 2.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 26 1-time(s) 2.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 8 1-time(s) 2.0sec													
└─ Open/Ti-poly Open/thick-Al close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 46 1-time(s) 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval		

<b>XOB #14E9: Burst Mode Test, Al_poly, Be_thin, 512x512</b>													
Term	Pointing (x, y)	Comment											
03/02 10:52:32 - 03/02 13:30:00	Track ( 263.1, -86.1) <sup>® 03/02 10:42:00</sup>	# Cont.											
<b>PROG= 18 Inf.-time(s)</b>													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 35 1-time(s) 2.0sec													
└─ Al-poly/Open C-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) 30% 0 0 28.0sec													
└─ thin-Be/Open thin-Be/Open close Safe Norm 22.6s Obs 1x1 512x512 (1024, 1024) 30% 0 0 7.0sec													
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval		

\* \* \* \* \*

## Flare mode

\* \* \* \* \*

NOT USED

\* \* \* \* \*

## Active Region Search

\* \* \* \* \*

NOT USED


\* \* \* \* \*

## Flare Detection


\* \* \* \* \*

NOT USED


### CMDI #0787 2008/03/01




### CMDI #0787 2008/03/01




### CMDI #0787 2008/03/02




CMDI #0787 2008/03/02




CMDI #0787 2008/03/03



CMDI #0787 2008/03/03



CMDI #0787 2008/03/04



CMDI #0787 2008/03/04

