

XRT Timeline to be uploaded on 2008/03/04

Period: 2008/03/04 09:49:00 - 2008/03/07 10:03:00

* * * * *

Normal mode

* * * * *

XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)																							
Term	Pointing (x, y)					Comment																	
03/04 10:01:00 - 03/05 12:00:00	Track (-35.6, 7.2) @ 03/04 09:59:00					# OP start + 10min, CH tracking																	
03/06 00:02:00 - 03/06 07:59:54	Fixed (0.0, 0.0)					synoptic																	
03/06 08:02:00 - 03/06 08:10:00	Fixed (0.0, 0.0)					synoptic																	
PROG= 05 1-time(s)																							
└─ Subr= 1 1-time(s) 2.0sec																							
└─ Seqn= 42 1-time(s) 2.0sec																							
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec																							
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec																							
└─ Seqn= 26 1-time(s) 2.0sec																							
└─ Al-poly/Open Al-poly/Open close Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec																							
└─ Seqn= 8 1-time(s) 2.0sec																							
└─ Open/Ti-poly Open/thick-Al close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec																							
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec																							
└─ Seqn= 46 1-time(s) 2.0sec																							
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec																							
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">Default Filter</td> <td style="width: 10%;">Thicker Filter</td> <td style="width: 10%;">VLS</td> <td style="width: 10%;">mode</td> <td style="width: 10%;">image</td> <td style="width: 10%;">Exp.</td> <td style="width: 10%;">CCD</td> <td style="width: 10%;">Bin</td> <td style="width: 10%;">ROI: size (center)</td> <td style="width: 10%;">Comp.</td> <td style="width: 10%;">AEC Buffer</td> <td style="width: 10%;">Interval</td> </tr> </table>												Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval												

XOB #14EE: CH-Burst Mode 512x512, al/poly, be/thin, Q=95																							
Term	Pointing (x, y)					Comment																	
03/05 12:02:08 - 03/05 15:30:00	Track (191.9, 4.9) @ 03/05 10:28:30					#																	
PROG= 08 Inf.-time(s)																							
└─ Subr= 1 1-time(s) 2.0sec																							
└─ Seqn= 52 1-time(s) 4.0sec																							
└─ Al-poly/Open C-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) 52% 0 0 28.0sec																							
└─ thin-Be/Open thin-Be/Open close Safe Norm 22.6s Obs 1x1 512x512 (1024, 1024) 52% 0 0 6.0sec																							
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">Default Filter</td> <td style="width: 10%;">Thicker Filter</td> <td style="width: 10%;">VLS</td> <td style="width: 10%;">mode</td> <td style="width: 10%;">image</td> <td style="width: 10%;">Exp.</td> <td style="width: 10%;">CCD</td> <td style="width: 10%;">Bin</td> <td style="width: 10%;">ROI: size (center)</td> <td style="width: 10%;">Comp.</td> <td style="width: 10%;">AEC Buffer</td> <td style="width: 10%;">Interval</td> </tr> </table>												Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval												

XOB #14EF: Pre-Bakeout Eval_IMGS																							
Term	Pointing (x, y)					Comment																	
03/06 08:10:30 - 03/07 10:03:00	Fixed (0.0, 0.0)					synoptic																	
PROG= 02 1-time(s)																							
└─ Subr= 1 1-time(s) 2.0sec																							
└─ Seqn= 98 2-time(s) 16.0sec																							
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) DPCM 0 0 2.0sec																							
└─ Seqn=100 1-time(s) 4.0sec																							
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec																							
└─ Seqn= 69 1-time(s) 4.0sec																							
└─ Open/thick-Be Open/thick-Be close Safe Dark 1ms Obs 8x8 2048x2048 (1024, 1024) 17% 0 0 2.0sec																							
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">Default Filter</td> <td style="width: 10%;">Thicker Filter</td> <td style="width: 10%;">VLS</td> <td style="width: 10%;">mode</td> <td style="width: 10%;">image</td> <td style="width: 10%;">Exp.</td> <td style="width: 10%;">CCD</td> <td style="width: 10%;">Bin</td> <td style="width: 10%;">ROI: size (center)</td> <td style="width: 10%;">Comp.</td> <td style="width: 10%;">AEC Buffer</td> <td style="width: 10%;">Interval</td> </tr> </table>												Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval												

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0797 2008/03/04




CMDI #0797 2008/03/04




CMDI #0797 2008/03/05




CMDI #0797 2008/03/05




CMDI #0797 2008/03/06



CMDI #0797 2008/03/06



CMDI #0797 2008/03/07



CMDI #0797 2008/03/07

