

# XRT Timeline to be uploaded on 2008/03/06

Period: 2008/03/06 10:31:00 - 2008/03/08 10:41:00

\* \* \* \* \*

## Normal mode

\* \* \* \* \*

XOB #14F2: Post-Bakeout_Eval_IMGS													
Term	Pointing (x, y)		Comment										
03/07 08:24:17 - 03/07 08:35:00	Fixed ( 0.0, 0.0)		synoptic, for monitor XRT CCD										
<b>PROG= 11 1-time(s)</b>													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 98 2-time(s) 16.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn=100 1-time(s) 4.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14F3: Polar - AL/Poly + Be/thin + GBand - 768x384 - SPoleROI													
Term	Pointing (x, y)		Comment										
03/07 08:35:33 - 03/07 09:52:26	Fixed ( 0.0, -910.0)		S-pole										
<b>PROG= 14 Inf-time(s)</b>													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 85 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	12ms	Obs	1x1	768x384 (1024, 896)	52%	0	0	60.0sec
└─ Seqn= 89 10-time(s) 8.0sec													
	Al-poly/Open	C-poly/Open	close	Safe	Norm	16.0s	Obs	1x1	768x384 (1024, 896)	52%	0	0	14.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	768x384 (1024, 896)	52%	0	0	8.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14CB: Don't use/ Synoptic Q90 - G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571)													
Term	Pointing (x, y)		Comment										
03/07 10:15:00 - 03/08 10:41:00	Fixed ( 0.0, 0.0)		Backup plan										
<b>PROG= 03 1-time(s)</b>													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 56 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 23 1-time(s) 2.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn=100 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 79 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

\* \* \* \* \*

## Flare mode

\* \* \* \* \*

NOT USED

\* \* \* \* \*

## Active Region Search

\* \* \* \* \*

NOT USED


\* \* \* \* \*

## Flare Detection


\* \* \* \* \*

NOT USED


### CMDI #0802 2008/03/06




### CMDI #0802 2008/03/06




### CMDI #0802 2008/03/07



CMDI #0802 2008/03/07



CMDI #0802 2008/03/08



CMDI #0802 2008/03/08

