

# XRT Timeline to be uploaded on 2008/03/07

Period: 2008/03/07 10:03:00 - 2008/03/10 10:17:00

\* \* \* \* \*

## Normal mode

\* \* \* \* \*

<b>XOB #14F0: Polar Plume - Al/Poly + Be/thin + GBand - 512x512 - SPoleROI</b>												
Term	Pointing (x, y)					Comment						
03/07 11:02:00 - 03/07 11:12:52	Fixed ( 0.0, 0.0)					synoptic, shifted 47.0 min						
03/07 11:15:00 - 03/07 18:25:00	Fixed ( 0.0, -910.0)					# South Pole Pointing (contd)						
<b>PROG= 15 1-time(s)</b>												
└─ <b>Subr= 1 1-time(s) 3600.0sec</b>												
└─ <b>Seqn= 48 1-time(s) 2.0sec</b>												
Open/G-band	Open/G-band	open	Safe	Norm	12ms	Obs	1x1	512x512 (1024, 896)	52%	0	0	60.0sec
└─ <b>Seqn= 11 10-time(s) 8.0sec</b>												
Al-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 896)	52%	3	0	28.0sec
thin-Be/Open	thin-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 896)	52%	3	0	8.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

<b>XOB #14F4: QS Synoptic Q90 2x2 - Al/poly(2048/8192) + Dark cal(2048) + Ti-poly(4096/16384ms) + G-band(16)</b>												
Term	Pointing (x, y)					Comment						
03/07 23:55:30 - 03/08 10:50:54	Fixed ( 0.0, 0.0)					synoptic, shifted -6.5 min						
<b>PROG= 17 1-time(s)</b>												
└─ <b>Subr= 1 1-time(s) 2.0sec</b>												
└─ <b>Seqn= 16 1-time(s) 2.0sec</b>												
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	8.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 26 1-time(s) 2.0sec</b>												
Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 93 1-time(s) 2.0sec</b>												
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	16.0s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 46 1-time(s) 2.0sec</b>												
Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

<b>XOB #14CB: Don't use/ Synoptic Q90 - G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571)</b>												
Term	Pointing (x, y)					Comment						
03/08 10:53:00 - 03/10 10:17:00	Fixed ( 0.0, 0.0)					Backup plan						
<b>PROG= 03 1-time(s)</b>												
└─ <b>Subr= 1 1-time(s) 2.0sec</b>												
└─ <b>Seqn= 56 1-time(s) 2.0sec</b>												
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ <b>Seqn= 23 1-time(s) 2.0sec</b>												
Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ <b>Seqn= 100 1-time(s) 2.0sec</b>												
Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ <b>Seqn= 79 1-time(s) 2.0sec</b>												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

\* \* \* \* \*

## Flare mode

\* \* \* \* \*

NOT USED

\* \* \* \* \*

## Active Region Search

\* \* \* \* \*

NOT USED


\* \* \* \* \*

## Flare Detection


\* \* \* \* \*

NOT USED


### CMDI #0805 2008/03/07




### CMDI #0805 2008/03/07




### CMDI #0805 2008/03/08




CMDI #0805 2008/03/08




CMDI #0805 2008/03/09



CMDI #0805 2008/03/09



CMDI #0805 2008/03/10



CMDI #0805 2008/03/10

