

XRT Timeline to be uploaded on 2008/03/14

Period: 2008/03/14 10:17:00 - 2008/03/19 10:26:00

* * * * *

Normal mode

* * * * *

XOB #14F4: QS Synoptic Q90 2x2 - Al/poly(2048/8192) + Dark cal(2048) + Ti-poly(4096/16384ms) + G-band(16)													
Term	Pointing (x, y)	Comment											
03/14 18:10:00 - 03/15 05:54:24	Fixed (0.0, 0.0)	synoptic, shifted 8.0 min											
03/15 05:56:30 - 03/15 10:26:54	Fixed (0.0, 0.0)	synoptic, shifted -5.5 min											
03/15 10:29:00 - 03/16 08:14:54	Fixed (0.0, 0.0)	synoptic, shifted -0.0 min											
03/16 08:17:00 - 03/16 10:46:30	Fixed (0.0, 0.0)	synoptic, shifted 10.0 min											
03/16 18:02:00 - 03/19 10:26:00	Fixed (0.0, 0.0)	synoptic											
PROG= 17 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 16 1-time(s) 2.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 8.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 26 1-time(s) 2.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 93 1-time(s) 2.0sec													
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Open/Ti-poly Open/thick-Al close Safe Norm 16.0s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 46 1-time(s) 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14FA: Dither Pointing Q1 G-band 6 Xray 1024x1024													
Term	Pointing (x, y)	Comment											
03/16 10:48:00 - 03/16 10:54:30	Fixed (-528.4, -528.4)												
PROG= 20 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 1 1-time(s) 4.0sec													
└─ thin-Be/Open thin-Be/Open close Safe Norm 35 Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ C-poly/Open C-poly/Open close Safe Norm 16.0s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 4.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14F9: Dither Pointing Q1 6x-ray NO GBAND													
Term	Pointing (x, y)	Comment											
03/16 10:56:00 - 03/16 11:02:30	Fixed (-541.8, -505.7)												
03/16 11:04:00 - 03/16 11:10:30	Fixed (-553.2, -539.7)												
PROG= 04 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 3 1-time(s) 4.0sec													
└─ thin-Be/Open thin-Be/Open close Safe Norm 35 Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ C-poly/Open C-poly/Open close Safe Norm 16.0s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14FC: Dither Pointing Q2 G-band 6 Xray 1024x1024													
Term	Pointing (x, y)	Comment											
03/16 11:12:00 - 03/16 11:18:30	Fixed (528.4, -528.4)												
PROG= 09 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 82 1-time(s) 4.0sec													
└─ thin-Be/Open thin-Be/Open close Safe Norm 35 Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ C-poly/Open C-poly/Open close Safe Norm 16.0s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 4.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #14FB: Dither Pointing Q2 6x-ray NO GBAND													
Term	Pointing (x, y)	Comment											
03/16 11:20:00 - 03/16 11:26:30	Fixed (523.1, -516.8)												
03/16 11:28:00 - 03/16 11:34:30	Fixed (531.5, -554.2)												
PROG= 10 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 90 1-time(s) 4.0sec													

thin-Be/Open	thin-Be/Open	close	Safe	Norm	35	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	6.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	16.0s	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	6.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	8.00s	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	6.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	8.00s	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	6.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	6.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14FE: Dither Pointing Q3 G-band 6 Xray 1024x1024

Term	Pointing (x, y)	Comment
03/16 11:36:00 - 03/16 11:42:30	Fixed (528.4, 528.4)	
PROG= 07 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 84 1-time(s) 4.0sec		
thin-Be/Open	thin-Be/Open	close Safe Norm 35 Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
C-poly/Open	C-poly/Open	close Safe Norm 16.0s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/Al-mesh	Open/Al-mesh	close Safe Norm 4.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 2.0sec
Open/G-band	Open/G-band	open Safe Norm 63ms Obs 1x1 1024x1024 (512, 512) DPCM 0 0 4.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #14FD: Dither Pointing Q3 6x-ray NO GBAND

Term	Pointing (x, y)	Comment
03/16 11:44:00 - 03/16 11:50:30	Fixed (529.4, 538.7)	
03/16 11:52:00 - 03/16 11:58:30	Fixed (530.5, 500.6)	
PROG= 16 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 97 1-time(s) 4.0sec		
thin-Be/Open	thin-Be/Open	close Safe Norm 35 Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
C-poly/Open	C-poly/Open	close Safe Norm 16.0s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/Al-mesh	Open/Al-mesh	close Safe Norm 4.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #1500: Dither Pointing Q4 G-band 6 Xray 1024x1024

Term	Pointing (x, y)	Comment
03/16 12:00:00 - 03/16 12:06:30	Fixed (-528.4, 528.4)	
PROG= 18 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 73 1-time(s) 4.0sec		
thin-Be/Open	thin-Be/Open	close Safe Norm 35 Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
C-poly/Open	C-poly/Open	close Safe Norm 16.0s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/Al-mesh	Open/Al-mesh	close Safe Norm 4.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 2.0sec
Open/G-band	Open/G-band	open Safe Norm 63ms Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 4.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #14FF: Dither Pointing Q4 6x-ray NO GBAND

Term	Pointing (x, y)	Comment
03/16 12:08:00 - 03/16 12:14:30	Fixed (-535.6, 548.0)	
03/16 12:16:00 - 03/16 17:59:54	Fixed (-549.0, 522.2)	last dether pointing
PROG= 12 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 15 1-time(s) 4.0sec		
thin-Be/Open	thin-Be/Open	close Safe Norm 35 Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
C-poly/Open	C-poly/Open	close Safe Norm 16.0s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/Al-mesh	Open/Al-mesh	close Safe Norm 4.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0824 2008/03/14




CMDI #0824 2008/03/14




CMDI #0824 2008/03/15




CMDI #0824 2008/03/15




CMDI #0824 2008/03/16




CMDI #0824 2008/03/16




CMDI #0824 2008/03/17




CMDI #0824 2008/03/17




CMDI #0824 2008/03/18



CMDI #0824 2008/03/18



CMDI #0824 2008/03/19



CMDI #0824 2008/03/19

