

XRT Timeline to be uploaded on 2008/03/22

Period: 2008/03/22 10:40:00 - 2008/03/26 09:53:00

* * * * *

Normal mode

* * * * *

XOB #1507: QS-CH AL/Poly Q90 512x512 (6hours)												
Term	Pointing (x, y)	Comment										
03/22 10:50:24 - 03/22 18:11:54	Fixed (0.0, -930.0)	# OP start + 10min, S-pole pointing, WHI campaign (Poletto et al.) between 11:00 and 14:30										
PROG= 13 1-time(s)												
└─ Subr= 1 6-time(s) 60.0sec												
└─ Seqn= 19 60-time(s) 60.0sec												
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	30%	3	0 14.0sec
└─ Seqn= 91 1-time(s) 4.0sec												
	Al-poly/Open	Al-poly/Open	close	Safe	Dark	16.0s	Obs	1x1	512x512 (1024, 1024)	30%	0	0 2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval

XOB #14F4: QS Synoptic Q90 2x2 - Al/poly(2048/8192) + Dark cal(2048) + Ti-poly(4096/16384ms) + G-band(16)												
Term	Pointing (x, y)	Comment										
03/22 18:14:00 - 03/23 05:58:54	Fixed (0.0, 0.0)	Disk center, with synoptics at 18:12:00 (22 Mar) and 05:59:00 (23 Mar), and for SOT engine										
03/23 18:02:00 - 03/24 06:01:24	Fixed (0.0, 0.0)	# Disc center fixed pointing for rest of period. Synoptics at 18:00:00 (23 Mar) and 06:01:30 (24 Mar)										
PROG= 17 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 16 1-time(s) 2.0sec												
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	8.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
└─ Seqn= 26 1-time(s) 2.0sec												
	Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
└─ Seqn= 93 1-time(s) 2.0sec												
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	16.0s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
└─ Seqn= 46 1-time(s) 2.0sec												
	Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval

XOB #1503: QS Synoptic Q90 2x2 - Al/mesh(256/1024) + Dark cal(2048) + Ti-poly(4096/16384ms) + G-band(16)												
Term	Pointing (x, y)	Comment										
03/23 06:01:00 - 03/23 10:30:00	Fixed (0.0, 0.0)	Disk center, with synoptics at 18:12:00 (22 Mar) and 05:59:00 (23 Mar), and for SOT engine										
03/24 06:03:30 - 03/26 09:53:00	Fixed (0.0, 0.0)	# Disc center fixed pointing for rest of period. Synoptics at 18:00:00 (23 Mar) and 06:01:30 (24 Mar)										
PROG= 02 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 54 1-time(s) 2.0sec												
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	1.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
└─ Seqn= 4 1-time(s) 2.0sec												
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
└─ Seqn= 93 1-time(s) 2.0sec												
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	16.0s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
└─ Seqn= 46 1-time(s) 2.0sec												
	Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0 2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval

XOB #1508: QS Ti/Poly Al/Mesh Q90 512x512												
Term	Pointing (x, y)	Comment										
03/23 10:30:30 - 03/23 17:59:54	Track (0.0, 0.0) @ 03/23 10:05:00	# Track disk center for EIS compression tests; no WHI support today..										
PROG= 15 3-time(s)												
└─ Subr= 1 30-time(s) 2.0sec												
└─ Seqn= 9 1-time(s) 60.0sec												
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	22.6s	Obs	1x1	512x512 (1024, 1024)	30%	0	0 14.0sec
└─ Seqn= 34 1-time(s) 60.0sec												
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	8.00s	Obs	1x1	512x512 (1024, 1024)	30%	0	0 14.0sec
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 27 1-time(s) 60.0sec												
	Open/Al-mesh	Open/G-band	close	Safe	Dark	8.00s	Obs	1x1	512x512 (1024, 1024)	30%	0	0 2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0837 2008/03/22




CMDI #0837 2008/03/22




CMDI #0837 2008/03/23




CMDI #0837 2008/03/23




CMDI #0837 2008/03/24




CMDI #0837 2008/03/24




CMDI #0837 2008/03/25



CMDI #0837 2008/03/25



CMDI #0837 2008/03/26



CMDI #0837 2008/03/26

