

# XRT Timeline to be uploaded on 2008/03/24

Period: 2008/03/24 10:16:00 - 2008/03/27 10:30:00

\* \* \* \* \*

## Normal mode

\* \* \* \* \*

XOB #1509: QS-CH AL/Poly Q90 512x512 (30s x 4hours)												
Term		Pointing (x, y)					Comment					
03/24 11:00:24 - 03/24 18:04:24		Fixed ( 0.0, -930.0)					* S-pole pointing for WHI (Poletto et al. study); SAA-free over 10:39 - 15:49 UT.					
<b>PROG= 03 1-time(s)</b>												
└─ Subr= 1 4-time(s) 60.0sec												
└─ Seqn= 19 120-time(s) 30.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) 30% 3 0 2.0sec												
└─ Seqn= 91 1-time(s) 4.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Dark 16.0s Obs 1x1 512x512 (1024, 1024) 30% 0 0 2.0sec												
Default Filter		Thicker Filter		VLS		mode image		Exp. CCD Bin		ROI: size (center)		Comp. AEC Buffer Interval

XOB #14F4: QS Synoptic Q90 2x2 - Al/poly(2048/8192) + Dark cal(2048) + Ti-poly(4096/16384ms) + G-band(16)												
Term		Pointing (x, y)					Comment					
03/24 18:06:30 - 03/25 05:35:24		Fixed ( 0.0, 0.0)					Disc-center pointing. Synoptics at 18:04:30 (24 Mar) and 5:35:30 (25 Mar).					
03/25 17:40:30 - 03/26 05:56:54		Fixed ( 0.0, 0.0)					Disc-center pointing, synoptics at 17:38:30 (25 Mar) and 5:57:00 (26 Mar).					
<b>PROG= 17 1-time(s)</b>												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 16 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 8.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Al-poly/Open Al-poly/Open close Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 93 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 16.0s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 46 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
Default Filter		Thicker Filter		VLS		mode image		Exp. CCD Bin		ROI: size (center)		Comp. AEC Buffer Interval

XOB #1503: QS Synoptic Q90 2x2 - Al/mesh(256/1024) + Dark cal(2048) + Ti-poly(4096/16384ms) + G-band(16)												
Term		Pointing (x, y)					Comment					
03/25 05:37:30 - 03/25 11:15:00		Fixed ( 0.0, 0.0)					Disc-center pointing. Synoptics at 18:04:30 (24 Mar) and 5:35:30 (25 Mar).					
03/26 05:59:00 - 03/27 10:30:00		Fixed ( 0.0, 0.0)					Disc-center pointing, synoptics at 17:38:30 (25 Mar) and 5:57:00 (26 Mar).					
<b>PROG= 02 1-time(s)</b>												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 54 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 4 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Dark 500ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 93 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Open/Ti-poly Open/thick-Al close Safe Norm 16.0s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 46 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec												
Default Filter		Thicker Filter		VLS		mode image		Exp. CCD Bin		ROI: size (center)		Comp. AEC Buffer Interval

XOB #150A: QS Ti/Poly(16s) Al/Mesh(4s) Q90 512x512												
Term		Pointing (x, y)					Comment					
03/25 11:15:30 - 03/25 17:38:24		Track ( 438.7, -14.0) <sup>03/25 11:10:00</sup>					* Track QS near disc center for EIS compression tests, with SOT support.					
<b>PROG= 04 3-time(s)</b>												
└─ Subr= 1 30-time(s) 120.0sec												
└─ Seqn= 62 1-time(s) 2.0sec												
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 16.0s Obs 1x1 512x512 (1024, 1024) 30% 0 0 2.0sec												
└─ Seqn= 88 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) 30% 0 0 2.0sec												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 81 1-time(s) 60.0sec												
└─ Open/Al-mesh Open/G-band close Safe Dark 4.00s Obs 1x1 512x512 (1024, 1024) 30% 0 0 2.0sec												
Default Filter		Thicker Filter		VLS		mode image		Exp. CCD Bin		ROI: size (center)		Comp. AEC Buffer Interval

\* \* \* \* \*

## Flare mode

\* \* \* \* \*

NOT USED

\* \* \* \* \*

## Active Region Search

\* \* \* \* \*

NOT USED


\* \* \* \* \*

## Flare Detection


\* \* \* \* \*

NOT USED


### CMDI #0839 2008/03/24




### CMDI #0839 2008/03/24




### CMDI #0839 2008/03/25




CMDI #0839 2008/03/25




CMDI #0839 2008/03/26



CMDI #0839 2008/03/26



CMDI #0839 2008/03/27



CMDI #0839 2008/03/27

