

# XRT Timeline to be uploaded on 2008/03/26

Period: 2008/03/26 09:53:00 - 2008/03/29 10:07:00

\* \* \* \* \*

## Normal mode

\* \* \* \* \*

<b>XOB #150D: Al/Poly Q90 512x512 (60s x 5hours) with G-band (15min cadence)</b>												
Term	Pointing (x, y)							Comment				
03/26 10:03:24 - 03/26 17:59:54	Track ( -895.0, -161.7) <sup>© 03/26 10:03:00</sup>	# OP start + 10min, track new AR. EIS compression stuides, etc. SAA-free time is 10:18:00										
<b>PROG= 16 1-time(s)</b>												
└─ <b>Subr= 1 20-time(s) 60.0sec</b>												
└─ <b>Seqn= 55 15-time(s) 60.0sec</b>												
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	250ms	Obs 2x2	512x512 (1024, 1024)	30%	3	0	2.0sec
└─ <b>Seqn= 50 1-time(s) 4.0sec</b>												
	Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs 2x2	512x512 (1024, 1024)	30%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

<b>XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)</b>												
Term	Pointing (x, y)							Comment				
03/26 18:02:00 - 03/27 06:15:24	Fixed ( 0.0, 0.0)	Disc-center pointing, synoptics at 18:00:00 (26 Mar), and 06:15:30 (27 Mar) UT.										
<b>PROG= 20 1-time(s)</b>												
└─ <b>Subr= 1 1-time(s) 2.0sec</b>												
└─ <b>Seqn= 42 1-time(s) 2.0sec</b>												
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 26 1-time(s) 2.0sec</b>												
	Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 8 1-time(s) 2.0sec</b>												
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	250ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 46 1-time(s) 2.0sec</b>												
	Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

<b>XOB #150B: Synoptic Q90 2x2 - Al/mesh(128/512) + Dark cal(512) + Ti-poly(256/4096ms) + G-band(16)</b>												
Term	Pointing (x, y)							Comment				
03/27 06:17:30 - 03/27 08:00:00	Fixed ( 0.0, 0.0)	Disc-center pointing, synoptics at 18:00:00 (26 Mar), and 06:15:30 (27 Mar) UT.										
<b>PROG= 10 1-time(s)</b>												
└─ <b>Subr= 1 1-time(s) 2.0sec</b>												
└─ <b>Seqn= 40 1-time(s) 2.0sec</b>												
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	125ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	500ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 4 1-time(s) 2.0sec</b>												
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	500ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 8 1-time(s) 2.0sec</b>												
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	250ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
└─ <b>Seqn= 46 1-time(s) 2.0sec</b>												
	Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

<b>XOB #150C: Pre-Bakeout_Eval_IMGS (Al/Mesh - 1x1 - 2048ms)</b>												
Term	Pointing (x, y)							Comment				
03/27 08:00:30 - 03/29 10:07:00	Fixed ( 0.0, 0.0)	Disc-center pointing, synoptics at 18:00:00 (26 Mar), and 06:15:30 (27 Mar) UT.										
<b>PROG= 09 1-time(s)</b>												
└─ <b>Subr= 1 1-time(s) 2.0sec</b>												
└─ <b>Seqn= 61 2-time(s) 16.0sec</b>												
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs 1x1	2048x2048 (1024, 1024)	DPCM	0	0	2.0sec
└─ <b>Seqn=100 1-time(s) 4.0sec</b>												
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs 1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ <b>Seqn= 69 1-time(s) 4.0sec</b>												
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	1ms	Obs 8x8	2048x2048 (1024, 1024)	17%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

\* \* \* \* \*

## Flare mode

\* \* \* \* \*

NOT USED

\* \* \* \* \*

## Active Region Search

\* \* \* \* \*

NOT USED


\* \* \* \* \*

## Flare Detection


\* \* \* \* \*

NOT USED


### CMDI #0843 2008/03/26




### CMDI #0843 2008/03/26




### CMDI #0843 2008/03/27




CMDI #0843 2008/03/27




CMDI #0843 2008/03/28



CMDI #0843 2008/03/28



CMDI #0843 2008/03/29



CMDI #0843 2008/03/29

