

# XRT Timeline to be uploaded on 2008/04/08

Period: 2008/04/08 09:48:00 - 2008/04/12 10:39:00

\* \* \* \* \*

Normal mode

\* \* \* \* \*

XOB #151C: JPEG Comp Evaluation in QS - Al/poly - Q=90,75,50 - bin=1x1,2x2,4x4 - loop=4												
Term	Pointing (x, y)						Comment					
04/08 10:24:24 - 04/08 17:59:54	Track ( -18.8, 0.2) @ 04/08 09:58:00						# OP start + 10min at disc center					
<b>PROG= 16 2-time(s)</b>												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 75 2-time(s) 120.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs 1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs 1x1	512x512 (1024, 1024)	30%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs 1x1	512x512 (1024, 1024)	22%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs 1x1	512x512 (1024, 1024)	17%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	11.3s	Obs 1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Seqn= 72 2-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	8.00s	Obs 1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	8.00s	Obs 1x1	512x512 (1024, 1024)	30%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	8.00s	Obs 1x1	512x512 (1024, 1024)	22%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	8.00s	Obs 1x1	512x512 (1024, 1024)	17%	0	0	2.0sec	
└─ Al-poly/Open	C-poly/Open	close	Safe	Dark	8.00s	Obs 1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Seqn= 77 2-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	4.00s	Obs 1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	4.00s	Obs 1x1	512x512 (1024, 1024)	30%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	4.00s	Obs 1x1	512x512 (1024, 1024)	22%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	4.00s	Obs 1x1	512x512 (1024, 1024)	17%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	4.00s	Obs 1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Seqn= 67 2-time(s) 120.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs 2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs 2x2	512x512 (1024, 1024)	30%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs 2x2	512x512 (1024, 1024)	22%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs 2x2	512x512 (1024, 1024)	17%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	2.83s	Obs 2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Seqn= 25 2-time(s) 120.0sec												
└─ Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs 4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
└─ Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs 4x4	512x512 (1024, 1024)	30%	0	0	2.0sec	
└─ Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs 4x4	512x512 (1024, 1024)	22%	0	0	2.0sec	
└─ Al-poly/Open	thin-Be/Open	close	Safe	Norm	707ms	Obs 4x4	512x512 (1024, 1024)	17%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	707ms	Obs 4x4	512x512 (1024, 1024)	DPCM	0	0	2.0sec	
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)												
Term	Pointing (x, y)						Comment					
04/08 18:02:00 - 04/08 18:14:54	Fixed ( 0.0, 0.0)						synoptic					
04/09 18:01:00 - 04/10 05:43:54	Fixed ( 0.0, 0.0)						synoptic, shifted -1.0 min					
<b>PROG= 20 1-time(s)</b>												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 42 1-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec	
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec	
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec	
└─ Seqn= 8 1-time(s) 2.0sec												
└─ Open/Ti-poly	Open/thick-Al	close	Safe	Norm	250ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec	
└─ Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec	
└─ Seqn= 46 1-time(s) 2.0sec												
└─ Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs 2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec	
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1506: QS-CH AL/Poly Q90 512x512 (3hours)												
Term	Pointing (x, y)						Comment					
04/08 18:15:24 - 04/09 06:09:00	Fixed ( 873.0, -362.0)						#					
04/09 06:25:24 - 04/09 17:33:00	Fixed ( 873.0, -362.0)						#					
<b>PROG= 04 1-time(s)</b>												
└─ Subr= 1 3-time(s) 60.0sec												
└─ Seqn= 19 60-time(s) 60.0sec												
└─ Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	16.0s	Obs 1x1	512x512 (1024, 1024)	30%	3	0	2.0sec	
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #150B: Synoptic Q90 2x2 - Al/mesh(128/512) + Dark cal(512) + Ti-poly(256/4096ms) + G-band(16)												
Term	Pointing (x, y)						Comment					
04/09 06:12:00 - 04/09 06:24:54	Fixed ( 0.0, 0.0)						synoptic, shifted 10.0 min					
04/10 05:46:00 - 04/12 10:39:00	Fixed ( 0.0, 0.0)						synoptic, shifted -16.0 min					
<b>PROG= 10 1-time(s)</b>												
└─ Subr= 1 1-time(s) 2.0sec												

<b>Seqn= 40</b>		<b>1-time(s)</b>		<b>2.0sec</b>											
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	125ms	Obs	2x2	2048x2048	(1024, 1024)	30%	0	0	2.0sec		
Open/Al-mesh	Open/Ti-poly	close	Safe	Norm	500ms	Obs	2x2	2048x2048	(1024, 1024)	30%	0	0	2.0sec		
<b>Seqn= 4</b>		<b>1-time(s)</b>		<b>2.0sec</b>											
Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	500ms	Obs	2x2	2048x2048	(1024, 1024)	30%	0	0	2.0sec		
<b>Seqn= 8</b>		<b>1-time(s)</b>		<b>2.0sec</b>											
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	250ms	Obs	2x2	2048x2048	(1024, 1024)	30%	0	0	2.0sec		
Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs	2x2	2048x2048	(1024, 1024)	30%	0	0	2.0sec		
<b>Seqn= 46</b>		<b>1-time(s)</b>		<b>2.0sec</b>											
Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs	2x2	2048x2048	(1024, 1024)	30%	0	0	2.0sec		
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)			Comp.	AEC Buffer	Interval		

\* \* \* \* \*

### Flare mode

\* \* \* \* \*

NOT USED

\* \* \* \* \*

### Active Region Search

\* \* \* \* \*

NOT USED


\* \* \* \* \*

### Flare Detection


\* \* \* \* \*

NOT USED


### CMDI #0867 2008/04/08




### CMDI #0867 2008/04/08




### CMDI #0867 2008/04/09




CMDI #0867 2008/04/09




CMDI #0867 2008/04/10




CMDI #0867 2008/04/10




CMDI #0867 2008/04/11



CMDI #0867 2008/04/11



CMDI #0867 2008/04/12



CMDI #0867 2008/04/12

