

XRT Timeline to be uploaded on 2008/04/24

Period: 2008/04/24 11:00:00 - 2008/04/28 10:47:00

* * * * *

Normal mode

* * * * *

XOB #1525: 1024x1024 FOV for faint feature with long exposure - Al/mesh, Ti/poly - 4x4													
Term		Pointing (x, y)					Comment						
04/24 11:12:00 - 04/24 14:29:54		Track (400.4, -51.1) @ 04/24 11:10:00					# OP start + 10min, track bright region next to on-disk CH.						
PROG= 16 Inf.-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 1 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	1.00s	Obs	4x4	1024x1024 (1024, 1024)	DPCM	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec													
Seqn= 82 60-time(s) 60.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	2.00s	Obs	4x4	1024x1024 (1024, 1024)	30%	0	0	2.0sec
	Open/Al-mesh	Open/thick-Al	close	Safe	Norm	500ms	Obs	4x4	1024x1024 (1024, 1024)	30%	0	0	2.0sec
Default Filter		Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1524: EFR - Al/mesh, Ti/poly, G-band - 1x1 - FOV 256x256													
Term		Pointing (x, y)					Comment						
04/24 14:32:00 - 04/24 17:59:54		Track (408.4, 295.1) @ 04/24 14:30:00					* Joint SOT/IBIS obs of new EFR.						
04/25 14:32:00 - 04/25 18:05:54		Track (588.3, 284.1) @ 04/25 14:30:00					* SOT/IBIS obs of new EFR						
PROG= 09 Inf.-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 84 1-time(s) 120.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	256x256 (1024, 1024)	30%	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	1.00s	Obs	1x1	256x256 (1024, 1024)	DPCM	0	0	2.0sec
Subr= 2 1-time(s) 2.0sec													
Seqn= 79 30-time(s) 120.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	2.00s	Obs	1x1	256x256 (1024, 1024)	30%	3	0	2.0sec
	Open/Al-mesh	Open/thick-Al	close	Safe	Norm	500ms	Obs	1x1	256x256 (1024, 1024)	30%	3	0	2.0sec
Default Filter		Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)													
Term		Pointing (x, y)					Comment						
04/24 18:02:00 - 04/24 18:09:54		Fixed (0.0, 0.0)					synoptic						
04/25 18:08:00 - 04/25 18:15:54		Fixed (0.0, 0.0)					synoptic, shifted 6.0 min						
PROG= 20 1-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 42 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Seqn= 26 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Dark	1.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Seqn= 8 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Seqn= 46 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Default Filter		Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1523: ToO FOV for AR and its surroundings with short and long exposure - Al/mesh, Ti/poly - 1x1, 2x2 and 4x4													
Term		Pointing (x, y)					Comment						
04/24 18:12:00 - 04/25 06:18:54		Track (-120.9, -50.4) @ 04/24 18:10:00					# Track former-AR 10988.						
04/25 06:31:00 - 04/25 14:29:54		Track (-8.1, -50.5) @ 04/25 06:29:00					# Cont.						
04/25 18:18:00 - 04/26 05:52:54		Track (100.0, -51.7) @ 04/25 18:16:00					# Track former-AR 10988.						
04/26 06:05:00 - 04/26 09:42:54		Track (206.7, -53.9) @ 04/26 06:03:00					# Cont.						
PROG= 13 Inf.-time(s)													
Subr= 1 1-time(s) 2.0sec													
Seqn= 56 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	1.00s	Obs	1x1	256x256 (1024, 1024)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	1.00s	Obs	2x2	512x512 (1024, 1024)	DPCM	0	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Dark	1.00s	Obs	4x4	1024x768 (768, 1152)	DPCM	0	0	2.0sec
Subr= 2 30-time(s) 2.0sec													
Seqn= 48 1-time(s) 2.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	1.00s	Obs	4x4	1024x768 (768, 1152)	30%	0	0	2.0sec
	Open/Al-mesh	Open/thick-Al	close	Safe	Norm	250ms	Obs	4x4	1024x768 (768, 1152)	30%	0	0	2.0sec
Seqn= 11 1-time(s) 4.0sec													
	Open/Al-mesh	Open/thick-Al	close	Safe	Norm	125ms	Obs	2x2	512x512 (1024, 1024)	30%	3	0	2.0sec
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	500ms	Obs	2x2	512x512 (1024, 1024)	30%	3	0	2.0sec
Seqn= 23 2-time(s) 90.0sec													
	Open/Ti-poly	Open/thick-Al	close	Safe	Norm	2.00s	Obs	1x1	256x256 (1024, 1024)	30%	3	0	2.0sec
	Open/Al-mesh	Open/thick-Al	close	Safe	Norm	500ms	Obs	1x1	256x256 (1024, 1024)	30%	3	0	2.0sec
Default Filter		Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #150B: Synoptic Q90 2x2 - AI/mesh(128/1024) + Dark cal(512) + Ti-poly(256/4096ms) + G-band(16)													
Term		Pointing (x, y)				Comment							
04/25 06:21:00 - 04/25 06:28:54		Fixed (0.0, 0.0)				synoptic, shifted 19.0 min							
04/26 05:55:00 - 04/26 06:02:54		Fixed (0.0, 0.0)				synoptic, shifted -7.0 min							
PROG= 10 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 40 1-time(s) 2.0sec													
└─ Open/AI-mesh		Open/Ti-poly		close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)		30%	0 0 2.0sec
└─ Open/AI-mesh		Open/Ti-poly		close	Safe	Norm	1.00s	Obs	2x2	2048x2048 (1024, 1024)		30%	0 0 2.0sec
└─ Seqn= 4 1-time(s) 2.0sec													
└─ Open/AI-mesh		Open/AI-mesh		close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)		30%	0 0 2.0sec
└─ Seqn= 8 1-time(s) 2.0sec													
└─ Open/Ti-poly		Open/thick-AI		close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)		30%	0 0 2.0sec
└─ Open/Ti-poly		Open/thick-AI		close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)		30%	0 0 2.0sec
└─ Seqn= 46 1-time(s) 2.0sec													
└─ Open/G-band		Open/G-band		open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)		30%	0 0 2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

```


* * * * *
                    Flare mode
                    NOT USED
                    * * * * *

* * * * *
                    Active Region Search
                    NOT USED
                    * * * * *


* * * * *
                    Flare Detection
                    NOT USED
                    * * * * *

```


CMDI #0901 2008/04/24




CMDI #0901 2008/04/24




CMDI #0901 2008/04/25




CMDI #0901 2008/04/25




CMDI #0901 2008/04/26




CMDI #0901 2008/04/26



CMDI #0901 2008/04/27



CMDI #0901 2008/04/27



CMDI #0901 2008/04/28

