

XRT Timeline to be uploaded on 2008/04/26

Period: 2008/04/26 09:33:00 - 2008/04/29 10:20:00

* * * * *

Normal mode

* * * * *

XOB #1527: Three filter - Al/poly - Al/poly+Ti/poly - Ti/poly											
Term	Pointing (x, y)					Comment					
04/26 10:02:00 - 04/26 14:30:00	Track (239.4, -54.8) @ 04/26 09:43:00					# OP start + 10min, track former AR 10988, for EIS obs					
04/26 18:00:00 - 04/27 00:10:00	Track (311.8, -57.0) @ 04/26 17:58:00					# Cont.					
PROG= 01 1-time(s)											
└─ Subr= 1 1-time(s) 60.0sec											
└─ Seqn= 97 1-time(s) 4.0sec											
└─ Al-poly/Open C-poly/Open close Safe Norm 125ms Obs 1x1 256x256 (1024, 1024) 30% 1 0 2.0sec											
└─ Al-poly/Ti-poly Al-poly/thick-Al close Safe Norm 4.00s Obs 1x1 256x256 (1024, 1024) 30% 1 0 2.0sec											
└─ Open/Ti-poly Open/thick-Al close Safe Norm 1.00s Obs 1x1 256x256 (1024, 1024) 30% 1 0 2.0sec											
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval											

XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)											
Term	Pointing (x, y)					Comment					
04/26 17:50:00 - 04/26 17:57:54	Fixed (0.0, 0.0)					synoptic, shifted -4.0 min					
04/27 18:02:00 - 04/28 05:29:24	Fixed (0.0, 0.0)					synoptic					
PROG= 20 1-time(s)											
└─ Subr= 1 1-time(s) 2.0sec											
└─ Seqn= 42 1-time(s) 2.0sec											
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 26 1-time(s) 2.0sec											
└─ Al-poly/Open Al-poly/Open close Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 8 1-time(s) 2.0sec											
└─ Open/Ti-poly Open/thick-Al close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 46 1-time(s) 2.0sec											
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval											

XOB #150B: Synoptic Q90 2x2 - Al/mesh(128/1024) + Dark cal(512) + Ti-poly(256/4096ms) + G-band(16)											
Term	Pointing (x, y)					Comment					
04/27 06:02:00 - 04/27 10:57:54	Fixed (0.0, 0.0)					synoptic					
04/28 05:31:30 - 04/28 10:56:54	Fixed (0.0, 0.0)					synoptic, shifted -30.5 min					
PROG= 10 1-time(s)											
└─ Subr= 1 1-time(s) 2.0sec											
└─ Seqn= 40 1-time(s) 2.0sec											
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 4 1-time(s) 2.0sec											
└─ Open/Al-mesh Open/Al-mesh close Safe Dark 500ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 8 1-time(s) 2.0sec											
└─ Open/Ti-poly Open/thick-Al close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 46 1-time(s) 2.0sec											
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval											

XOB #1528: Synoptic Q90 2x2 - Nine filters + Dark cal(2048) + G-band(16)											
Term	Pointing (x, y)					Comment					
04/27 11:00:00 - 04/27 17:59:54	Fixed (0.0, 0.0)					* Cont.					
PROG= 07 1-time(s)											
└─ Subr= 1 1-time(s) 2.0sec											
└─ Seqn= 90 1-time(s) 2.0sec											
└─ thin-Be/Open med-Be/Open close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ thin-Be/Open med-Be/Open close Safe Norm 5.66s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 42 1-time(s) 2.0sec											
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 26 1-time(s) 2.0sec											
└─ Al-poly/Open Al-poly/Open close Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 46 1-time(s) 2.0sec											
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 8 1-time(s) 4.0sec											
└─ Open/Ti-poly Open/thick-Al close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 40 1-time(s) 4.0sec											
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Open/Al-mesh Open/Ti-poly close Safe Norm 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											
└─ Seqn= 66 1-time(s) 4.0sec											
└─ C-poly/Open C-poly/Open close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec											

Subr= 2	C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Seqn= 15	1-time(s)	2.0sec											
Seqn= 15	med-Be/Open	med-Be/Open	close	Safe	Norm	22.6s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Seqn= 47	1-time(s)	4.0sec											
Seqn= 29	med-Al/Open	med-Al/Open	close	Safe	Norm	22.6s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Seqn= 29	1-time(s)	4.0sec											
Seqn= 33	Open/thick-Al	Open/thick-Al	close	Safe	Norm	64.0s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
Seqn= 33	1-time(s)	4.0sec											
	Open/thick-Be	Open/thick-Be	close	Safe	Norm	64.0s	Obs	2x2	2048x2048 (1024, 1024)	30%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1526: Full Sun Movie - Ti/Poly + Al/poly - 4x4 - AEC23 - 8% Data Rate - low cadence

Term	Pointing (x, y)	Comment
04/28 11:06:00 - 04/29 10:20:00	Fixed (0.0, 0.0)	Backup plan
PROG= 18 Inf.-time(s)		
Subr= 1	1-time(s)	5400.0sec
Seqn= 73	1-time(s)	2.0sec
	Open/Ti-poly	Open/Ti-poly
	close	Safe
	Norm	125ms
	Obs	4x4
	2048x2048 (1024, 1024)	52%
	3	0
	2.0sec	
	Open/Ti-poly	Open/Ti-poly
	close	Safe
	Norm	2.00s
	Obs	4x4
	2048x2048 (1024, 1024)	DPCM
	2	0
	2.0sec	
Seqn= 3	1-time(s)	2.0sec
	Al-poly/Open	Al-poly/Open
	close	Safe
	Norm	125ms
	Obs	4x4
	2048x2048 (1024, 1024)	52%
	3	0
	2.0sec	
	Al-poly/Open	Al-poly/Open
	close	Safe
	Norm	1.00s
	Obs	4x4
	2048x2048 (1024, 1024)	DPCM
	2	0
	2.0sec	
	Default Filter	Thicker Filter
	VLS	mode
	image	Exp.
	CCD	Bin
	ROI: size (center)	Comp.
	AEC Buffer	Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0908 2008/04/26




CMDI #0908 2008/04/26




CMDI #0908 2008/04/27




CMDI #0908 2008/04/27




CMDI #0908 2008/04/28



CMDI #0908 2008/04/28



CMDI #0908 2008/04/29



CMDI #0908 2008/04/29

