

XRT Timeline to be uploaded on 2008/04/28

Period: 2008/04/28 10:47:00 - 2008/05/01 11:01:00

* * * * *

Normal mode

* * * * *

XOB #1527: Three filter - Al/poly - Al/poly+Ti/poly - Ti/poly												
Term		Pointing (x, y)					Comment					
04/28 11:07:06 - 04/28 14:29:54		Track (632.8, -74.1) @ 04/28 10:57:00					# OP start + 10min, EIS obs of former AR 10988.					
PROG= 01 Inf.-time(s)												
└─ Subr= 1 1-time(s) 60.0sec												
└─ Seqn= 97 1-time(s) 4.0sec												
└─ Al-poly/Open		C-poly/Open		close	Safe	Norm	125ms	Obs	1x1	256x256 (1024, 1024)	30%	1 0 2.0sec
└─ Al-poly/Ti-poly		Al-poly/thick-Al		close	Safe	Norm	4.00s	Obs	1x1	256x256 (1024, 1024)	30%	1 0 2.0sec
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	1.00s	Obs	1x1	256x256 (1024, 1024)	30%	1 0 2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer Interval
XOB #1529: Three filter - Al/poly - Al/poly+Ti/poly - Ti/poly - shifted (+104, +256)												
Term		Pointing (x, y)					Comment					
04/28 14:32:00 - 04/28 17:00:00		Track (505.3, -350.5) @ 04/28 14:30:00					* SOT/IBIS collaboration, track filament.					
PROG= 12 Inf.-time(s)												
└─ Subr= 1 1-time(s) 60.0sec												
└─ Seqn= 6 1-time(s) 4.0sec												
└─ Al-poly/Open		C-poly/Open		close	Safe	Norm	125ms	Obs	1x1	256x256 (1128, 1280)	30%	1 0 2.0sec
└─ Al-poly/Ti-poly		Al-poly/thick-Al		close	Safe	Norm	4.00s	Obs	1x1	256x256 (1128, 1280)	30%	1 0 2.0sec
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	1.00s	Obs	1x1	256x256 (1128, 1280)	30%	1 0 2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer Interval
XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)												
Term		Pointing (x, y)					Comment					
04/28 18:21:30 - 04/29 06:04:54		Fixed (0.0, 0.0)					synoptic, shifted 19.5 min					
PROG= 20 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 42 1-time(s) 2.0sec												
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Al-poly/Open		Al-poly/thick-Al		close	Safe	Norm	2.83s	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Seqn= 26 1-time(s) 2.0sec												
└─ Al-poly/Open		Al-poly/Open		close	Safe	Dark	1.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Seqn= 8 1-time(s) 2.0sec												
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Seqn= 46 1-time(s) 2.0sec												
└─ Open/G-band		Open/G-band		open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer Interval
XOB #150B: Synoptic Q90 2x2 - Al/mesh(128/1024) + Dark cal(512) + Ti-poly(256/4096ms) + G-band(16)												
Term		Pointing (x, y)					Comment					
04/29 06:07:00 - 04/29 10:29:54		Fixed (0.0, 0.0)					synoptic, shifted 5.0 min					
PROG= 10 1-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 40 1-time(s) 2.0sec												
└─ Open/Al-mesh		Open/Ti-poly		close	Safe	Norm	125ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Open/Al-mesh		Open/Ti-poly		close	Safe	Norm	1.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Seqn= 4 1-time(s) 2.0sec												
└─ Open/Al-mesh		Open/Al-mesh		close	Safe	Dark	500ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Seqn= 8 1-time(s) 2.0sec												
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	250ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Open/Ti-poly		Open/thick-Al		close	Safe	Norm	4.00s	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
└─ Seqn= 46 1-time(s) 2.0sec												
└─ Open/G-band		Open/G-band		open	Safe	Norm	16ms	Obs	2x2	2048x2048 (1024, 1024)	30%	0 0 2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer Interval
XOB #1526: Full Sun Movie - Ti/Poly + Al/poly - 4x4 - AEC23 - 8% Data Rate - low cadence												
Term		Pointing (x, y)					Comment					
04/29 10:32:00 - 05/01 11:01:00		Fixed (0.0, 0.0)					Backup plan					
PROG= 18 Inf.-time(s)												
└─ Subr= 1 1-time(s) 5400.0sec												
└─ Seqn= 73 1-time(s) 2.0sec												
└─ Open/Ti-poly		Open/Ti-poly		close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	52%	3 0 2.0sec
└─ Open/Ti-poly		Open/Ti-poly		close	Safe	Norm	2.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2 0 2.0sec
└─ Seqn= 3 1-time(s) 2.0sec												
└─ Al-poly/Open		Al-poly/Open		close	Safe	Norm	125ms	Obs	4x4	2048x2048 (1024, 1024)	52%	3 0 2.0sec
└─ Al-poly/Open		Al-poly/Open		close	Safe	Norm	1.00s	Obs	4x4	2048x2048 (1024, 1024)	DPCM	2 0 2.0sec
Default Filter		Thicker Filter		VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0910 2008/04/28



CMDI #0910 2008/04/28




CMDI #0910 2008/04/29




CMDI #0910 2008/04/29




CMDI #0910 2008/04/30



CMDI #0910 2008/04/30



CMDI #0910 2008/05/01



CMDI #0910 2008/05/01

