

XRT Timeline to be uploaded on 2008/05/15

Period: 2008/05/15 09:56:00 - 2008/05/20 09:46:00

* * * * *

Normal mode

* * * * *

XOB #14DF: Synoptic Q90 2x2 - Al/poly(128/2897) + Dark cal(2048) + Ti-poly(256/4096) + G-band(16)													
Term	Pointing (x, y)							Comment					
05/16 18:07:00 - 05/16 18:15:54	Fixed (0.0, 0.0)							synoptic, shifted 5.0 min					
PROG= 06 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 42 1-time(s) 2.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Al-poly/Open Al-poly/thick-Al close Safe Norm 2.83s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 26 1-time(s) 2.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Dark 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 8 1-time(s) 2.0sec													
└─ Open/Ti-poly Open/thick-Al close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Open/Ti-poly Open/thick-Al close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
└─ Seqn= 46 1-time(s) 2.0sec													
└─ Open/G-band Open/G-band open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #1549: Dither Pointing_Q1 6x-ray-short exposure													
Term	Pointing (x, y)							Comment					
05/16 18:19:00 - 05/16 18:23:54	Fixed (-528.4, -528.4)							* Post-bakeout dither pointing series.					
PROG= 07 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 17 1-time(s) 4.0sec													
└─ thin-Be/Open thin-Be/Open close Safe Norm 32.0s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ C-poly/Open thin-Be/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 4.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #152A: Dither Pointing_Q1 6x-ray_NO GBAND-short exposure													
Term	Pointing (x, y)							Comment					
05/16 18:27:00 - 05/16 18:31:54	Fixed (-541.8, -505.7)							# Cont. until end.					
05/16 18:35:00 - 05/16 18:39:54	Fixed (-553.2, -539.7)							*					
PROG= 16 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 9 1-time(s) 4.0sec													
└─ thin-Be/Open thin-Be/Open close Safe Norm 32.0s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ C-poly/Open thin-Be/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 1024x1024 (1536, 1536) DPCM 0 0 6.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #154A: Dither Pointing_Q2 6x-ray-short exposure													
Term	Pointing (x, y)							Comment					
05/16 18:43:00 - 05/16 18:47:54	Fixed (528.4, -528.4)												
PROG= 19 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 32 1-time(s) 4.0sec													
└─ thin-Be/Open thin-Be/Open close Safe Norm 32.0s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ C-poly/Open thin-Be/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Open/G-band Open/G-band open Safe Norm 63ms Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 4.0sec													
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval													

XOB #152B: Dither Pointing_Q2 6x-ray_NO GBAND-short exposure													
Term	Pointing (x, y)							Comment					
05/16 18:51:00 - 05/16 18:55:54	Fixed (523.1, -516.8)												
05/16 18:59:00 - 05/16 19:03:00	Fixed (531.5, -554.2)												
PROG= 13 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 34 1-time(s) 4.0sec													
└─ thin-Be/Open thin-Be/Open close Safe Norm 32.0s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ C-poly/Open thin-Be/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Open/Ti-poly Open/Ti-poly close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													
└─ Al-poly/Open Al-poly/Open close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 1536) DPCM 0 0 6.0sec													

Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	1024x1024 (512, 1536)	DPCM	0	0	6.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #154D: Dither Pointing Q3 6x-ray-short exposure

Term	Pointing (x, y)	Comment
05/16 19:55:00 - 05/16 19:59:54	Fixed (528.4, 528.4)	
PROG= 17 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 37 1-time(s) 4.0sec		
thin-Be/Open	thin-Be/Open	close Safe Norm 32.0s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
C-poly/Open	thin-Be/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/Al-mesh	Open/Al-mesh	close Safe Norm 2.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/G-band	Open/G-band	open Safe Norm 63ms Obs 1x1 1024x1024 (512, 512) DPCM 0 0 4.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #152C: Dither Pointing Q3 6x-ray NO GBAND-short exposure

Term	Pointing (x, y)	Comment
05/16 20:03:00 - 05/16 20:07:54	Fixed (529.4, 538.7)	
05/16 20:11:00 - 05/16 20:15:54	Fixed (530.5, 500.6)	
PROG= 12 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 27 1-time(s) 4.0sec		
thin-Be/Open	thin-Be/Open	close Safe Norm 32.0s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
C-poly/Open	thin-Be/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Open/Al-mesh	Open/Al-mesh	close Safe Norm 2.00s Obs 1x1 1024x1024 (512, 512) DPCM 0 0 6.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #154E: Dither Pointing Q4 6x-ray-short exposure

Term	Pointing (x, y)	Comment
05/16 20:19:00 - 05/16 20:23:54	Fixed (-528.4, 528.4)	
PROG= 02 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 65 1-time(s) 4.0sec		
thin-Be/Open	thin-Be/Open	close Safe Norm 32.0s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
C-poly/Open	thin-Be/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/Al-mesh	Open/Al-mesh	close Safe Norm 2.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/G-band	Open/G-band	open Safe Norm 63ms Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 4.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #152D: Dither Pointing Q4 6x-ray NO GBAND-short exposure

Term	Pointing (x, y)	Comment
05/16 20:27:00 - 05/16 20:31:54	Fixed (-535.6, 548.0)	
05/16 20:35:00 - 05/16 20:41:30	Fixed (-549.0, 522.2)	* Final dither pointing.
PROG= 05 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 91 1-time(s) 4.0sec		
thin-Be/Open	thin-Be/Open	close Safe Norm 32.0s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
C-poly/Open	thin-Be/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/Ti-poly	Open/Ti-poly	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Al-poly/Open	Al-poly/Open	close Safe Norm 8.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Open/Al-mesh	Open/Al-mesh	close Safe Norm 2.00s Obs 1x1 1024x1024 (1536, 512) DPCM 0 0 6.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #150B: Synoptic Q90 2x2 - Al/mesh(128/1024) + Dark cal(512) + Ti-poly(256/4096ms) + G-band(16)

Term	Pointing (x, y)	Comment
05/17 05:54:00 - 05/17 06:01:54	Fixed (0.0, 0.0)	synoptic, shifted -8.0 min
PROG= 18 1-time(s)		
└─ Subr= 1 1-time(s) 2.0sec		
└─ Seqn= 40 1-time(s) 2.0sec		
Open/Al-mesh	Open/Ti-poly	close Safe Norm 125ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec
Open/Al-mesh	Open/Ti-poly	close Safe Norm 1.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec
└─ Seqn= 4 1-time(s) 2.0sec		
Open/Al-mesh	Open/Al-mesh	close Safe Dark 500ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec
└─ Seqn= 8 1-time(s) 2.0sec		
Open/Ti-poly	Open/thick-Al	close Safe Norm 250ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec
Open/Ti-poly	Open/thick-Al	close Safe Norm 4.00s Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec
└─ Seqn= 46 1-time(s) 2.0sec		
Open/G-band	Open/G-band	open Safe Norm 16ms Obs 2x2 2048x2048 (1024, 1024) 30% 0 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

XOB #154F: AR - Al/poly + Thin-Be - 1x1 512FOV AEC1-2

Term	Pointing (x, y)	Comment
05/17 06:04:00 - 05/17 09:39:30	Track (-458.0, -109.2) @ 05/17 06:02:00	# Cont.
PROG= 11 Inf.-time(s)		
└ Subr= 1	1-time(s) 2.0sec	
└ Seqn= 57	30-time(s) 240.0sec	
└ Al-poly/Open	Al-poly/thick-Al close	Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) 30% 1 0 2.0sec
└ thin-Be/Open	med-Be/Open close	Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) 30% 1 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0936 2008/05/15




CMDI #0936 2008/05/15




CMDI #0936 2008/05/16




CMDI #0936 2008/05/16




CMDI #0936 2008/05/17




CMDI #0936 2008/05/17




CMDI #0936 2008/05/18




CMDI #0936 2008/05/18




CMDI #0936 2008/05/19



CMDI #0936 2008/05/19



CMDI #0936 2008/05/20



CMDI #0936 2008/05/20

