

XRT Timeline to be uploaded on 2007/08/29

Period: 2007/08/29 10:30:00 - 2007/08/31 10:37:00

* * * * *

Normal mode

* * * * *

XOB #13EA: Remove Contamination Package - Al/mesh (2s - 128x128) + contexts 512x512 - no compression												
Term	Pointing (x, y)						Comment					
08/29 10:41:40 - 08/29 17:30:00	Track (-67.2, 0.4) @ 08/29 10:40:00						HOP 21 : Sun center tracking					
PROG= 11 Inf.-time(s)												
└─ Subr= 1 1-time(s) 1800.0sec												
└─ Seqn= 74 5-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ Seqn= 61 5-time(s) 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ Seqn= 91 5-time(s) 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 4.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 2.0sec												
└─ Seqn= 48 20-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 9.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 128x128 (1024, 1024) no comp 0 0 2.0sec												
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #13E5: CCD Monitor During Bakeout - G-Band and X-ray - improved												
Term	Pointing (x, y)						Comment					
08/29 18:01:40 - 08/29 18:20:00	Track (-67.2, 0.4) @ 08/29 10:40:00						HOP 21 : Sun center tracking					
08/30 06:21:40 - 08/30 06:40:00	Track (-67.2, 0.4) @ 08/29 10:40:00						HOP 21 : Sun center tracking					
PROG= 05 Inf.-time(s)												
└─ Subr= 1 1-time(s) 2.0sec												
└─ Seqn= 45 1-time(s) 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Seqn= 46 1-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec												
└─ Subr= 2 2-time(s) 540.0sec												
└─ Seqn= 42 5-time(s) 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Open/Al-mesh Open/Al-mesh close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Seqn= 52 5-time(s) 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ C-poly/Open C-poly/Open close Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Seqn= 36 5-time(s) 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec												
Default Filter Thicker Filter VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval												

XOB #13ED: CCD Monitor During Bakeout - G-Band and X-ray 512FOV - low cadence												
Term	Pointing (x, y)						Comment					
08/29 19:21:46 - 08/30 05:50:00	Track (-67.2, 0.4) @ 08/29 10:40:00						HOP 21 : Sun center tracking					
08/30 07:41:46 - 08/30 10:43:54	Track (-67.2, 0.4) @ 08/29 10:40:00						HOP 21 : Sun center tracking					
PROG= 14 Inf.-time(s)												
└─ Subr= 2 1-time(s) 2.0sec												
└─ Seqn= 67 1-time(s) 60.0sec												
└─ Open/G-band Open/G-band open Safe Norm 44ms Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ Open/thick-Be Open/thick-Be close Safe Dark 44ms Obs 1x1 512x512 (1024, 1024) no comp 0 0 2.0sec												
└─ Subr= 1 2-time(s) 2.0sec												
└─ Seqn= 60 5-time(s) 120.0sec												

Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 74 5-time(s) 120.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 38 5-time(s) 120.0sec												
Al-poly/Open	Al-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Al-poly/Open	Al-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 61 5-time(s) 120.0sec												
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 76 5-time(s) 120.0sec												
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
Seqn= 48 20-time(s) 2.0sec												
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13E4: CCD Monitor During Bakeout - G-Band and X-ray + 4 strips Al/mesh

Term	Pointing (x, y)	Comment
08/30 10:45:40 - 08/31 10:37:00	Fixed (0.0, 0.0)	Backup plan
PROG= 07 Inf.-time(s)		
Subr= 1 1-time(s) 9000.0sec		
Seqn= 45 1-time(s) 2.0sec		
Open/G-band	Open/G-band open	Safe Norm 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec
Open/G-band	Open/G-band open	Safe Norm 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec
Open/G-band	Open/G-band open	Safe Norm 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec
Open/G-band	Open/G-band open	Safe Norm 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 44ms Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 44ms Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 44ms Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 44ms Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec
Seqn= 42 5-time(s) 2.0sec		
Open/Al-mesh	Open/Al-mesh close	Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
Open/Al-mesh	Open/Al-mesh close	Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
Seqn= 52 5-time(s) 2.0sec		
C-poly/Open	C-poly/Open close	Safe Norm 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
C-poly/Open	C-poly/Open close	Safe Norm 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
Seqn= 36 5-time(s) 2.0sec		
Open/thick-Be	Open/thick-Be close	Safe Dark 2.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 4.00s Obs 1x1 512x512 (1024, 1024) DPCM 0 0 2.0sec
Seqn= 46 1-time(s) 2.0sec		
Open/Al-mesh	Open/Al-mesh close	Safe Norm 2.00s Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec
Open/Al-mesh	Open/Al-mesh close	Safe Norm 2.00s Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec
Open/Al-mesh	Open/Al-mesh close	Safe Norm 2.00s Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec
Open/Al-mesh	Open/Al-mesh close	Safe Norm 2.00s Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 2.00s Obs 1x1 2048x512 (1024, 1792) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 2.00s Obs 1x1 2048x512 (1024, 1280) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 2.00s Obs 1x1 2048x512 (1024, 768) DPCM 0 0 2.0sec
Open/thick-Be	Open/thick-Be close	Safe Dark 2.00s Obs 1x1 2048x512 (1024, 256) DPCM 0 0 2.0sec
Default Filter	Thicker Filter	VLS mode image Exp. CCD Bin ROI: size (center) Comp. AEC Buffer Interval

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0329 2007/08/29




CMDI #0329 2007/08/29




CMDI #0329 2007/08/30



CMDI #0329 2007/08/30



CMDI #0329 2007/08/31



CMDI #0329 2007/08/31

