

XRT Timeline to be uploaded on 2007/08/31

Period: 2007/08/31 10:37:00 - 2007/09/03 10:20:00

* * * * *

Normal mode

* * * * *

XOB #13EE: CCD Monitor During Bakeout - G-Band and Five X-rays 512FOV - Al/mesh 128FOV - low cadence													
Term	Pointing (x, y)	Comment											
08/31 10:48:40 - 09/01 00:00:00	Track (734.7, 150.0) @ 08/31 10:47:00	AR 10969											
09/01 00:45:00 - 09/01 02:00:00	Track (-38.7, 0.0) @ 08/31 22:47:00	EIS sun center tracking											
09/01 03:51:46 - 09/01 09:00:00	Track (-38.7, 0.0) @ 08/31 22:47:00	EIS sun center tracking											
09/01 09:45:00 - 09/01 10:52:54	Track (833.2, 131.7) @ 09/01 06:00:00	AR 10969 (again)											
PROG= 16 Inf.-time(s)													
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 67 1-time(s) 60.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Subr= 1 2-time(s) 2.0sec													
└─ Seqn= 60 5-time(s) 120.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 74 5-time(s) 120.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 38 5-time(s) 120.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 61 5-time(s) 120.0sec													
	C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
	C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 16 5-time(s) 120.0sec													
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 76 5-time(s) 120.0sec													
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	no comp	0	0	2.0sec
└─ Seqn= 48 10-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	9.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	128x128 (1024, 1024)	no comp	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)		Comp.	AEC Buffer	Interval	

XOB #13E5: CCD Monitor During Bakeout - G-Band and X-ray - improved													
Term	Pointing (x, y)	Comment											
09/01 02:41:33 - 09/01 03:00:00	Track (-38.7, 0.0) @ 08/31 22:47:00	EIS sun center tracking											
PROG= 05 Inf.-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 45 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
	Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└─ Seqn= 46 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
└─ Subr= 2 2-time(s) 540.0sec													
└─ Seqn= 42 5-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 52 5-time(s) 2.0sec													
	C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
	C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 36 5-time(s) 2.0sec													
	Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec

Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #13E4: CCD Monitor During Bakeout - G-Band and X-ray + 4 strips Al/mesh

Term	Pointing (x, y)	Comment
09/01 10:54:40 - 09/03 10:20:00	Fixed (0.0, 0.0)	Backup plan

PROG= 07 Inf.-time(s)

Subr= 1	1-time(s)	9000.0sec										
Seqn= 45	1-time(s)	2.0sec										
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/G-band	Open/G-band	open	Safe	Norm	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	44ms	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Seqn= 42	5-time(s)	2.0sec										
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 52	5-time(s)	2.0sec										
C-poly/Open	C-poly/Open	close	Safe	Norm	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
C-poly/Open	C-poly/Open	close	Safe	Norm	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 36	5-time(s)	2.0sec										
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	4.00s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
Seqn= 46	1-time(s)	2.0sec										
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1792)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 1280)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 768)	DPCM	0	0	2.0sec
Open/thick-Be	Open/thick-Be	close	Safe	Dark	2.00s	Obs	1x1	2048x512 (1024, 256)	DPCM	0	0	2.0sec
Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

NOT USED


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0333 2007/08/31




CMDI #0333 2007/08/31




CMDI #0333 2007/09/01




CMDI #0333 2007/09/01




CMDI #0333 2007/09/02



CMDI #0333 2007/09/02



CMDI #0333 2007/09/03



CMDI #0333 2007/09/03

