

XRT Timeline to be uploaded on 2007/11/02

Period: 2007/11/02 10:37:00 - 2007/11/05 10:20:00

* * * * *

Normal mode

* * * * *

XOB #1439: QS Limb (west or east) - C/poly - 512x1024 -dark-Gband-lower cadence													
Term	Pointing (x, y)					Comment							
11/02 10:49:02 - 11/02 10:59:54	Fixed (940.0, -100.0)					# OP start + 10min, HOP 50, Oslo, W limb							
PROG= 10 Inf.-time(s)													
└─ Subr= 1 1-time(s) 1500.0sec													
└─ Seqn= 41 15-time(s) 60.0sec													
	C-poly/Open	thin-Be/Open	close	Safe	Norm	11.3s	Obs	1x1	512x1024 (1024, 1024)	DPCM	0	0	30.0sec
└─ Seqn= 92 1-time(s) 2.0sec													
	C-poly/Open	C-poly/thick-Al	close	Safe	Dark	22.6s	Obs	1x1	512x1024 (1024, 1024)	DPCM	0	0	30.0sec
└─ Seqn= 32 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	512x1024 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1409: Dither Pointing-A with short Al/mesh and Ti/poly													
Term	Pointing (x, y)					Comment							
11/02 11:00:30 - 11/02 11:11:54	Fixed (0.0, 0.0)					* synoptic, shifted manually							
PROG= 05 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 81 1-time(s) 60.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	35	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 33 1-time(s) 2.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	1.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	22.6s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	60.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	500ms	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	0.5sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 83 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	C-poly/Open	thin-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	64.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #140A: Dither Pointing-A (Ti/poly Al/mesh Al/poly C/poly thin-Be)													
Term	Pointing (x, y)					Comment							
11/02 11:12:30 - 11/02 11:20:54	Fixed (-21.0, 0.0)					Dither pointing (1 of 2)							
11/02 11:21:30 - 11/02 11:29:54	Fixed (2.0, 11.0)					* Dither pointing (2 of 2)							
PROG= 15 1-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 81 1-time(s) 60.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Open/Ti-poly	Open/Ti-poly	close	Safe	Dark	35	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 66 1-time(s) 2.0sec													
	Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	22.6s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	8.00s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 12 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/thick-Al	close	Safe	Norm	11.3s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	C-poly/Open	thin-Be/Open	close	Safe	Norm	22.6s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	thin-Be/Open	thin-Be/Open	close	Safe	Norm	64.0s	Obs	1x1	2048x2048 (1024, 1024)	52%	0	0	2.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1442: CH(Al/mesh) - 40s cad -16 s exp - FOV 512 + DARK and Al /poly													
Term	Pointing (x, y)					Comment							
11/02 11:32:02 - 11/02 17:55:54	Fixed (0.0, 945.0)					* SUMER CMPN, HOP 44 (from 12:00 UT), N pole							
11/02 18:08:02 - 11/02 23:56:24	Fixed (0.0, 945.0)					# Cont.							
11/03 00:08:32 - 11/03 05:59:54	Fixed (0.0, 945.0)					# Cont.							
11/03 06:12:02 - 11/03 10:52:54	Fixed (0.0, 945.0)					# Cont.							
PROG= 07 Inf.-time(s)													
└─ Subr= 1 1-time(s) 2.0sec													
└─ Seqn= 56 45-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	40.0sec
└─ Subr= 2 1-time(s) 2.0sec													
└─ Seqn= 39 1-time(s) 2.0sec													
	Open/Al-mesh	Open/Al-mesh	close	Safe	Dark	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	2.0sec
└─ Seqn= 20 1-time(s) 2.0sec													
	Open/G-band	Open/G-band	open	Safe	Norm	63ms	Obs	1x1	512x512 (1024, 1024)	52%	0	0	2.0sec
└─ Seqn= 45 1-time(s) 2.0sec													
	Al-poly/Open	Al-poly/Open	close	Safe	Norm	16.0s	Obs	1x1	512x512 (1024, 1024)	DPCM	0	0	50.0sec
	Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval	

XOB #1417: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + C/poly (1024/11571)

Term	Pointing (x, y)	Comment
11/02 17:58:00 - 11/02 18:05:54	Fixed (0.0, 0.0)	synoptic, shifted -4.0 min
11/03 06:02:00 - 11/03 06:09:54	Fixed (0.0, 0.0)	synoptic

PROG= 14 1-time(s)

Subr= 1	1-time(s)	2.0sec
Seqn= 80	1-time(s)	2.0sec
Open/Al-mesh	Open/Ti-poly close	Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec
Open/Al-mesh	Open/Ti-poly close	Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 26	1-time(s)	2.0sec
Open/Ti-poly	Open/thick-Al close	Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec
Open/Ti-poly	Open/thick-Al close	Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 23	1-time(s)	2.0sec
Open/Ti-poly	Open/Ti-poly close	Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn=100	1-time(s)	2.0sec
Open/G-band	Open/G-band open	Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 54	1-time(s)	2.0sec
Al-poly/Open	Al-poly/Open close	Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Al-poly/Open	Al-poly/thick-Al close	Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 51	1-time(s)	2.0sec
C-poly/Open	C-poly/thick-Al close	Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
C-poly/Open	thin-Be/Open close	Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
----------------	----------------	-----	------	-------	------	-----	-----	--------------------	-------	------------	----------

XOB #1437: Synoptic - Al/mesh (512/8192) + G-band(64) + Ti/poly (1024/11571) + Dark cal (8192) + Al/poly(512/11571) + thin-Be(1024/32768)

Term	Pointing (x, y)	Comment
11/02 23:58:30 - 11/03 00:06:24	Fixed (0.0, 0.0)	synoptic, shifted -3.5 min

PROG= 06 1-time(s)

Subr= 1	1-time(s)	2.0sec
Seqn= 80	1-time(s)	2.0sec
Open/Al-mesh	Open/Ti-poly close	Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec
Open/Al-mesh	Open/Ti-poly close	Safe Norm 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 26	1-time(s)	2.0sec
Open/Ti-poly	Open/thick-Al close	Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 0.5sec
Open/Ti-poly	Open/thick-Al close	Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 23	1-time(s)	2.0sec
Open/Ti-poly	Open/Ti-poly close	Safe Dark 8.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn=100	1-time(s)	2.0sec
Open/G-band	Open/G-band open	Safe Norm 63ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 54	1-time(s)	2.0sec
Al-poly/Open	Al-poly/Open close	Safe Norm 500ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Al-poly/Open	Al-poly/thick-Al close	Safe Norm 11.3s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 4	1-time(s)	2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 1.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
thin-Be/Open	med-Be/Open close	Safe Norm 32.0s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
----------------	----------------	-----	------	-------	------	-----	-----	--------------------	-------	------------	----------

XOB #137B: Synoptic - Al/mesh short (181ms) /long (4096ms) pair

Term	Pointing (x, y)	Comment
11/03 10:55:00 - 11/05 10:20:00	Fixed (0.0, 0.0)	Backup plan

PROG= 02 Inf.-time(s)

Subr= 1	1-time(s)	2.0sec
Seqn= 8	3-time(s)	1200.0sec
Open/Al-mesh	Open/Ti-poly close	Safe Norm 177ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Open/Al-mesh	Open/Ti-poly close	Safe Norm 4.00s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Seqn= 10	1-time(s)	2.0sec
Open/Al-mesh	Open/G-band close	Safe Dark 1ms Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec
Open/Al-mesh	Open/G-band close	Safe Dark 64.0s Obs 1x1 2048x2048 (1024, 1024) 52% 0 0 2.0sec

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
----------------	----------------	-----	------	-------	------	-----	-----	--------------------	-------	------------	----------

* * * * *

Flare mode

* * * * *

NOT USED

* * * * *

Active Region Search

* * * * *

ARS Patrol

Term	Pointing (x, y)	Comment
11/02 11:31:56 - 11/02 17:57:58	Fixed (0.0, 945.0)	* SUMER CMPN, HOP 44 (from 12:00 UT), N pole
11/02 18:07:56 - 11/02 23:58:28	Fixed (0.0, 945.0)	# Cont.
11/03 00:08:26 - 11/03 06:01:58	Fixed (0.0, 945.0)	# Cont.
11/03 06:11:56 - 11/05 10:20:00	Fixed (0.0, 945.0)	# Cont.

Open/Ti-poly	Open/Ti-poly	close	Safe	Norm	2.83s	Obs	2x2	52%	20.00min
--------------	--------------	-------	------	------	-------	-----	-----	-----	----------

Default Filter	Thicker Filter	VLS	mode	image	Exp.	CCD	Bin	ROI: size (center)	Comp.	AEC Buffer	Interval
----------------	----------------	-----	------	-------	------	-----	-----	--------------------	-------	------------	----------


* * * * *

Flare Detection


* * * * *

NOT USED


CMDI #0471 2007/11/03




CMDI #0471 2007/11/04



CMDI #0471 2007/11/04



CMDI #0471 2007/11/05



CMDI #0471 2007/11/05

